



Front colours

F foiled front



No. 793 noble white matt



No. 777 cosmos grey matt




No. 891 quarz grey matt



No. 722 polar white hgl.

carcass colours

* High gloss carcass for an additional price




No. 111
white matt



No. 177
cosmos grey
matt



no. 191
quarz grey matt



*no. 161
white hgl.

Handle versions

No. 341 handle profile
alu matt



No. 342 handle profile
black matt




Washbasin colours Technique

Ceramic washbasins



„Villeroy&Boch Collaro“

no. 1
white
No. 21 white CeramicPlus



door with integrated buffered closing

No. 554
Pull-outs and drawers with soft
close

No. 555
pull-out units and drawer with chrome edge

No. 560
Pull-outs with glass rail and drawer with
chrome edge
Washbasin base units with b-collection
label

washbasin plate + top cover

oak solid






Illustrations and specifications are without obligation. Technical modifications reserved.

2022/2023 - ID



Please note the instruction for warranty, mounting and care, and the quality agreements as well, at the beginning of the book.

b - essence - model list



Depth indication corresponds to the carcass depth		Depth in mm	Width in mm	Height in mm	Article number	Hinge				
Mirrors										
 	Mirror 1 LED panel light Emotion lighting 1 LED converter incl. LED washbasin lighting This product contains a light source with energy efficiency class: F									
	800 mm wide 23,3 watt / 2190 lumens / 2700 - 6500 Kelvin	91	800	652	FSB 4 1 8 0 0 1					
	1000 mm wide 29,5 watt / 2773 lumens / 2700 - 6500 Kelvin	91	1000	652	FSB 4 1 1 0 0 1					
	1200 mm wide 35,7 watt / 3356 lumens / 2700 - 6500 Kelvin	91	1200	652	FSB 4 1 1 2 0 1					
	1600 mm wide 48,1 watt / 4521 lumens / 2700 - 6500 Kelvin	91	1600	652	FSB 4 1 1 6 0 1					
Ceramic counter top washbasin										
 Villeroy&Boch	ceramic counter too Collaro incl. tap hole with overflow									
	white white Ceramic Plus*	440 440	550 550	90 90	WTM 5 2 0 5 1 WTM 5 2 0 5 2 1					

You find information on the the washbasin manufacturer at the beginning of the sales book.
 Ceramic washbasins with special coating are excluded from this delivery time.



b - essence - model list

Depth indication corresponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Article number		Hinge			
<p>Sets with washbasin cut-out for washbasin Collaro</p>									
 <p>Consisting of: washbasin plate in oak solid with 1 cutout central cut-out measures: width: 480 mm, depth: 395 mm Washbasin base unit 800 mm 1 drawer with buffered closing and siphon cutout 1 metal pull-out with buffered closing,</p> <p>without LED lighting</p> <p>with LED lighting 1 enlightened handle profile 7,2 watt / converter 15 watt 634 lumens / 6500 Kelvin 1 motion sensor This product contains a light source with energy efficiency class: F</p> <p>Additional accessories Space-saving drain stench trap DN 40 Space-saving drain stench trap DN 32</p>	<p>495</p> <p>495</p>	<p>812</p> <p>812</p>	<p>480</p> <p>480</p>	<p>SETBE801M</p> <p>SETBE802M</p>	<p>P Z 1 3 6 7</p> <p>P Z 1 4 2 3</p>				
 <p>Consisting of: washbasin plate in oak solid with 1 cutout central cut-out measures: width: 480 mm, depth: 395 mm washbasin base unit 1000 mm 1 drawer with buffered closing and siphon cutout 1 metal pull-out with buffered closing,</p> <p>without LED lighting</p> <p>with LED lighting 1 enlightened handle profile 9,1 watt / converter 15 watt 801 lumens / 6500 Kelvin 1 motion sensor This product contains a light source with energy efficiency class: F</p> <p>Additional accessories Space-saving drain stench trap DN 40 Space-saving drain stench trap DN 32</p>	<p>495</p> <p>495</p>	<p>1012</p> <p>1012</p>	<p>480</p> <p>480</p>	<p>SETBE101M</p> <p>SETBE102M</p>	<p>P Z 1 3 6 7</p> <p>P Z 1 4 2 3</p>				




b - essence - model list

Depth indication corresponds to the carcass depth		Depth in mm	Width in mm	Height in mm	Article number	Hinge				
 <p>Consisting of: washbasin plate in oak solid with 1 cutout central cut-out measures: width: 480 mm, depth: 395 mm washbasin base unit 1200 mm 1 drawer with buffered closing and siphon cutout 1 metal pull-out with buffered closing,</p> <p>without LED lighting</p> <p>with LED lighting 1 enlightened handle profile 11,0 watt / Converter 15 watt 972 lumens / 6500 Kelvin 1 motion sensor This product contains a light source with energy efficiency class: F</p> <p>Additional accessories Space-saving drain stench trap DN 40 Space-saving drain stench trap DN 32</p>		495	1212	480	SETBE121M					
		495	1212	480	SETBE122M					
 <p>Consisting of: washbasin plate in oak solid with 1 cutout right cut-out measures: width: 480 mm, depth: 395 mm washbasin base unit 1000 mm 1 drawer with buffered closing with sy- phon cut- out 1 metal pull-out with buffered closing Base unit 600 mm 1 drawer with buffered closing 1 metal pull-out with buffered closing</p> <p>without LED lighting</p> <p>with LED lighting 2 enlightened handle profiles 14,4 Watt / converter 15 Watt 801 + 462 lumens / 6500 Kelvin 1 motion sensor This product contains a light source with energy efficiency class: F</p> <p>Additional accessories Space-saving drain stench trap DN 40 Space-saving drain stench trap DN 32</p>		495	1612	480	SETBE161L					
		495	1612	480	SETBE162L					
					PZ 1 3 6 7 PZ 1 4 2 3					
					PZ 1 3 6 7 PZ 1 4 2 3					




b - essence - model list

Depth indication corresponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Article number		Hinge			
<p>Sets with washbasin cut-out for washbasin Collaro</p>									
 <p>Consisting of: washbasin plate in oak solid with 1 cutout left cut-out measures: width: 480 mm, depth: 395 mm washbasin base unit 1000 mm 1 drawer with buffered closing and siphon cutout 1 metal pull-out with buffered closing Base unit 600 mm 1 drawer with buffered closing 1 metal pull-out with buffered closing</p> <p>without LED lighting</p> <p>with LED lighting 2 enlightened handle profiles 14,4 Watt / converter 15 Watt 801 + 462 lumens / 6500 Kelvin 1 motion sensor This product contains a light source with energy efficiency class: F</p> <p>Additional accessories Space-saving drain stench trap DN 40 Space-saving drain stench trap DN 32</p>	<p>495</p> <p>495</p>	<p>1612</p> <p>1612</p>	<p>480</p> <p>480</p>	<p>SETBE161R</p> <p>SETBE162R</p>	<p>P Z 1 3 6 7</p> <p>P Z 1 4 2 3</p>				
 <p>Consisting of: washbasin plate in oak solid with 2 cutouts left and right cut-out measures, each: width: 480 mm, depth: 395 mm 2 Washbasin base units (800 mm + 800 mm), je: 1 drawer with buffered closing and siphon cutout 1 metal pull-out with buffered closing</p> <p>without LED lighting</p> <p>with LED lighting 2 enlightened handle profiles 14,4 Watt / converter 15 Watt 634 + 634 lumens / 6500 Kelvin 1 motion sensor This product contains a light source with energy efficiency class: F</p> <p>Additional accessories Space-saving drain stench trap DN 40 (order 2 pieces) Space-saving drain stench trap DN 32 (order 2 pieces)</p>	<p>495</p> <p>495</p>	<p>1612</p> <p>1612</p>	<p>480</p> <p>480</p>	<p>SETBE161D</p> <p>SETBE162D</p>	<p>P Z 1 3 6 7</p> <p>P Z 1 4 2 3</p>				






b - essence - model list

Depth indication corresponds to the carcass depth		Depth in mm	Width in mm	Height in mm	Article number	Hinge				
Sets without cut-out for washbasins										
	Consisting of: washbasin plate in oak solid Washbasin base unit 800 mm 1 drawer with buffered closing and siphon cutout 1 metal pull-out with buffered closing,	495	812	480	SETBE8010					
	without LED lighting with LED lighting 1 enlightened handle profile 7,2 watt / converter 15 watt 634 lumens / 6500 Kelvin 1 motion sensor This product contains a light source with energy efficiency class: F Additional accessories Space-saving drain stench trap DN 40 Space-saving drain stench trap DN 32	495	812	480	SETBE8020					
	Consisting of: washbasin plate in oak solid washbasin base unit 1000 mm 1 drawer with buffered closing and siphon cutout 1 metal pull-out with buffered closing,	495	1012	480	SETBE1010					
	without LED lighting with LED lighting 1 enlightened handle profile 9,1 watt / converter 15 watt 801 lumens / 6500 Kelvin 1 motion sensor This product contains a light source with energy efficiency class: F Additional accessories Space-saving drain stench trap DN 40 Space-saving drain stench trap DN 32	495	1012	480	SETBE1020					
	Consisting of: washbasin plate in oak solid washbasin base unit 1200 mm 1 drawer with buffered closing and siphon cutout 1 metal pull-out with buffered closing,	495	1212	480	SETBE1210					
	without LED lighting with LED lighting 1 enlightened handle profile 11,0 watt / Converter 15 watt 972 lumens / 6500 Kelvin 1 motion sensor This product contains a light source with energy efficiency class: F Additional accessories Space-saving drain stench trap DN 40 Space-saving drain stench trap DN 32	495	1212	480	SETBE1220					
					PZ 1 3 6 7 PZ 1 4 2 3					
					PZ 1 3 6 7 PZ 1 4 2 3					
					PZ 1 3 6 7 PZ 1 4 2 3					








b - essence - model list

Depth indication corresponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Article number	Hinge
Sets without cut-out for washbasins					
 <p>base units exchangeable</p>	<p>Consisting of: washbasin plate in oak solid washbasin base unit 1000 mm 1 drawer with buffered closing with syphon cut-out 1 metal pull-out with buffered closing Base unit 600 mm 1 drawer with buffered closing 1 metal pull-out with buffered closing</p> <p>without LED lighting 495 1612 480 SETBE1610</p> <p>with LED lighting 495 1612 480 SETBE1620</p> <p>2 enlightened handle profiles 14,4 Watt / converter 15 Watt 801 + 462 lumens / 6500 Kelvin 1 motion sensor This product contains a light source with energy efficiency class: F</p> <p>Additional accessories Space-saving drain stench trap DN 40 P Z 1 3 6 7 Space-saving drain stench trap DN 32 P Z 1 4 2 3</p>				
	<p>Consisting of: washbasin plate in oak solid 2 Washbasin base units (800 mm + 800 mm), je: 1 drawer with buffered closing and siphon cutout 1 metal pull-out with buffered closing</p> <p>without LED lighting 495 1612 480 SETBE1630</p> <p>with LED lighting 495 1612 480 SETBE1640</p> <p>2 enlightened handle profiles 14,4 Watt / converter 15 Watt 634 + 634 lumens / 6500 Kelvin 1 motion sensor This product contains a light source with energy efficiency class: F</p> <p>Additional accessories Space-saving drain stench trap DN 40 (order 2 pieces) P Z 1 3 6 7 Space-saving drain stench trap DN 32 (order 2 pieces) P Z 1 4 2 3</p>				
Tall units					
	<p>Tall unit 2 doors 2 glass shelves (top) 2 adjustable shelves (bottom)</p> <p>300 300 1630 HNA0330GL L/R</p>				





b - essence - model list

Depth indication corresponds to the carcass depth		Depth in mm	Width in mm	Height in mm	Article number	Hinge				
Tall units										
	<p>Tall unit 4 doors 2 glass shelves (top) 2 adjustable shelves (bottom)</p>	300	600	1630	HNA0360GL					
Central units										
	<p>medium-high unit 1 door 4 glass shelves 1 top cover 325 mm deep in oak solid</p>	300	300	1350	MNA813CGM	L/R				
	<p>medium-high unit 2 doors 4 glass shelves 1 top cover 325 mm deep in oak solid</p>	300	600	1350	MNA816CGM					
	<p>medium-high unit with inside drawers 1 door 1 glass shelf 2 inside metal-drawer with buffered closing 1 top cover 325 mm deep in oak solid</p>	300	300	1350	MNA843CGM	L/R				
	<p>medium-high unit with inside drawers 2 doors 1 continuous glass shelf 2 continuously inside metal-drawer with buffered closing 1 top cover 325 mm deep in oak solid</p>	300	600	1350	MNA846CGM					








b - essence - model list

Depth indication corresponds to the carcass depth		Depth in mm	Width in mm	Height in mm	Article number	Hinge				
Highboards										
	Highboard 1 door 2 glass shelves 1 top cover 325 mm deep in oak solid	300	300	870	H B A 5 1 3 C G M	L/R				
	Highboard 2 doors 2 glass shelves 1 top cover 325 mm deep in oak solid	300	600	870	H B A 5 1 6 C G M					
	Highboard 1 metal pull-out with buffered closing 1 door 1 glass shelf 1 top cover 325 mm deep in oak solid	300	300	870	H B A 5 5 3 C G M	L/R				
	Highboard 1 metal pull-out with buffered closing 2 doors 1 glass shelf 1 top cover 325 mm deep in oak solid	300	600	870	H B A 5 5 6 C G M					
	Highboard 1 metal pull-out with buffered closing 2 doors 1 laundry pull out with wire basket Volume of laundry pull out: 40 liters 1 top cover 325 mm deep in oak solid	300	600	870	H B A 5 5 6 C W M					
Shelves										
	functional shelf Edges are cut with a mitre vertical and horizontal mounting possible please indicate colour version: no. 501 white matt lacquered no. 547 black matt lacquered	150	300	160	R G L 1 1 3 0 0 1					
	functional shelf Edges are cut with a mitre vertical and horizontal mounting possible please indicate colour version: no. 501 white matt lacquered no. 547 black matt lacquered	150	600	160	R G L 1 1 6 0 0 2					


b - essence - model list

Depth indication corresponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Article number	Hinge					
Shelves										
	functional shelf Edges are cut with a mitre vertical and horizontal mounting possible	150	900	160	RGL 1 1 9 0 0 3					
please indicate colour version: no. 501 white matt lacquered no. 547 black matt lacquered										
Glass shelves										
	Glass shelf incl. metal holder									
600 mm wide incl. 2 metal brackets										
130	600	8	ABG 1 3 6 0 0 8							
800 mm wide incl. 2 metal brackets										
130	800	8	ABG 1 3 8 0 0 8							
1000 mm wide incl. 3 metal brackets										
130	1000	8	ABG 1 3 1 0 0 8							
1200 mm wide incl. 3 metal brackets										
130	1200	8	ABG 1 3 1 2 0 8							
Accessories										
	Towel holder one-armed swiveling for mounting to wall or carcass Please observe carcass depth and furniture height									
Chrome hgl.										
420	30	46	PZ 1 1 4 7 1							
black										
420	30	46	PZ 1 1 4 7 2							
	Towel holder one-armed front opened for assembling at the washbasin base unit Please observe carcass depth and furniture height									
Chrome hgl.										
390	55	30	PZ 1 1 2 8 1 1							
black										
390	55	30	PZ 1 1 2 8 1 2							









b - essence - model list

Depth indication corresponds to the carcass depth		Depth in mm	Width in mm	Height in mm	Article number			Hinge				
Accessories												
	Towel holder two-armed front opened for assembling at the washbasin base unit Please observe carcass depth and furniture height Chrome hgl. black	390 390	110 110	30 30	P Z	1 1 2 8	1 2					
	Towel holder one-armed extendable chrome gloss wall-mounted	330-567	44	44	P Z	1 1 3 7	1					
	Towel holder two-armed extendable chrome gloss wall-mounted	322-562	87	47	P Z	1 1 3 7	2					
	Adjustable organizer components not possible for variant 560 4 dividing elements - 600 mm cabinet width 4 dividing elements - 800 mm cabinet width 5 dividing elements - 1000 mm cabinet width 6 dividing elements- 1200 mm cabinet width				P Z	1 2 2 4 6 1						
	Basin organizer incl. fixing elements not possible for variant 560 2 basin organizer for 600 mm carbinet width 2 basin organizer for 800 mm carbinet width 2 basin organizer for 1000 mm carbinet width 2 basin organizer for 1200 mm carbinet width				P Z	1 2 3 6 6 0						
	Basin organizer without fitting elements	150	246	150	P Z	1 2 3 6 E 1						
	Space-saving drain stench trap from GEBERIT made of plastic, in white nominal diameter: 40				P Z	1 3 6 7						

b - essence - model list

Depth indication corresponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Article number			Hinge				
Accessories											
	Space-saving drain stench trap from GEBERIT made of plastic, in white nominal diameter: 32			P Z	1	4	2	3			



b - essence - bathroom variations

BEK-0180-1		  <p style="text-align: right;">812 mm wide</p>	
1	Mirror		F S B 4 1 8 0 0 1
1	ceramic washbasins, white		W T M 5 2 0 5 1
1	washbasin plate & base unit		S E T B E 8 0 1 M
BEK-0110-1		  <p style="text-align: right;">1012 mm wide</p>	
1	Mirror		F S B 4 1 1 0 0 1
1	ceramic washbasins, white		W T M 5 2 0 5 1
1	washbasin plate & base unit		S E T B E 1 0 1 M
BEK-0112-1		  <p style="text-align: right;">1212 mm wide</p>	
1	Mirror		F S B 4 1 1 2 0 1
1	ceramic washbasins, white		W T M 5 2 0 5 1
1	washbasin plate & base unit		S E T B E 1 2 1 M
BEK-0116-1		  <p style="text-align: right;">1612 mm wide</p>	
1	Mirror		F S B 4 1 1 6 0 1
2	ceramic washbasins, white		W T M 5 2 0 5 1
1	washbasin plate & base unit		S E T B E 1 6 1 D

b - essence - dimensional drawings



SET BE80 + WTM 5205

SET BE10 + WTM 5205





SET BE12 + WTM 5205

SET BE16 1L + WTM 5205



SET BE16 1R + WTM 5205

SET BE16 + 2 x WTM 5205



For washing stands with fixing screws, the dimensions for boring must be drawn in on-site after the washing stand has been laid on the floor unit.

The fastening screws must be screwed.

Modifications:

Technical modifications (+/- 5mm) and flatness modifications (DIN 18202) are subject of the usual material-specific modifications for construction materials, based on DIN 18202.