Programm 801







Front colours



No. 778 cosmos grey lacquer matt



No. 780 white lacquer hgl.



Nr. 783 natural oak



F foiled front

carcass colours

* High gloss carcass for an additional price



No. 177 cosmos grey matt



*no. 161 white hgl.



Nr. 185 natural oak

Technique

door with integrated buffered closing

No. 554
Pull outs and drawers with soft
close
optional:
No. 555
pull-out units and drawer with chrome edge

No. 560
Pull-outs with glass rail and drawer with chrome edge
Washbasin base units with b-collection label

Washbasin colours

Cast mineral washbasins



no. 1 white

Cast mineral tops with top-mounted washbasins



no. 1 white

Handle version

handleless with recessed grip



 $Illustrations \ and \ specifications \ are \ without \ obligation. \ Technical \ modifications \ reserved.$

2022/2023 - ID

Please note the instruction for warranty, mounting and care, and the quality agreements as well, at the beginning of the book.

Depth indication corre	esponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Arti	cle num	ber	Hinge		
Mirrors								_		
. //	Mirror 1 LED panel light Emotion lighting 1 LED converter incl. LED washbasin lighting This product contains a light source with energy efficiency class: F									
	600 mm wide 17,1 watt / 1607 lumens / 2700 - 6500 Kelvin	91	600	652	FSB	4160	0 0 1			
	900 mm wide 26,4 watt / 2482 lumens / 2700 - 6500 Kelvin	91	900	652	FSB	4190	0 0 1			
	1200 mm wide 35,7 watt / 3356 lumens / 2700 - 6500 Kelvin	91	1200	652	FSB	4111	2 0 1			
	1400 mm wide 41,9 watt / 3939 lumens / 2700 - 6500 Kelvin	91	1400	652	FSB	4114	4 0 1			
a //	Mirror LED acrylic strips at top and bottom Emotion lighting 1 LED converter This product contains a light source with energy efficiency class: F									
	600 mm wide 17,1 watt / 1607 lumens / 2700 - 6500 Kelvin	28	600	640	FSB	4 3 6 (0 0 1			
	900 mm wide 26,4 watt / 2482 lumens / 2700 - 6500 Kelvin	28	900	640	FSB	4 3 9 (0 0 1			
	1200 mm wide 35,7 watt / 3356 lumens / 2700 - 6500 Kelvin	28	1200	640	FSB	4 3 1 2	2 0 1			
	1400 mm wide 41,9 watt / 3939 lumens / 2700 - 6500 Kelvin	28	1400	640	FSB	4 3 1 4	4 0 1			
/// /// EMOTION	Mirror LED aluminium frame all-round LED lighting 37,2 watt / converter 60 watt 3497 lumens / 2700 - 6500 Kelvin Emotion lighting This product contains a light source with energy efficiency class: F	40	600	640	Eep	4.5.0				
	aluminium frame in black matt anodize aluminium fram in white matt	40 40	600 600	640 640		4 5 6 (
	lacquered	-		-						

Depth indication corre	esponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Arti	cle numb	er	Hinge		
Mirrors										
///	Mirror LED aluminium frame all-round LED lighting 46,5 watt / converter 60 watt 4371 lumens / 2700 - 6500 Kelvin Emotion lighting This product contains a light source with energy efficiency class: F									
	aluminium frame in black matt anodize	40	900	640	FSB	4 5 9 0	0 4			
	aluminium fram in white matt lacquered	40	900	640	FSB	4 5 9 0	0 5			
///	Mirror LED aluminium frame all-round LED lighting 55,8 watt / converter 60 watt 5245 lumens / 2700 - 6500 Kelvin Emotion lighting This product contains a light source with energy efficiency class: F									
	aluminium frame in black matt anodize	40	1200	640	FSB	4 5 1 2	0 4			
	aluminium fram in white matt lacquered	40	1200	640	FSB	4 5 1 2	0 5			
// // // // // // // // // // // // //	Mirror LED aluminium frame all-round LED lighting 52,0 watt / converter 60 watt 5980 lumens / 2700 - 6500 Kelvin Emotion lighting This product contains a light source with energy efficiency class: G									
	aluminium frame in black matt anodize	40	1400	640	FSB	4 5 1 4	0 4			
	aluminium fram in white matt lacquered	40	1400	640	FSB	4 5 1 4	0 5			
Mirror cabin										
incl. handle blocks	mirror cabinet 2 double mirror doors 2 glass shelves 1 LED panel light 8,53 watt / converter 15 watt 699 lumens / (2700 -) 6500 Kelvin 1 switch socket element Door width: 196 mm / 396 mm This product contains a light source with energy efficiency class: F	150	600	660	S 2 A	4 3 6 0	8 8	L/R		
	Additional accessories LED washbasin lighting LED washbasin lighting emotion Emotion lighting				PZ PZ PZ	1 0 6 3 1 1 5 0 1 0 2 0	60			

Depth indication corre	esponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Arti	cle r	numb	er	Hinge		
Mirror cabin	ets										
incl. handle blocks	mirror cabinet 3 double mirror doors 2 central partitions, 6 glass shelves 1 LED panel light 13,2 watt / converter 30watt 1082 lumens / (2700 -) 6500 Kelvin 1 switch socket element Door width: 238 mm / 412 mm / 238 mm This product contains a light source with energy efficiency class: F Additional accessories LED washbasin lighting LED washbasin lighting emotion Emotion lighting	150	900	660	PZ PZ PZ	1 (900	90			
incl. handle blocks	mirror cabinet 3 double mirror doors 2 central partitions, 6 glass shelves 1 LED panel light 17,8 watt / converter 30 watt 1462 lumens / (2700 -) 6500 Kelvin 1 switch socket element Door width: 388 mm / 412 mm / 388 mm This product contains a light source with energy efficiency class: F Additional accessories LED washbasin lighting LED washbasin lighting LED mashbasin lighting LED mashbasin lighting LED mashbasin lighting	150	1200	660	PZ PZ PZ	1 (0 6 3	12			
incl. handle blocks	mirror cabinet 3 double mirror doors 2 central partitions, 6 glass shelves 1 LED panel light 20,9 watt / converter 30 watt 1716 lumens / (2700 -) 6500 Kelvin 1 switch socket element Door width: 446 mm / 496 mm / 446 mm This product contains a light source with energy efficiency class: F Additional accessories LED washbasin lighting LED washbasin lighting LED mashbasin lighting LED washbasin lighting LED mashbasin lighting	150	1400	660	PZ PZ PZ	1 (0 6 3	12			

Depth indication corr	responds to the carcass depth	Depth in mm	Width in mm	Height in mm	Article number	Hinge		
Cast minera	nl washbasins							
	Cast mineral washbasin colour white incl. CLOU drain and overflow system in chrome	500	606	25	SWM 9 3 0 6 1			
	Cast mineral washbasin bordered LED lighting 2,7 watt / converter 15 watt 238 lumens / 6500 Kelvin colour white incl. CLOU drain and overflow system in chrome This product contains a light source with energy efficiency class: F	500	606	25	SWM 9 3 0 6 B 1			
	can be combined with WUA 3360 10, WUA 1160 10							
	Additional accessories motion sensor for LED lighting				PZ 1 1 4 1			
	Cast mineral washbasin colour white incl. CLOU drain and overflow system in chrome	500	906	25	SWM 9 3 0 9 1			
	Cast mineral washbasin bordered LED lighting 4,1 watt / converter 15 watt 367 lumens / 6500 Kelvin colour white incl. CLOU drain and overflow system in chrome This product contains a light source with energy efficiency class: F	500	906	25	SWM 9 3 0 9 B 1			
	can combined with WUA 3390 10, WUA 1190 10							
	Additional accessories motion sensor for LED lighting				PZ 1 1 4 1			
	Cast mineral washbasin colour white incl. CLOU drain and overflow system in chrome	500	1206	25	SWM 9 3 1 2 1			
	Cast mineral washbasin bordered LED lighting 5,5 Watt / converter 15 Watt 497 lumens / 6500 Kelvin colour white incl. CLOU drain and overflow system in chrome This product contains a light source with energy efficiency class: F	500	1206	25	SWM 9 3 1 2 B 1			
	can combined with WUA 3312 10, WUA 1112 10							
	Additional accessories motion sensor for LED lighting				PZ 1 1 4 1			

Depth indication corre	esponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Article number	Hinge		
Cast minera	l washbasins							
	Cast mineral double washbasin colour white incl. CLOU drain and overflow system in chrome	500	1206	25	SWM 9 3 2 D 1			
	Cast mineral double washbasin bordered LED lighting 5,5 Watt / converter 15 Watt 497 lumens / 6500 Kelvin colour white incl. CLOU drain and overflow system in chrome This product contains a light source with energy efficiency class: F can combined with WUA 3312 12, WUA 1112 12	500	1206	25	SWM 9 3 2 D B 1			
	Additional accessories motion sensor for LED lighting				PZ 1141			
	Cast mineral washbasin colour white incl. CLOU drain and overflow system in chrome	500	1406	25	SWM 9 3 1 4 1			
	Cast mineral washbasin bordered LED lighting 6,5 Watt / converter 15 Watt 583 lumens / 6500 Kelvin colour white incl. CLOU drain and overflow system in chrome This product contains a light source with energy efficiency class: F	500	1406	25	SWM 9 3 1 4 B 1			
	can combined with WUA 3314 10, WUA 1114 10 Additional accessories motion sensor for LED lighting				PZ 1141			
	motion sensor for LED lighting				F Z 1 1 4 1			
	Cast mineral double washbasin colour white incl. CLOU drain and overflow system in chrome	500	1406	25	SWM 9 3 4 D 1			
	Cast mineral double washbasin bordered LED lighting 6,5 Watt / converter 15 Watt 583 lumens / 6500 Kelvin colour white incl. CLOU drain and overflow system in chrome This product contains a light source with energy efficiency class: F	500	1406	25	SWM 9 3 4 D B 1			
	can combined with WUA 3314 12, WUA 1114 12							
	Additional accessories motion sensor for LED lighting				PZ 1141			

Depth indication corre	esponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Arti	icle n	umb	er			
Washbasin l	oase units										
	Washbasin base unit 1 metal pull out unit with buffered closing 1 aluminium-coloured organizer components 1 metal pull out unit with buffered closing and rail for cast mineral washbasins Additional accessories Space-saving drain stench trap DN 40	470	600	480	WU A	1 3	67	1 0			
	Space-saving drain stench trap DN 32				PΖ	1 4	23				
	Washbasin base unit 1 metal pull out unit with buffered closing 1 aluminium-coloured organizer components 1 metal pull out unit with buffered closing and rail	470	900	480	WUA	3 3	9 0	1 0			
	for cast mineral washbasins Additional accessories Space-saving drain stench trap DN 40 Space-saving drain stench trap DN 32				P Z P Z		67				
	Washbasin base unit 1 metal pull out unit with buffered closing 1 aluminium-coloured organizer components 1 metal pull out unit with buffered closing and rail for single washbasin solution	470	1200	480	WUA	3 3	1 2	1 0			
	for cast mineral washbasins Additional accessories Space-saving drain stench trap DN 40 Space-saving drain stench trap DN 32				P Z P Z		67				
	Washbasin base unit for double washbasin solutions 1 metal pull out unit with buffered closing 2 aluminium-coloured organizer components 1 metal pull out unit with buffered closing and rail for double washbasin solutions for cast mineral washbasins	470	1200	480	WUA	3 3	1 2	1 2			
	Additional accessories Space-saving drain stench trap DN 40 (order 2 pieces) Space-saving drain stench trap DN 32 (order 2 pieces)				P Z P Z		67				

Depth indication corre	esponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Article n	umber	Hinge		
Washbasin I	oase units								
	Washbasin base unit 1 metal pull out unit with buffered closing 1 aluminium-coloured organizer components 1 metal pull out unit with buffered closing and rail for single washbasin solution for cast mineral washbasins	470	1400	480	W U A 3 3	1 4 1 0			
	Additional accessories Space-saving drain stench trap DN 40 Space-saving drain stench trap DN 32				PZ 13 PZ 14	6 7 2 3			
	Washbasin base unit for double washbasin solutions 1 metal pull out unit with buffered closing 2 aluminium-coloured organizer compo- nents 1 metal pull out unit with buffered closing and rail	470	1400	480	WUA 3 3	1412			
	for double washbasin solutions for cast mineral washbasins								
	Additional accessories Space-saving drain stench trap DN 40 (order 2 pieces) Space-saving drain stench trap DN 32 (order 2 pieces)				PZ 13				
	Washbasin base unit 1 metal pull out unit with buffered closing 1 aluminium-coloured organizer components for cast mineral washbasins	470	600	240	WUA11	6 0 1 0			
	Washbasin base unit 1 metal pull out unit with buffered closing 1 aluminium-coloured organizer components for cast mineral washbasins	470	900	240	WUA 1 1	9 0 1 0			
	Washbasin base unit 1 metal pull out unit with buffered closing 1 aluminium-coloured organizer components for single washbasin solution for cast mineral washbasins	470	1200	240	WU A 1 1	1 2 1 0			
	Washbasin base unit 1 metal pull out unit with buffered closing 2 aluminium-coloured organizer components for double washbasin solutions for cast mineral washbasins	470	1200	240	WUA11	1 2 1 2			

Depth indication corre	esponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Article number	Hinge	
Washbasin	base units						
	Washbasin base unit 1 metal pull out unit with buffered closing 1 aluminium-coloured organizer components for single washbasin solution for cast mineral washbasins	470	1400	240	WUA111410		
	Washbasin base unit 1 metal pull out unit with buffered closing 2 aluminium-coloured organizer components for double washbasin solutions for cast mineral washbasins	470	1400	240	WUA111412		
Cast minera	I tops with						
top-mounted	d washbasins						
	Cast mineral top with top-mounted washbasin						
	1 top-mounted washbasin, 490 mm colour white incl. permanent drain	500	612	85	MWP 1 0 6 M 1		
	Cast mineral top with top-mounted washbasin, LED Description as above, though LED- lighting 2,7 watt / converter 15 watt 238 lumens / 6500 Kelvin This product contains a light source with energy efficiency class: F can be combined with WUA 3360 16, WUA 1160 16 Design siphon must also be ordered in combination with WUA 1160/90/12/14 16/17 see accessories - PZ 1389 1E/ PZ 1374 1	500	612	85	MWP 1 0 6 M B 1		

Cast mineral tops with top-mounted washbasins Cast mineral top with washbasin 1 top-mounted washbasin 1 top-mounted washbasin Cast mineral top with washbasin, LED Description as above								Hinge		
Cast mineral top with washbasin 1 top-mounted washbasin colour white incl. permanent drain Cast mineral top with washbasin, LED										
washbasin 1 top-mounted washbasin colour white incl. permanent drain Cast mineral top with washbasin, LED	h top-mounted									
1 top-mounted washb colour white incl. permanent drain Cast mineral top wit washbasin, LED										
washbasin, LED		500	912	85	MWP	109M	1			
LED- lighting 4,1 watt / converter 1: 367 lumens / 6500 Ke This product contains energy efficiency clas	, though 5 watt elvin a light source with	500	912	85	MWP	1 0 9 M	B 1			
can combined with W 1190 16	'UA 3390 16, WUA									
Design siphon must a combination with WUA 1160/90/12/14 1 see accessories - PZ	16/17									
Cast mineral top wit washbasin	h top-mounted									
1 top-mounted washb colour white incl. permanent drain		500	1212	85	MWP	1 1 2 M	1			
Cast mineral top wit washbasin, LED Description as above LED- lighting 5,5 Watt / converter 1 497 lumens / 6500 Ke This product contains energy efficiency class can combined with W 1112 16 Design siphon must a combination with WUA 1160/90/12/14 1 see accessories - PZ	though 5 Watt elvin a a light source with s: F UA 3312 16, WUA also be ordered in	500	1212	85	MWP	112M	B 1			

Depth indication corr	esponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Article number	Hinge	
Cast minera	I tops with						
top-mounte	d washbasins						
	Cast mineral top with top-mounted washbasin						
	2 fitted washbasins, 490 mm each colour white incl. permanent drain	500	1212	85	MWP 1 1 2 D 1		
	Cast mineral top with top-mounted washbasin, LED Description as above, though LED- lighting 5,5 Watt / converter 15 Watt 497 lumens / 6500 Kelvin This product contains a light source with energy efficiency class: F can combined with WUA 3312 17, WUA 1112 17 Design siphon must also be ordered in	500	1212	85	MWP 1 1 2 D B 1		
	combination with WUA 1160/90/12/14 16/17 see accessories - PZ 1389 1E/ PZ 1374 1						
	Cast mineral top with top-mounted						
	1 top-mounted washbasin, 600 mm colour white incl. permanent drain	500	1412	85	MWP 1 1 4 M 1		
	Cast mineral top with top-mounted washbasin, LED Description as above, though LED- lighting 6,5 Watt / converter 15 Watt 583 lumens / 6500 Kelvin This product contains a light source with energy efficiency class: F can combined with WUA 3314 16, WUA 1114 16 Design siphon must also be ordered in combination with WUA 1160/90/12/14 16/17 see accessories - PZ 1389 1E/ PZ 1374 1	500	1412	85	MWP 1 1 4 M B 1		

Depth indication corresponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Art	icle n	umb	er	Hinge		
Cast mineral tops with								_		
top-mounted washbasins										
Cast mineral top with top-mounted washbasin										
2 fitted washbasins, 490 mm each colour white incl. permanent drain	500	1412	85	MWP	11	4 D	1			
Cast mineral top with top-mounted washbasin, LED Description as above, though LED- lighting 6,5 Watt / converter 15 Watt 583 lumens / 6500 Kelvin This product contains a light source with energy efficiency class: F	500	1412	85	MWP	1 1	4 D	В 1			
can combined with WUA 3314 17, WUA 1114 17										
Design siphon must also be ordered in combination with WUA 1160/90/12/14 16/17 see accessories - PZ 1389 1E/ PZ 1374 1										
Washbasin base units										
Washbasin base unit 1 metal pull out unit with buffered closing 1 aluminium-coloured organizer components 1 metal pull out unit with buffered closing and rail	470	600	480	WUA	3 3	6 0	1 6			
for cast mineral tops with top-mounted washbasins										
Additional accessories Space-saving drain stench trap DN 40 Space-saving drain stench trap DN 32				P Z P Z		67				
Washbasin base unit 1 metal pull out unit with buffered closing 1 aluminium-coloured organizer components 1 metal pull out unit with buffered closing and rail	470	900	480	WUA	3 3	9 0	1 6			
for cast mineral tops with top-mounted washbasins										
Additional accessories Space-saving drain stench trap DN 40 Space-saving drain stench trap DN 32				P Z P Z		67				
You find information on the the washbasin manufactu										

Depth indication corre	esponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Arti	cle r	um	ber		Hinge		
Washbasin I	base units											
	Washbasin base unit 1 metal pull out unit with buffered closing 1 aluminium-coloured organizer components 1 metal pull out unit with buffered closing and rail for single washbasin solution for cast mineral tops with top-mounted washbasins Additional accessories Space-saving drain stench trap DN 40 Space-saving drain stench trap DN 32	470	1200	480	WUA PZ PZ	1 3	1 2	7	6			
	Washbasin base unit for double washbasin solutions 1 metal pull out unit with buffered closing 2 aluminium-coloured organizer components 1 metal pull out unit with buffered closing and rail for double washbasin solutions for cast mineral tops with top-mounted washbasins Additional accessories Space-saving drain stench trap DN 40 (order 2 pieces) Space-saving drain stench trap DN 32 (order 2 pieces)	470	1200	480	WUA PZ PZ	1 3	1 2	7	7			
	Washbasin base unit 1 metal pull out unit with buffered closing 1 aluminium-coloured organizer components 1 metal pull out unit with buffered closing and rail for single washbasin solution for cast mineral tops with top-mounted washbasins Additional accessories Space-saving drain stench trap DN 40 Space-saving drain stench trap DN 32	470	1400	480	WUA PZ PZ	1 3		7	6			

Depth indication corre	Depth indication corresponds to the carcass depth		Width in mm	Height in mm	Arti	icle num	oer	Hinge		
Washbasin k	oase units									
	Washbasin base unit for double washbasin solutions 1 metal pull out unit with buffered closing 2 aluminium-coloured organizer components 1 metal pull out unit with buffered closing and rail for double washbasin solutions	470	1400	480	WUA	3 3 1 4	17			
	for cast mineral tops with top-mounted washbasins									
	Additional accessories Space-saving drain stench trap DN 40 (order 2 pieces) Space-saving drain stench trap DN 32 (order 2 pieces)				P Z P Z	1 3 6 7				
	Washbasin base unit 1 metal pull out unit with buffered closing 1 aluminium-coloured organizer components for cast mineral tops with top-mounted	470	600	240	WUA	1160	1 6			
	washbasins									
	Washbasin base unit 1 metal pull out unit with buffered closing 1 aluminium-coloured organizer components	470	900	240	WUA	119(1 6			
	for cast mineral tops with top-mounted washbasins									
	Washbasin base unit 1 metal pull out unit with buffered closing 1 aluminium-coloured organizer components for single washbasin solution	470	1200	240	WUA	1112	2 1 6			
	for cast mineral tops with top-mounted washbasins									
	Washbasin base unit 1 metal pull out unit with buffered closing 2 aluminium-coloured organizer components for double washbasin solutions	470	1200	240	WUA	1112	2 1 7			
	for cast mineral tops with top-mounted washbasins									

Depth indication corresponds to the carcass depth		Depth in mm	Width in mm	Height in mm	Article	number	Hinge		
Washbasin I	oase units								
	Washbasin base unit 1 metal pull out unit with buffered closing 1 aluminium-coloured organizer components for single washbasin solution for cast mineral tops with top-mounted washbasins	470	1400	240	WUA11	1 1 4 1 6			
Tall units	Washbasin base unit 1 metal pull out unit with buffered closing 2 aluminium-coloured organizer components for double washbasin solutions for cast mineral tops with top-mounted washbasins	470	1400	240	WUA11	11417			
ran units									
800	Tall unit 2 doors with buffered closing 2 glass shelves (top) 2 adjustable shelves (bottom)	300	300	1600	HNA03	3 3 0	L/R		
800	Tall unit 4 door with buffered closing 2 glass shelves (top) 2 adjustable shelves (bottom)	300	600	1600	HNAO:	3 6 0			
1120	Tall unit 2 doors with buffered closing 4 glass shelves 1 glass shelf	300	300	1600	HNA 0 3	3 3 0 4	L/R		

Depth indication corresponds to the carcass depth Tall units		Depth in mm	Width in mm	Height in mm	Article nu	ımber	Hinge		
1120	Tall unit 4 door with buffered closing 4 glass shelves 1 glass shelf	300	600	1600	H N A 0 3	604			
1120	Tall unit 1 door with buffered closing 3 glass shelves (top) 1 inside drawer with buffered closing 1 door with buffered closing 1 glass shelf	300	300	1600	H N A 0 4 :	3 0 4	L/R		
1120 bg	Tall unit 2 doors with buffered closing 3 continuously glass shelves 1 consistent inside drawer with buffered closing 2 doors with buffered closing 1 glass shelf	300	600	1600	H N A 0 4	5 0 4			
240	Tall unit 1 door with buffered closing 4 glass shelves 2 metal pull outs with buffered closing and rail	300	300	1600	H N A 0 8	3 0 4	L/R		
240	Tall unit 2 doors with buffered closing 4 glass shelves 2 metal pull outs with buffered closing and rail	300	600	1600	H N A 0 8	5 0 4			

Depth indication corr	esponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Arti	cle n	iumb	er	Hinge		
Tall units											
266 LEMOTION III. = right	Tall unit 1 double mirror door 6 glass shelves 1 shelf 5 shelves mirrored back side 26,9 watt / converter 30 watt 2959 lumens / 3000 - 6500 Kelvin with sensor for emotion lighting This product contains a light source with energy efficiency class: F	300	500	1600	RHN	0 1	5 0	0 1	L/R		
Central unit	S										
top cover ha	as to be ordered separate	ly									
1280	medium-high unit 1 door with buffered closing 4 glass shelves	300	300	1280	MNA	8 1	3 0	7	L/R		
1280	medium-high unit 2 doors with buffered closing 4 glass shelves	300	600	1280	MNA	8 1	6 0	7			
1280	medium-high unit with inside drawer 1 door with buffered closing 1 glass shelf (top) 2 inside drawers with buffered closing	300	300	1280	MNA	8 4	3 0		L/R		
1280	medium-high unit with inside drawer 2 doors with buffered closing 1 continuous glass shelf 2 continuously inside metal-drawer with buffered closing	300	600	1280	MNA	8 4	6 0				

Depth indication corresponds to the carcass depth		Depth in mm	Width in mm	Height in mm	Article number	Hinge	
Central unit ordered sep	s - top cover has to be parately						
240	medium-high unit 1 door with buffered closing 2 glass shelves (top) 2 metal pull outs with buffered closing and rail	300	300	1280	MNA8730 4	L/R	
240	medium-high unit 2 doors with buffered closing 2 glass shelves (top) 2 metal pull outs with buffered closing and rail	300	600	1280	MNA8760 4		
Highboards top cover ha	as to be ordered separate	ly					
800	Highboard 1 door with buffered closing 2 glass shelves	300	300	800	HBA5130	L/R	
800	Highboard 2 doors with buffered closing 2 glass shelves	300	600	800	HBA5160		
800	Highboard with inside drawer 1 door with buffered closing 1 inside drawer with buffered closing 1 glass shelf	300	300	800	HBA 5 4 3 0	L/R	

Depth indication corr	esponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Article number	Hinge		
-	- top cover has to be							
ordered sep	arately							
800	Highboard with inside drawer 2 doors with buffered closing 1 consistent inside drawer with buffered closing 1 continuous glass shelf	300	600	800	HBA 5 4 6 0			
Base units top cover ha	ns to be ordered separate	ly						
240	Base unit 2 metal pull outs with buffered closing and rail	300	300	480	U N A 3 6 3 0	2		
240	Base unit 2 metal pull outs with buffered closing and rail	300	600	480	U N A 3 6 6 0	2		
240	Base unit 1 metal pull-out with buffered closing incl. drawer rail	300	300	240	U N A 1 1 3 0	2		
240	Base unit 1 metal pull-out with buffered closing incl. drawer rail	300	600	240	U N A 1 1 6 0	2		
480	Base unit 1 door with buffered closing 1 glass shelf	300	300	480	U N A 3 1 3 0	L/R		
480	Base unit 2 doors with buffered closing 1 glass shelf	300	600	480	UNA3160			

Depth indication corr	esponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Arti	cle n	umb	er	Hinge		
Wall units									_		
640	Wall unit 1 door with buffered closing 1 glass shelf	150	300	640	OGA	4 1	3 0		L/R		
Counter ton	Wall unit 2 doors with buffered closing 1 glass shelf	150	600	640	OGA	4 1	6 0				
Counter top	5										
	top cover with ABS edge only available in decor 185 natural oak effect										
	302 mm widh	330	302	28	APA	3 3	3 0	2 8			
	602 mm widh	330	602	28	APA	3 3	6 0	2 8			
	top cover lacquered with ABS edge only available in 780 white lacque hgl. or 778 cosmos grey lacque matt										
	302 mm widh	325	302	22	APL	3 3	3 0	2 2			
	602 mm widh	325	602	22	APL	3 3	6 0	2 2			
Shelves											
	functional shelf Edges are cut with a mitre veritcal and horizontal mounting possible please indicate colour version: no. 501 white matt lacquered no. 547 black matt lacquered	150	300	160	RGL	1 1	3 0	0 1			
	functional shelf Edges are cut with a mitre veritcal and horizontal mounting possible please indicate colour version: no. 501 white matt lacquered no. 547 black matt lacquered	150	600	160	RGL	1 1	6 0	0 2			

sponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Article number	Hinge			
functional shelf Edges are cut with a mitre veritcal and horizontal mounting possible please indicate colour version: no. 501 white matt lacquered no. 547 black matt lacquered	150	900	160	RGL 119003				
Glass shelf								
600 mm wide	130	600	8	A B G 1 3 6 0 0 8				
900 mm wide incl. 2 metal brackets	130	900	8	A B G 1 3 9 0 0 8				
1200 mm wide incl. 3 metal brackets	130	1200	8	A B G 1 3 1 2 0 8				
1400 mm wide incl. 4 metal brackets	130	1400	8	A B G 1 3 1 4 0 8				
Push-fit shelf with ABS thick edge all around incl. holders for push fit shelf								
300 mm widh incl. 2 push-fit holder	150	300	28	SBG 6 0 3 0				
600 mm wide incl. 2 push-fit holder	150	600	28	SBG 6 0 6 0				
900 mm wide incl. 3 push-fit holder	150	900	28	SBG 6 0 9 0				
1200 mm wide incl. 3 push-fit holder	150	1200	28	SBG 6 0 1 2				
1400 mm wide incl. 3 push-fit holder	150	1400	28	SBG 6 0 1 4				
	Edges are cut with a mitre veritcal and horizontal mounting possible please indicate colour version: no. 501 white matt lacquered no. 547 black matt lacquered no. 547 black matt lacquered no. 547 black matt lacquered Glass shelf incl. metal holder 600 mm wide incl. 2 metal brackets 900 mm wide incl. 3 metal brackets 1200 mm wide incl. 4 metal brackets 1400 mm wide incl. 4 metal brackets Fush-fit shelf with ABS thick edge all around incl. holders for push fit shelf 300 mm widh incl. 2 push-fit holder 600 mm wide incl. 3 push-fit holder 900 mm wide incl. 3 push-fit holder 1200 mm wide incl. 3 push-fit holder 1200 mm wide incl. 3 push-fit holder	functional shelf Edges are cut with a mitre veritcal and horizontal mounting possible please indicate colour version: no. 501 white matt lacquered no. 547 black matt lacquered no. 547 black matt lacquered 130 incl. 2 metal brackets 900 mm wide incl. 2 metal brackets 1200 mm wide incl. 3 metal brackets 1400 mm wide incl. 4 metal brackets 1400 mm wide incl. 4 push-fit shelf with ABS thick edge all around incl. holders for push fit shelf 300 mm wide incl. 2 push-fit holder 600 mm wide incl. 3 push-fit holder 900 mm wide incl. 3 push-fit holder 150 150 150 150 150 150 150 150 150 150	functional shelf Edges are cut with a mitre veritcal and horizontal mounting possible please indicate colour version: no. 501 white matt lacquered no. 547 black matt lacquered no. 547 black matt lacquered no. 547 black matt lacquered funct. 2 metal brackets 130 900 130 900 130 900 130 900 130 1200 130 1200 1400 Push-fit shelf with ABS thick edge all around incl. 4 metal brackets 1400 mm wide incl. 2 push-fit holder 150 900 150 900 150 900 150 900 150 900 150 900 150 900 150 900 150 900 150 900 150 900 150 1200 1400 mm wide incl. 3 push-fit holder 150 1200 1400 mm wide incl. 3 push-fit holder	functional shelf Edges are cut with a mitre verifical and horizontal mounting possible please indicate colour version: no. 501 white matt lacquered no. 547 black matt lacquered no. 547 black matt lacquered no. 547 black matt lacquered Glass shelf incl. metal holder 600 mm wide incl. 2 metal brackets 900 mm wide incl. 2 metal brackets 1200 mm wide incl. 3 metal brackets 1400 mm wide incl. 4 metal brackets 130 latto 8 Incl. 4 metal brackets Incl. 4 metal brackets Incl. 4 metal brackets Incl. 5 metal brackets Incl. 6 metal brackets Incl. 6 metal brackets Incl. 7 metal brackets Incl. 8 metal brackets Incl. 9 metal brackets Incl. 9 metal brackets Incl. 1 metal brackets Incl. 1 metal brackets Incl. 2 push-fit shelf Incl. 2 push-fit holder Incl. 2 push-fit holder Incl. 3 push-fit holder	Functional shelf Edges are cut with a mitre vertical and horizontal mounting possible please indicate colour version: no. 501 white matt lacquered no. 547 black matt lacquered no. 548 bl	Functional shelf	Tunctional shelf Edges are cut with a mitre vertical and horizontal mounting possible please indicate colour version: no. 501 white matt lacquered no. 547 black matt lacquered no. 548 black matt lacquered no. 549 black matt lacquered no. 540 black matt lacquered no. 540 black matt lacquered no. 541 black matt lacquered no. 541 black matt lacquered no. 542 black matt lacquered no. 541 black matter lacquered no. 542 black matter lacquered no. 543 black matter lacquered no. 542 black matter lacquered no. 543 black matter lacquered no. 544 black matter lacquered no. 545 black matter lacquered no. 547 black matter lacquered no. 548 black matter lacquered no. 547 black matter lacquered no. 548 black matter lacquered	Tunctional sheft Edges are cut with a mitre vertical and horizontal mounting possible please indicate colour version: no. 501 white matt lacquered no. 547 black matt lacquered no. 548 black matt lacquered no. 549 black matt lacquered no. 547 black matt lacquered no. 548 black matt lacquered no. 549 black matt lacquered no. 548 black matt lacquered no. 548 black matt lacquered no. 548 bl

Depth indication corr	Depth indication corresponds to the carcass depth		Width in mm	Height in mm	Arti	icle numb	er	Hinge		
Accessories	5									
1	Towel holder one-armed front opened for assembling at the washbasin base unit Please observe carcass depth and furni- ture height									
	Chrome hgl.	390	55	30	PΖ	1 1 2 8	1 1			
	black	390	55	30	PΖ	1 1 2 8	1 2			
127	Towel holder two-armed front opened for assembling at the washbasin base unit Please observe carcass depth and furni- ture height									
	Chrome hgl.	390	110	30	PΖ	1 1 2 8	1			
	black	390	110	30	PΖ	1 1 2 8	2			
	Towel holder one-armed swiveling for mounting to wall or carcass Please observe carcass depth and furniture height	400		10						
	Chrome hgl.	420	30		PΖ	1 1 4 7				
	black	420	30	46	PΖ	1 1 4 7	2			
	Towel holder one-armed extendable chrome gloss wall-mounted	330-567	44	44	PΖ	1 1 3 7	1			
	Towel holder two-armed extendable chrome gloss wall-mounted	322-562	87	47	PΖ	1 1 3 7	2			
1	Towel holder chrome gloss to fit on carcass at side front opened Please observe carcass depth and furniture height	390	60		PΖ	1 1 2 4	1			

Depth indication corre	esponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Arti	icle num	ber	Hinge		
Accessories										
1 1	Adjustable organizer components									
111	not possible for variant 560									
	2 dividing elements - 300 mm cabinet width				PΖ	1 2 2	4 3 0			
	4 dividing elements - 600 mm cabinet width				PΖ	1 2 2	4 6 1			
	4 dividing elements - 900 mm cabinet width				PΖ	1 2 2	4 9 0			
	6 dividing elements- 1200 mm cabinet width				PΖ	1 2 2	4 1 2			
	7 dividing elements - 1400 mm cabinet width				PΖ	1 2 2	4 1 4			
	Basin organizer without fitting elements	150	246	150	PΖ	1 2 3 (6 E 1			
	Basin organizer incl. fixing elements									
	2 basin organizer for 600 mm carbinet				PΖ	1 2 3	6 0			
	width 2 basin organizer for 900 mm carbinet width				PΖ	1 2 3	9 0			
	2 basin organizer for 1200 mm carbinet width				PΖ	1 2 3	6 1 2			
	2 basin organizer for 1400 mm carbinet width				PΖ	1 2 3	6 1 4			
	not possible for variant 560									
	Drawer set for metal drawers for 30 cm wide cabinets Consisting of: - 1 aluminium-coloured plastic insert - 2 aluminium coloured dividers, adjustable				PΖ	1 2 2	5 3 0			
	Design installation-set chrome 1 design syphon 2 design-angle valves 2 design connection pipes M10				PΖ	1 3 8 9	9 1 E			
	Design syphon chrome gloss for free hanging washbasin				PΖ	1 3 7	1 1			
4	Design syphon black matt for free hanging washbasin				PΖ	1374	1 3 0			

Depth indication corre	esponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Art	icle nu	mbe	er	Hinge		
Accessories	5										
EMOTION .	Emotion lighting sensor switcher for dimming and for colour change control for all identified cabinets				PΖ	1 0 2	2 0	1			
	USB socket element 2 plus-in slots connection 220 V with clamp										
	installed in mirror cabinet please state position	45	80	64	PΖ	1 1 5					
	not installed in mirror cabinet	45	80	64	PΖ	1 1 5	5 1	1			
EMOTION	LED washbasin lighting emotion 2,6 Watt / 187 lumens / (2700 -) 6500 Kelvin 1 switch element IED converter This product contains a light source with energy efficiency class: G LED mood lighting available as an option	16	560	7	PΖ	1 1 5	0	6 0			
	.==										
EMOTION	LED washbasin lighting emotion 4,0 Watt / 287 lumens / (2700 -) 6500 Kelvin 1 switch element IED converter This product contains a light source with energy efficiency class: G LED mood lighting available as an option	16	860	7	PZ	1 1 5		9 0			
	LED washbasin lighting emotion	16	1160	7	ΡZ	115	. 0	1 2			
EMOTION	Kelvin 1 switch element IED converter This product contains a light source with energy efficiency class: G LED mood lighting available as an option	10	1100		F 2			1 2			
	LED washbasin lighting 2,4 Watt / 168 lumens / 6500 Kelvin 1 switch element to fit underneath mirror cabinet This product contains a light source with energy efficiency class: G not suitable with Emotion lighting	10	560	10	PΖ	1 0 €	3	6 0			

Depth indication corre	esponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Art	icle ı	numl	oer	Hinge		
Accessories	3										
	LED washbasin lighting 3,9 Watt / 287 lumens / 6500 Kelvin 1 switch element to fit underneath mirror cabinet This product contains a light source with energy efficiency class: G not suitable with Emotion lighting	10	860	10	PZ	1 0	63	9 0			
	LED washbasin lighting 5,3 Watt / 371 lumens / 6500 Kelvin 1 switch element to fit underneath mirror cabinet This product contains a light source with energy efficiency class: G not suitable with Emotion lighting	10	1160	10	PΖ	1 0	63	3 1 2			
0 10	Remote switch incl. receiver for LED lighting for dimming and for colour change control Reach up to 5 meters not suitable for LED converter over 30 watt		85	85	PΖ	1 1	4 3	3			
	Motion sensor for LED lighting of washbasins or washba- sin base units Term and sensitivity of lighting are adjus- table				PΖ	1 1	4 1				
	Space-saving drain stench trap from GEBERIT made of plastic, in white nominal diameter: 40				PΖ	1 3	6 7	7			
	Space-saving drain stench trap from GEBERIT made of plastic, in white nominal diameter: 32				PΖ	1 4	23				

b · straight - bathroom varations

BSM-016	0-5		
Mirror cabinet, 600 mm Washbasin base unit cast mineral washbasin, LED, 600 mm	S 2 A 4 3 6 0 8 8 WU A 3 3 6 0 1 0 S W M 9 3 0 6 B 1		
			600 mm wide
BSM-016	0-6		
Mirror 600 mm Washbasin base unit cast mineral washbasin, LED, 600 mm Design syphon	F S B 4 1 6 0 0 1 W U A 1 1 6 0 1 6 M W P 1 0 6 M B 1 P Z 1 3 7 4 1	. //	
			600 mm wide
BSM-0196 Mirror cabinet, 900 mm Washbasin base unit Cast mineral washbasin, LED, 900 mm	S 2 A 4 3 9 0 8 8 WU A 3 3 9 0 1 0 S W M 9 3 0 9 B 1		
			900 mm wide
BSM-019			
 Mirror 900 mm Washbasin base unit Cast mineral washbasin, LED, 900 mm Design syphon 	F S B 4 1 9 0 0 1 W U A 1 1 9 0 1 6 M W P 1 0 9 M B 1 P Z 1 3 7 4 1	. //	
			900 mm wide

b · straight - bathroom varations


BSM-0112-5						
Mirror cabinet, 1200 mm Washbasin base unit cast mineral washbasin, LE		S 2 A 4 3 3 W U A 3 3 S W M 9 3	1 2 1 0			
						1200 mm wide
	BSM-0112-6					
Mirror 1200 mm Washbasin base unit cast mineral washbasin, LE Design syphon	ED, 1200 mm	F S B 4 1 7 W U A 1 1 7 M W P 1 1 2 P Z 1 3 7	1 2 1 6 2 M B 1		. //	
						1200 mm wide
		_				
 Mirror cabinet, 1200 mm Washbasin base unit cast mineral washbasin, LE Double washbasin 	BSM-0112-D 9	S 2 A 4 3 7 W U A 3 3 7 S W M 9 3 2	1 2 1 2			
						1200 mm wide
BSM-0112-D6						
Mirror 1200 mm Washbasin base unit cast mineral washbasin, LE Design syphon		F S B 4 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 2 1 7 2 D B 1		. //	
						1200 mm wide


b · straight - bathroom varations

BSM-0114		
 Mirror cabinet, 1400 mm Washbasin base unit cast mineral washbasin, LED, 1400 mm 	S 2 A 4 3 1 4 8 8 W U A 3 3 1 4 1 0 S W M 9 3 1 4 B 1	1400 mm wide
BSM-0114	l-6	
 Mirror 1400 mm Washbasin base unit cast mineral washbasin, LED, 1400 mm Design syphon 	F S B 4 1 1 4 0 1 W U A 1 1 1 4 1 6 M W P 1 1 4 M B 1 P Z 1 3 7 4 1	. //
		1400 mm wide
1 Mirror cabinet, 1400 mm 1 Washbasin base unit 1 cast mineral washbasin, LED, 1400 mm Double washbasin	S 2 A 4 3 1 4 8 8 W U A 3 3 1 4 1 2 S W M 9 3 4 D B 1	
		1400 mm wide
BSM-0114-		
 Mirror 1400 mm Washbasin base unit cast mineral washbasin, LED, 1400 mm Design syphon 	F S B 4 1 1 4 0 1 WU A 1 1 1 4 1 7 MW P 1 1 4 D B 1 P Z 1 3 7 4 1	· //
		1400 mm wide

SWM 9306 + WUA 1160 10


SWM 9306 + WUA 3360 10






SWM 9309 + WUA 1190 10


SWM 9309 + WUA 3390 10






SWM 9312 + WUA 1112 10

SWM 9312 + WUA 3312 10





For washing stands with fixing screws, the dimensions for boring must be drawn in on-site after the washing stand has been laid on the floor unit.


Washing stands without anchoring brackets have to be fixed on the wall and on the furniture-side with silicon! Cast mineral:


The water temperature must not exceed 55° C / 131° F. Hair tinting lotions have to be removed immediately, so that staining can be avoided.

Modifications:

SWM 932D + WUA 1112 12


SWM 932D + WUA 3312 12






SWM 9314 + WUA 1114 10


SWM 9314 + WUA 3314 10






SWM 934D + WUA 1114 12

SWM 934D + WUA 3314 12





For washing stands with fixing screws, the dimensions for boring must be drawn in on-site after the washing stand has been laid on the floor unit.

Washing stands without anchoring brackets have to be fixed on the wall and on the furniture-side with silicon!

Cast mineral:


The water temperature must not exceed 55° C / 131° F. Hair tinting lotions have to be removed immediately, so that staining can be avoided.


Modifications:



MWP 106M + WUA 1160 16


MWP 106M + WUA 3360 16






MWP 109M + WUA 1190 16


MWP 109M + WUA 3390 16






MWP 112M + WUA 1112 16

MWP 112M + WUA 3312 16





For washing stands with fixing screws, the dimensions for boring must be drawn in on-site after the washing stand has been laid on the floor unit


Washing stands without anchoring brackets have to be fixed on the wall and on the furniture-side with silicon! Cast mineral:


The water temperature must not exceed 55° C / 131° F. Hair tinting lotions have to be removed immediately, so that staining can be avoided.

Modifications:

MWP 112D + WUA 1112 17


MWP 112D + WUA 3312 17






MWP 114M + WUA 1114 16

MWP 114M + WUA 3314 16








MWP 114D + WUA 1114 17

MWP 114D + WUA 3314 17

electrical connections for mirror cabinets







For washing stands with fixing screws, the dimensions for boring must be drawn in on-site after the washing stand has been laid on the floor unit.

Washing stands without anchoring brackets have to be fixed on the wall and on the furniture-side with silicon!

Cast mineral:

The water temperature must not exceed 55° C / 131° F. Hair tinting lotions have to be removed immediately, so that staining can be avoided.

Modifications:

