



Classic line

Program 40





Front colours



No. 764 Stonegrey matt



No. 777 cosmos grey matt



No. 793 noble white matt



No. 891 quarz grey matt



No. 893 titanium grey matt



No. 686 anthracite hgl.



No. 722 polar white hgl.



no. 680 Charleston oak



Nr. 785 natural oak



no. 794 sand oak



carcass colours

* High gloss carcass for an additional price



No. 164 Stonegrey matt



No. 177 cosmos grey matt



No. 111 white matt



no. 191 quarz grey matt



No. 193 titanium grey matt



*no. 121 anthracite hgl.



*no. 161 white hgl.



no. 180 Charleston oak



Nr. 185 natural oak



no. 194 sand oak



Washbasin colours

evermite - washbasins



No. 21 white



New, harder, easy-care surface.

Glass washbasin



no. 82 optiwhite



no. 92 optiwhite matt

Technique

Pull outs and drawers No. 554

door with integrated buffered closing

Handle version

No. 290 bar handle chrome



handle-borehole distance for straight fronts: 96 mm / 384 mm

Mirror cabinets

Series A

Series B







Illustrations and specifications are without obligation. Technical modifications reserved.

Please note the instruction for warranty, mounting and care, and the quality agreements as well, at the beginning of the book.

| Depth indication corre | esponds to the carcass depth | Depth in mm | Width in mm | Height in mm | Artio | cle num | oer | Hinge | | Surchar- ge high- gloss carcass |
|---------------------------------|---|----------------|----------------|-----------------|----------------|-------------------------------|--------------|-------|-----|--|
| Mirror cabin | ets Series A | | | | | | | | | |
| III. = left incl. handle blocks | Mirror cabinet 2 double mirrored doors with bevelled edge rounded at top and buttom 1 LED surface-mounted lamp 8,53 watt / converter 15 watt 430 lumens / (3000 -) 6500 Kelvin 2 glass shelves 1 switch socket element Door width: 446 mm / 246 mm This product contains a light source with energy efficiency class: F | 150 | 700 | 700 | S 2 A | 4 3 7 | 0 8 9 | L/R | 301 | |
| | Additional accessories LED washbasin lighting LED washbasin lighting emotion Emotion lighting | | | | PZ PZ PZ | 1 0 6 3 1 1 5 0 1 0 2 0 | 60 | | | |
| incl. handle blocks | Mirror cabinet 3 double mirrored doors with bevelled edge rounded at top and buttom 1 LED surface-mounted lamp 8,53 watt / converter 15 watt 430 lumens / (3000 -) 6500 Kelvin 2 central partitions, 6 glass shelves 1 switch socket element Door width: 238 mm / 412 mm / 238 mm This product contains a light source with energy efficiency class: F Additional accessories LED washbasin lighting LED washbasin lighting emotion Emotion lighting | 150 | 900 | | PZ PZ PZ | 1 0 6 3 1 1 5 0 1 0 2 0 | 3 90 | | | |
| incl. handle blocks | Mirror cabinet 3 double mirrored doors with bevelled edge rounded at top and buttom 1 LED surface-mounted lamp 13,18 watt / converter 30 watt 660 lumens / (3000 -) 6500 Kelvin 2 central partitions, 6 glass shelves 1 switch socket element Door width: 388 mm / 412 mm / 388 mm This product contains a light source with energy efficiency class: F Additional accessories LED washbasin lighting LED washbasin lighting Emotion lighting | 150 | 1200 | | S 2 A | 1 0 6 3 1 1 5 (1 1 0 2 (| 3 12 0 12 | | | |

| • | esponds to the carcass depth | Depth in mm | Width in mm | Height in mm | Artio | cle r | num | ber | | Hinge | Surchar- ge high- gloss carcass |
|---------------------------------|--|----------------|----------------|--------------|----------------------------|-------|-------------------------|------------|-----|-------|--|
| Mirror cabin | ets Series A Mirror cabinet 3 double mirrored doors with bevelled edge rounded at top and buttom 1 LED surface-mounted lamp 13,18 watt / converter 30 watt 660 lumens / (3000 -) 6500 Kelvin 2 central partitions, 6 glass shelves 1 switch socket element Door width: 438 mm / 512 mm / 438 mm This product contains a light source with energy efficiency class: F Additional accessories LED washbasin lighting LED washbasin lighting emotion Emotion lighting | 150 | 1400 | 700 | S 2 A P Z P Z P Z | 1 (| 0 6 3 1 5 0 0 2 0 | 3 1 0 1 | 2 | | |
| Mirror cabin | ets Series B | | | | | | | | | | |
| III. = left incl. handle blocks | Mirror cabinet 2 double mirror doors LED lighting 600 mm 7 watt / converter 15 watt 480 lumens / (3000 -) 6500 Kelvin 2 glass shelves 1 switch socket element Door width: 296 mm / 396 mm This product contains a light source with energy efficiency class: G | 150 | 700 | 687 | S 2 A | 4 3 | 3 7 | 0 2 | 2 2 | | |
| | Additional accessories LED washbasin lighting LED washbasin lighting emotion Emotion lighting | | | | PZ PZ PZ | 1 | 0 6 3 1 5 0 0 2 0 | 0 6 | | | |
| EMOTION incl. handle blocks | Mirror cabinet 3 double mirror doors LED lighting 600 mm 7 watt / converter 15 watt 480 lumens / (3000 -) 6500 Kelvin 2 central partitions, 6 glass shelves 1 switch socket element Door width: 238 mm / 412 mm / 238 mm This product contains a light source with energy efficiency class: G | 150 | 900 | 687 | S 2 A | 4 3 | 3 9 | 0 2 | 2 2 | | |
| | Additional accessories LED washbasin lighting LED washbasin lighting emotion Emotion lighting | | | | PZ PZ PZ | 1 | 0 6 3 1 5 0 0 2 0 | 0 9 | | | |

| · | esponds to the carcass depth | Depth in mm | Width in mm | Height in mm | Artio | cle | nur | nbe | er | Hinge | Surchar- ge high- gloss carcass |
|---------------------|---|----------------|-------------|--------------|----------------|-----|-----|-----|---------------|-------|--|
| Mirror cabin | ets Series B | | | | | | | | | | |
| incl. handle blocks | Mirror cabinet 3 double mirror doors LED lighting element 900 mm 9,0 watt / converter 15 watt 650 lumens / (3000 -) 6500 Kelvin 2 central partitions, 6 glass shelves 1 switch socket element Door width: 388 mm / 412 mm / 388 mm This product contains a light source with energy efficiency class: G | 150 | 1200 | 687 | S 2 A | 4: | 3 1 | 2 | 2 2 | | |
| | Additional accessories LED washbasin lighting LED washbasin lighting emotion Emotion lighting | | | | PZ PZ PZ | 1 | | 0 | 12 12 1 | | |
| incl. handle blocks | Mirror cabinet 3 double mirror doors LED lighting element 1200 mm 12,0 watt / converter 30 watt 850 lumens / (3000 -) 6500 Kelvin 2 central partitions, 6 glass shelves 1 switch socket element Door width: 446 mm / 496 mm / 446 mm This product contains a light source with energy efficiency class: G | 150 | 1400 | 687 | S 2 A | 4 | 3 1 | 4 | 2 2 | | |
| | Additional accessories LED washbasin lighting LED washbasin lighting emotion Emotion lighting | | | | PZ PZ PZ | 1 | | 0 | 12 12 1 | | |
| evermite - w | asndasins | | | | | | | | | | |
| | evermite washbasin, 700 mm colour white incl. CLOU drain and overflow system | 508 | 712 | 40 | SWM | 8 | 2 0 | 7 | 2 1 | | |
| evermite | evermite washbasin, LED, 700 mm Description as above, though LED lighting 1 LED converter 12 V, 15 Watt 281 lumens / 6500 Kelvin integrated sensor switcher This product contains a light source with energy efficiency class: F can be combined with WUA 3570 7M | 508 | 712 | 40 | SWM | 8 | 2 0 | 7 | В 1 | | |
| | Additional accessories motion sensor for LED lighting Surcharge for washbasins without tap-hole or with 3 hole | s (accord | ling to ske | tch) | PΖ | 1 | 1 4 | 1 | | | |


| Depth indication corre | esponds to the carcass depth | Depth in mm | Width in mm | Height in mm | Artic | cle number | Hinge | Surchar- ge high- gloss carcass |
|------------------------|---|----------------|-------------|--------------|-------|------------|-------|--|
| evermite - w | ashbasins | | | | | | | |
| | evermite washbasin, 900 mm colour white incl. CLOU drain and overflow system | 522 | 912 | 40 | SWM | 8 2 0 9 2 | ı | |
| evermite | evermite washbasin, LED, 900 mm Description as above, though LED lighting 1 LED converter 12 V, 15 Watt 367 lumens / 6500 Kelvin integrated sensor switcher This product contains a light source with energy efficiency class: F | 522 | 912 | 40 | SWM | 8 2 0 9 B | I | |
| | can be combined with WUA 3590 7M Additional accessories motion sensor for LED lighting Surcharge for washbasins without tap-hole or with 3 hole | s (accord | ing to sko | | PΖ | 1 1 4 1 | | |
| | Surcharge for washbasins without tap-hole of with 3 hole | s (accord | ing to ske | icri) | | | | |
| evermite* | evermite washbasin, 1200 mm colour white incl. CLOU drain and overflow system | 495 | 1212 | 40 | SWM | 8 2 2 0 2 | I | |
| | evermite washbasin, LED, 1200 mm Description as above, though LED lighting 1 LED converter 12 V, 15 Watt 497 lumens / 6500 Kelvin integrated sensor switcher This product contains a light source with energy efficiency class: F can be combined with WUA 3512 7M Additional accessories | 495 | 1212 | 40 | SWM | 8 2 2 0 B | | |
| | motion sensor for LED lighting Surcharge for washbasins without tap-hole or with 3 hole | s (accord | ing to ske | | PΖ | 1 1 4 1 | | |
| evermite* | evermite single washbasin, 1400 mm colour white incl. CLOU drain and overflow system | 508 | 1412 | 40 | swm | 8 2 4 0 2 | I | |
| | evermite washbasin, LED, 1400 mm Description as above, though LED lighting 1 LED converter 12 V, 15 Watt 626 lumens / 6500 Kelvin integrated sensor switcher This product contains a light source with energy efficiency class: F can be combined with WUA 3514 7M Additional accessories motion sensor for LED lighting Surcharge for washbasins without tap-hole or with 3 hole | 508 | 1412 | | S W M | 8 2 4 0 B | | |
| - Var. final: | nformation on the the washbasin manufacturer at the begi | | <u> </u> | | | | | |



| Depth indication corre | esponds to the carcass depth | Depth in mm | Width in mm | Height in mm | Artio | cle numb | er | Hinge | Surchar- ge high- gloss carcass |
|------------------------|---|----------------|--------------|--------------|-------|-------------------------------|-----|-------|--|
| evermite - w | ashbasins | | | | | | | | |
| evermite* | evermite double washbasin, 1400 mm colour white incl. 2 CLOU drain and overflow systems | 562 | 1412 | 40 | SWM | 8 2 4 D | 2 1 | | |
| EVEITHE | evermite double washbasin, LED, 1400 mm Description as above, though LED lighting 1 LED converter 12 V, 15 Watt 583 lumens / 6500 Kelvin integrated sensor switcher This product contains a light source with energy efficiency class: F can be combined WUA 3514 6M Additional accessories motion sensor for LED lighting Surcharge for washbasins without tap-hole or with 3 hole | 562 | 1412 | | S W M | 8 2 4 D | B 1 | | |
| Glass washl | oasin | | | | | | | | |
| | glass washbasin, 700 mm incl. CLOU drain and overflow system in chrome | | | | | | | | |
| | Colour Optiwhite Colour Optiwhite matt | 482 482 | 712 712 | 12 12 | 1 | 8 0 7 0 8 0 7 0 | | | |
| | can be combined with WUA 3570 5M Additional accessories Neutrally bonding silicone for glass washbasins Surcharge for washbasins without tap-hole or with 3 hole | s (accord | ing to ske | | PΖ | 1 235 | | | |
| | Glass washbasin, 900 mm incl. CLOU drain and overflow system in chrome | | | | | | | | |
| | Colour Optiwhite Colour Optiwhite matt can be combined with WUA 3590 5M | 495 495 | 912 912 | 12 12 | - | 8 0 9 0 8 0 9 0 | | | |
| | Additional accessories Neutrally bonding silicone for glass washbasins Surcharge for washbasins without tap-hole or with 3 hole | s (accord | ing to ske | | PΖ | 1 235 | | | |
| | Glass washbasin, 1200 mm incl. CLOU drain and overflow system in chrome | | | | | | | | |
| | Colour Optiwhite Colour Optiwhite matt can be combined with WUA 3512 5M Additional accessories Neutrally bonding silicone for glass washbasins Surcharge for washbasins without tap-hole or with 3 hole | 468 468 | 1212 1212 | 12 12 | 1 | 8 1 2 0 8 1 2 0 1 2 3 5 | | | |
| | the the weeklessis manufacturer at the heginning of the | _ (230010 | 3 13 3110 | -5, | | | | | |

You find information on the the washbasin manufacturer at the beginning of the sales book.
*Delivery time: 8 weeks. Price per washbasin. Washbasin without tap hole is incompatible with CLOU System. Please check your order confirmation for correctness.

| Depth indication corr | responds to the carcass depth | Depth in mm | Width in mm | Height in mm | Arti | cle | nun | nbe | er | Hinge | Surchar- ge high- gloss carcass |
|-----------------------|---|----------------|--------------|--------------|------------|-----|------------|-----|-----|-------|--|
| Glass wash | basin | | | | | | | | | | |
| | Glass washbasin, 1400 mm incl. CLOU drain and overflow system in chrome | | | | | | | | | | |
| | Colour Optiwhite Colour Optiwhite matt | 482 482 | 1412 1412 | 12 12 | S W G | | | | | | |
| | can be combined with WUA 3514 5M Additional accessories Neutrally bonding silicone for glass washbasins Surcharge for washbasins without tap-hole or with 3 hole | es (accord | ing to ske | tch) | PΖ | 1 : | 2 3 | 5 | | | |
| Washbasin | base units | | | | | | | | | | |
| | | | | | | | | | | | |
| | Washbasin base unit 1 drawer with buffered closing 1 metal pull-out with buffered closing incl. drawer rail sidewise carcass depth = 400 mm | 450 | 700 | 480 | WUA | 3 5 | 5 7 | 0 | 7 M | | |
| | for evermite washstands | | | | | | | | | | |
| | Additional accessories Space-saving drain stench trap DN 40 Space-saving drain stench trap DN 32 | | | | P Z P Z | | 3 6 4 2 | | | | |
| | Washbasin base unit 1 drawer with buffered closing 1 metal pull-out with buffered closing incl. drawer rail sidewise carcass depth = 400 mm | 450 | 700 | 480 | WUA | 3 5 | 5 7 | 0 | 5 M | | |
| | for glass washbasins | | | | | | | | | | |
| | Additional accessories Space-saving drain stench trap DN 40 Space-saving drain stench trap DN 32 | | | | P Z P Z | | 3 6 4 2 | | | | |
| | Washbasin base unit 1 drawer with buffered closing 1 metal pull-out with buffered closing incl. drawer rail sidewise carcass depth = 400 mm | 463 | 900 | 480 | WUA | 3 5 | 5 9 | 0 | 7 M | | |
| | for evermite washstands | | | | | | | | | | |
| | Additional accessories Space-saving drain stench trap DN 40 Space-saving drain stench trap DN 32 | | | | P Z P Z | | 3 6 4 2 | | | | |
| | Washbasin base unit 1 drawer with buffered closing 1 metal pull-out with buffered closing incl. drawer rail sidewise carcass depth = 400 mm | 463 | 900 | 480 | WUA | 3 5 | 5 9 | 0 | 5 M | | |
| | for glass washbasins | | | | | | | | | | |
| | Additional accessories Space-saving drain stench trap DN 40 Space-saving drain stench trap DN 32 | | | | P Z P Z | | 3 6 4 2 | | | | |



^{*}Delivery time: 8 weeks. Price per washbasin. Washbasin without tap hole is incompatible with CLOU System. Please check your order confirmation for correctness.



| Depth indication corre | esponds to the carcass depth | Depth in mm | Width in mm | Height in mm | Artic | cle numb | er | Hinge | Surchar- ge high- gloss carcass |
|------------------------|--|----------------|-------------|--------------|------------|--------------------|-----|-------|--|
| Washbasin I | oase units | | | | | | | | |
| | Washbasin base unit 1 drawer with buffered closing 1 metal pull out unit with buffered closing and rail 2 doors per 1 glass shelf sidewise carcass depth = 280 mm for evermite washstands Additional accessories | 455 | 1200 | 480 | WUA | 3 5 1 2 | 7 M | | |
| | Space-saving drain stench trap DN 40 Space-saving drain stench trap DN 32 | | | | P Z P Z | 1 3 6 7 1 4 2 3 | | | |
| | Washbasin base unit 1 drawer with buffered closing 1 metal pull-out with buffered closing incl. drawer rail 2 doors per 1 glass shelf sidewise carcass depth = 280 mm for glass washbasins | 455 | 1200 | 480 | WUA | 3 5 1 2 | 5 M | | |
| | Additional accessories Space-saving drain stench trap DN 40 Space-saving drain stench trap DN 32 | | | | P Z P Z | 1 3 6 7 1 4 2 3 | | | |
| | Washbasin base unit 1 drawer with buffered closing 1 metal pull out unit with buffered closing and rail 2 doors per 1 glass shelf sidewise carcass depth = 230 mm | 450 | 1400 | 480 | WUA | 3 5 1 4 | 7 M | | |
| | for evermite washstands Additional accessories Space-saving drain stench trap DN 40 Space-saving drain stench trap DN 32 | | | | P Z P Z | 1 3 6 7 1 4 2 3 | | | |
| | Washbasin base unit 1 drawer with buffered closing 1 metal pull-out with buffered closing incl. drawer rail 2 doors per 1 glass shelf sidewise carcass depth = 230 mm for glass washbasins | 450 | 1400 | 480 | WUA | 3514 | 5 M | | |
| | Additional accessories Space-saving drain stench trap DN 40 Space-saving drain stench trap DN 32 | | | | PZ PZ | 1 367 | | | |
| | | | | | | | | | |

| Depth indication corr | esponds to the carcass depth | Depth in mm | Width in mm | Height in mm | Article number | Hinge | Surchar- ge high- gloss carcass |
|---|---|-------------|----------------|--------------|--------------------------|-------|--|
| Washbasin | base units | | | | | | |
| | Washbasin base unit 2 elements 2 metal pull-outs with buffered closing 2 metal pull-out units with buffered closing incl. drawer rail sidewise carcass depth = 400 mm for evermite washstands for double washbasin solutions Additional accessories Space-saving drain stench trap DN 40 (order 2 pieces) Space-saving drain stench trap DN 32 (order 2 pieces) | 500 | 1400 | 480 | PZ 1 3 6 7 PZ 1 4 2 3 | 1 | |
| Tall units | | | | | | | |
| · = | Tall unit | 300 | 300 | 1628 | H N A 0 9 3 A 7 N | I L/R | |
| 800 — 320 — | 1 door 2 glass shelves (top) 2 metal pull-outs with buffered closing 1 drawer with buffered closing 1 top cover 330 mm deep | 300 | 400 | 1628 | H N A 0 9 4 A 7 N | I L/R | |
| 800 160 320 320 | Tall unit 2 doors 2 glass shelves (top) 2 metal pull-outs with buffered closing 1 drawer with buffered closing 1 top cover 330 mm deep | 300 | 600 | 1628 | H N A 0 9 6 A 7 N | | |
| 800 160 320 320 | Tall unit 1 aluminium framed door with satined glass 2 glass shelves (top) 2 metal pull-outs with buffered closing 1 drawer with buffered closing 1 top cover 330 mm deep | 300 | 300 | 1628 | H N A 0 9 3 B 7 N | I L/R | |
| 800 160 320 320 | Tall unit 2 aluminium framed doors with satined glass 2 glass shelves (top) 2 metal pull-outs with buffered closing 1 drawer with buffered closing 1 top cover 330 mm deep | 300 | 600 | 1628 | H N A 0 9 6 B 7 N | | |
| Diagona | hserve suitable accessories in the senarate index | | | | | | |



| Depth indication co | rresponds to the carcass depth | Depth in mm | Width in mm | Height in mm | Article number | Hinge | Surchar- ge high- gloss carcass |
|---------------------|---|----------------|----------------|-----------------|-------------------|-------|--|
| Tall units | | | | | | | |
| <u> </u> | Tall unit | 300 | 300 | 1628 | H N A 0 3 3 A 7 | L/R | |
| 800 | 2 doors 2 glass shelves (top) 2 adjustable shelves (bottom) 1 top cover 330 mm deep | 300 | 400 | 1628 | H N A 0 3 4 A 7 | L/R | |
| 800 | Variable in width: | 150-299 | 300 | 1628 | H V A 0 3 3 0 | L/R | |
| | please quote the exact dimension of carcass depth. Top cover will be adapted to the cupboard width. | 150-299 | 400 | 1628 | H V A 0 3 4 0 | L/R | |
| 800 | Tall unit 4 doors 2 glass shelves (top) 2 adjustable shelves (bottom) 1 top cover 330 mm deep | 300 | 600 | 1628 | H N A 0 3 6 A 7 | , | |
| 800 | Variable in width: please quote the exact dimension of carcass depth. Top cover will be adapted to the cupboard width. | 150-299 | 600 | 1628 | H V A 0 3 6 0 | | |
| 800 | Tall unit 1 aluminium framed door with satined glass 1 door 2 glass shelves (top) 2 adjustable shelves (bottom) 1 top cover 330 mm deep | 300 | 300 | 1628 | H N A 0 3 3 B 7 | L/R | |
| 800 | Variable in width: please quote the exact dimension of carcass depth. Top cover will be adapted to the cupboard width. | 150-299 | 300 | 1628 | H V A 0 3 3 1 | L/R | |
| 800 | Tall unit 2 aluminium framed doors with satined glass 2 doors 2 glass shelves (top) 2 adjustable shelves (bottom) 1 top cover 330 mm deep | 300 | 600 | 1628 | H N A 0 3 6 B 7 | , | |
| 800 | Variable in width: please quote the exact dimension of carcass depth. Top cover will be adapted to the cupboard width. | 150-299 | 600 | 1628 | H V A 0 3 6 1 | | |
| 800 | Tall unit for brooms 2 strapped doors 5 glass shelves 1 top cover 330 mm deep | 300 | 300 400 | 1628 1628 | H N A 0 3 3 A 7 1 | | |
| 800 | | | | | | | |

| Depth indication correspor | nds to the carcass depth | Depth in mm | Width in mm | Height in mm | Article number | Hinge | Surchar- ge high- gloss carcass |
|--|--|----------------|----------------|--------------|--|-------|--|
| Tall units | | | | | | | |
| 2 st 2 st 5 cc | unit for brooms trapped doors left trapped doors right continuously glass shelves up cover 330 mm deep | 300 | 600 | 1628 | H N A 0 3 6 A 7 1 | | |
| Tall | unit | 300 | 300 | 1628 | H N A 0 2 3 A 7 1 | L/R | |
| 1 gl 1 or 320 1 dr 160 1 dr 1 gl | ass shelf (top) pen compartment rawer with buffered closing | 300 | 400 | 1628 | H N A 0 2 4 A 7 1 | L/R | |
| 2 dd 1 gl 1 dd 1 dd 1 dd 1 dd 1 dd 1 dd 1 | l unit pors lass shelf (top) pen compartment rawer with buffered closing pors lass shelf lass shelf last cover 330 mm deep | 300 | 600 | 1628 | H N A 0 2 6 A 7 1 | | |
| 1 dd 1 gl 1 or 1 dd 1 gl 1 dd 1 gl 1 dd 1 gl 1 gl 1 dd 1 gl 1 gl | ass shelf (top) pen compartment | 300 300 | 300 400 | | H N A 0 2 3 A 7 2 H N A 0 2 4 A 7 2 | | |
| 2 dd 1 gl 1 or 2 dd 2 dd 1 gl 1 or 2 dd 1 gl 1 | unit pors lass shelf (top) pen compartment pors lass shelf pp cover 330 mm deep | 300 | 600 | 1628 | H N A 0 2 6 A 7 2 | | |
| 1 dd 1 gl | ass shelf (top) etal pull-outs with buffered closing, | 300 | 300 400 | | H N A 0 4 3 A 7 1 H N A 0 4 4 A 7 1 | | |



| Depth indication corre | esponds to the carcass depth | Depth in mm | Width in mm | Height in mm | Article number | Hinge | Surchar- ge high- gloss carcass |
|--------------------------|--|-------------|-------------|--------------|--|-------|--|
| Tall units | | | | | | | |
| 640 160 160 640 | Tall unit 2 doors 1 glass shelf (top) 2 metal pull-outs with buffered closing, 2 doors 1 glass shelf 1 top cover 330 mm deep | 300 | 600 | 1628 | H N A 0 4 6 A 7 1 | | |
| · f | Tall unit | 300 | 300 | 1628 | H N A 0 5 3 A 7 M | L/R | |
| 800 160 640 | 1 door 2 glass shelves (top) 1 drawer with buffered closing 1 door 1 glass shelf 1 top cover 330 mm deep | 300 | 400 | 1628 | H N A 0 5 4 A 7 M | L/R | |
| 800 | Tall unit 2 doors 2 glass shelves (top) 1 drawer with buffered closing 2 doors 1 glass shelf 1 top cover 330 mm deep | 300 | 600 | 1628 | H N A 0 5 6 A 7 M | | |
| 800 160 640 | Tall unit 1 aluminium framed door with satined glass 2 glass shelves (top) 1 drawer with buffered closing 1 door 1 glass shelf 1 top cover 330 mm deep | 300 | 300 | 1628 | H N A 0 5 3 B 7 M | L/R | |
| 160 | Tall unit 2 aluminium framed doors with satined glass 2 glass shelves (top) 1 drawer with buffered closing 2 doors 1 glass shelf 1 top cover 330 mm deep | 300 | 600 | 1628 | H N A 0 5 6 B 7 M | | |
| 800 160 640 | Tall unit with laundry basket 1 door 2 glass shelves 1 drawer with buffered closing 1 laundry basket with wire basket 1 top cover 330 mm deep Volume of laundry basket: 25 liters Volume of laundry basket: 35 liters | 300 300 | 300 400 | 1628 1628 | H N A 0 5 3 A 7 W H N A 0 5 4 A 7 W | | |
| | | | | | | | |

| Depth indication corr | esponds to the carcass depth | Depth in mm | Width in mm | Height in mm | Article number | Hinge | Surcharge high- gloss carcass |
|-----------------------|---|----------------|-------------|--------------|-------------------|-------|-------------------------------------|
| Tall units | | | | | | | |
| 800 | Tall unit with laundry basket 2 doors 2 glass shelves 1 drawer with buffered closing 1 laundry basket with wire basket 1 top cover 330 mm deep Volume of laundry basket: 55 liters | 300 | 600 | 1628 | H N A 0 5 6 A 7 W | | |
| 160 | Tall unit with laundry basket 1 aluminium framed door with satined glass 2 glass shelves 1 drawer with buffered closing 1 laundry basket with wire basket 1 top cover 330 mm deep Volume of laundry basket: 25 liters | 300 | 300 | 1628 | H N A 0 5 3 B 7 W | L/R | |
| 160 | Tall unit with laundry basket 2 aluminium framed doors with satined glass 2 glass shelves 1 drawer with buffered closing 1 laundry basket with wire basket 1 top cover 330 mm deep Volume of laundry basket: 55 liters | 300 | 600 | 1628 | H N A 0 5 6 B 7 W | | |
| 800 160 | Tall unit with laundry pull out 2 doors 2 glass shelves (top) 1 drawer with buffered closing 2 doors 1 laundry pull out with wire basket 1 top cover 330 mm deep Volume of laundry pull out: 40 liters | 300 | 600 | 1628 | H N A 0 5 6 A 1 W | | |
| Tall unit-she | elf | | | | | | |
| 238 \$ 238 \$ 238 \$ | Tall unit-shelf with open shelf space in carcass colour | 150 | 300 | 1600 | RG 103001 | | |
| | | | | | | | |



| Depth indication corre | esponds to the carcass depth | Depth in mm | Width in mm | Height in mm | Arti | cle numbe | r | Hinge | Surchar- ge high- gloss carcass |
|---|---|-------------|-------------|--------------|------|-----------|-----|-------|--|
| Tall unit-she | elf | | | | | | | | |
| 374 366 366 374 374 374 374 374 374 374 374 374 374 | Tall unit-shelf with mirror surface 4 shelves compartments in carcass colour | 150 | 300 | 1600 | R G | 1030 | 0 2 | | |
| 374 1 1 366 3 374 1 1 374 1 1 1 374 1 1 1 1 3 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | Tall unit-shelf 4 functional hooks 4 shelves compartments in carcass colour | 150 | 300 | 1600 | RG | 1030 | 0 3 | | |
| Central units | S | | | | | | | | |
| 160 | medium-high unit 1 door 2 glass shelves (top) 1 metal pull-out with buffered closing, 1 drawer with buffered closing 1 top cover 330 mm deep | 300 | 300 400 | | | 8 8 3 A | | | |
| 160 | medium-high unit 2 doors 2 glass shelves (top) 1 metal pull-out with buffered closing, 1 drawer with buffered closing 1 top cover 330 mm deep | 300 | 600 | 1308 | MNA | 886A | 7 M | | |
| 160 | medium-high unit 1 aluminium framed door with satined glass 2 glass shelves (top) 1 metal pull-out with buffered closing, 1 drawer with buffered closing 1 top cover 330 mm deep | 300 | 300 | 1308 | MNA | 883B | 7 M | L/R | |
| 160 | medium-high unit 2 aluminium framed doors with satined glass 2 glass shelves (top) 1 metal pull-out with buffered closing, 1 drawer with buffered closing 1 top cover 330 mm deep | 300 | 600 | 1308 | MNA | 886B | 7 M | | |

| Depth indication corre | esponds to the carcass depth | Depth in mm | Width in mm | Height in mm | Arti | cle | nur | nbe | er | Hinge | Surchar- ge high- gloss carcass |
|------------------------|--|----------------|----------------|--------------|-------|-----|-----|-----|-----|-------|--|
| Central unit | S | | | | | | | | | | |
| · [| medium-high unit | 300 | 300 | 1308 | MNA | 8 | 1 3 | Α | 7 | L/R | |
| 1280 | 1 door 4 glass shelves 1 top cover 330 mm deep | 300 | 400 | 1308 | MNA | 8 | 1 4 | Α | 7 | L/R | |
| | Variable in width: | 150-299 | 300 | 1308 | MVA | 8 - | 1 3 | 0 | | L/R | |
| ; | please quote the exact dimension of carcass depth. Top cover will be adapted to the cupboard width. | 150-299 | 400 | | MVA | | | | | L/R | |
| 1280 | medium-high unit 2 doors 4 glass shelves 1 top cover 330 mm deep | 300 | 600 | 1308 | MNA | 8 | 1 6 | Α | 7 | | |
| | Variable in width: please quote the exact dimension of carcass depth. Top cover will be adapted to the cupboard width. | 150-299 | 600 | 1308 | MVA | 8 | 1 6 | 0 | | | |
| | medium-high unit with inside drawers | 300 | 300 | 1308 | MNA | 8 4 | 4 3 | Α | 7 | L/R | |
| 1280 | 1 door 2 inside metal-drawer with buffered closing 1 glass shelf 1 top cover 330 mm deep | 300 | 400 | 1308 | MNA | 8 4 | 4 4 | Α | 7 | L/R | |
| 1280 | medium-high unit with inside drawers 2 doors 2 continuously inside metal-drawer with buffered closing 1 continuous glass shelf 1 top cover 330 mm deep | 300 | 600 | 1308 | MNA | 8 4 | 4 6 | Α | 7 | | |
| 640 | medium-high unit with laundry pull out 2 doors 1 glass shelf (top) 2 doors 1 laundry pull out with wire basket Volume of laundry pull out: 40 liters 1 top cover 330 mm deep | 300 | 600 | 1308 | MNA | 8 : | 3 6 | Α | 1 W | | |
| Highboards | | | | | | | | | | | |
| | Highboard | 300 | 300 | 828 | НВА | 5 | 1 3 | Α | 7 | L/R | |
| 800 | 1 door 2 glass shelves 1 top cover 330 mm deep | 300 | 400 | 828 | НВА | 5 | 1 4 | Α | 7 | L/R | |
| | Variable in width: | 150-299 | 300 | 828 | H B V | Α : | 5 1 | 3 | | L/R | |
| | please quote the exact dimension of carcass depth. Top cover will be adapted to the cupboard width. | 150-299 | 400 | | нву | | | | | L/R | |
| | | | | | | | | | | | |



| Depth indication corre | esponds to the carcass depth | Depth in mm | Width in mm | Height in mm | Article number | Hinge | Surchar- ge high- gloss carcass |
|---------------------------------|--|----------------|----------------|--------------|-------------------|-------|--|
| Highboards | | | | | | | |
| 800 | Highboard 2 doors 2 glass shelves 1 top cover 330 mm deep | 300 | 600 | 828 | HBA 5 1 6 A 7 | | |
| · [] | Variable in width: please quote the exact dimension of carcass depth. Top cover will be adapted to the cupboard width. | 150-299 | 600 | 828 | HBVA516 | | |
| 800 | Highboard 1 aluminium framed door with satined glass 2 glass shelves 1 top cover 330 mm deep | 300 | 300 | 828 | HBA513B 7 | L/R | |
| ; <u> </u> | Variable in width: please quote the exact dimension of carcass depth. Top cover will be adapted to the cupboard width. | 150-299 | 300 | 828 | HBV A513 1 | L/R | |
| 800 | Highboard 2 aluminium framed doors with satined glass 2 glass shelves 1 top cover 330 mm deep | 300 | 600 | 828 | HBA 5 1 6 B 7 | | |
| | Variable in width: please quote the exact dimension of carcass depth. Top cover will be adapted to the cupboard width. | 150-299 | 600 | 828 | HBV A516 1 | | |
| 800 000000 000000 0000000 | Highboard with laundry pull out 2 doors 1 laundry pull out with wire basket 1 top cover 330 mm deep | | | | | | |
| 0000000 | Volume of laundry pull out: 40 liters | 300 | 600 | 828 | HBA 5 1 6 A 1 W | | |
| 160 | Highboard 1 drawer with buffered closing | 300 | 300 | 828 | HBA563A7M | | |
| 320 | 2 metal pull-outs with buffered closing 1 top cover 330 mm deep | 300 | 400 | 828 | HBA 5 6 4 A 7 M | | |
| 160 320 320 | Highboard 1 drawer with buffered closing 2 metal pull-outs with buffered closing 1 top cover 330 mm deep | 300 | 600 | 828 | H B A 5 6 6 A 7 M | | |
| 160 * | Highboard | 300 | 300 | 828 | HBA553A7M | L/R | |
| 640 | 1 drawer with buffered closing 1 door 1 glass shelf 1 top cover 330 mm deep | 300 | 400 | 828 | H B A 5 5 4 A 7 M | L/R | |
| 640 | Highboard 1 drawer with buffered closing 2 doors 1 glass shelf 1 top cover 330 mm deep | 300 | 600 | 828 | H B A 5 5 6 A 7 M | | |

| Depth indication corr | esponds to the carcass depth | Depth in mm | Width in mm | Height in mm | Artic | le number | Hinge | Surchar- ge high- gloss carcass |
|---|--|----------------|-------------|--------------|-------|-----------|--------------|--|
| Highboards | | | | | | | | |
| 160 | Highboard with laundry basket 1 drawer with buffered closing 1 laundry basket with wire basket 1 top cover 330 mm deep | | | | | | | |
| ; LI | Volume of laundry basket: 25 liters | 300 | 300 | 828 | НВА | 5 5 3 A 7 | w | |
| | Volume of laundry basket: 35 liters | 300 | 400 | 828 | НВА | 5 5 4 A 7 | w | |
| 160 | Highboard with laundry basket 1 drawer with buffered closing 1 laundry basket with wire basket 1 top cover 330 mm deep | | | | | | | |
| ; <u> </u> | Volume of laundry basket: 55 liters | 300 | 600 | 828 | НВА | 5 5 6 A 7 | w | |
| 640 000000 0000000 0000000 0000000 000000 | Highboard with laundry pull out 1 drawer with buffered closing 2 doors 1 laundry pull out with wire basket 1 top cover 325 mm deep Volume of laundry pull out: 40 liters | 300 | 600 | 828 | нва | 5 5 6 A 1 | w | |
| Wall units | | | | | | | | |
| ÷ | Wall unit 1 door | 150 | 300 | 668 | OGA | 4 1 3 A | 7 L/R | |
| 640 | 1 glass shelf 1 top cover 180 mm deep | 150 | 400 | 668 | OGA | 4 1 4 A | 7 L/R | |
| ,, | Variable in width: please quote the exact dimension of carcass depth. | 151-300 | 300 | 668 | O V A | 4 1 3 0 | L/R | |
| | Top cover will be adapted to the cupboard width. | 151-300 | 400 | 668 | O V A | 4 1 4 0 | L/R | |
| 640 | Wall unit 2 doors 1 glass shelf 1 top cover 180 mm deep | 150 | 600 | 668 | OGA | 4 1 6 A | 7 | |
| ; <u>"</u> " | Variable in width: please quote the exact dimension of carcass depth. Top cover will be adapted to the cupboard width. | 151-300 | 600 | 668 | O V A | 4 1 6 0 | | |
| 320 | Wall unit 1 flap door, 1 top cover 260 mm deep | 230 | 600 | 348 | OMA | 2 1 6 A 7 | K | |
| | | | | | | | | |



| Depth indication corre | esponds to the carcass depth | Depth in mm | Width in mm | Height in mm | Article number | Surcha ge high gloss carcas |
|------------------------|---|-------------|----------------|--------------|--|-----------------------------|
| Base units | | | | | | |
| 320 | Base unit 1 drawer with buffered closing 1 door 1 top cover 330 mm deep | 300 300 | 300 400 | 508 508 | U N A 3 2 3 A 7 M U N A 3 2 4 A 7 M | |
| 320 | Base unit 1 drawer with buffered closing 2 doors 1 top cover 330 mm deep | 300 | 600 | 508 | U N A 3 2 6 A 7 M | |
| | Base unit | 300 | 300 | 508 | U N A 3 4 3 A 7 M | |
| 320 | 1 drawer with buffered closing1 metal pull-out with buffered closing,1 top cover 330 mm deep | 300 | 400 | 508 | U N A 3 4 4 A 7 M | |
| 160 | Base unit 1 drawer with buffered closing 1 metal pull-out with buffered closing, 1 top cover 330 mm deep | 300 | 600 | 508 | U N A 3 4 6 A 7 M | |
| 320 | Base unit 1 flap door, 1 top cover 260 mm deep | 230 | 600 | 348 | UMA216A7K | |
| Shelves | | | | | | |
| | functional shelf Edges are cut with a mitre veritcal and horizontal mounting possible | 150 | 300 | 160 | RGL113001 | |
| | please indicate colour version: no. 501 white matt lacquered no. 547 black matt lacquered | | | | | |
| | functional shelf Edges are cut with a mitre veritcal and horizontal mounting possible please indicate colour version: no. 501 white matt lacquered no. 547 black matt lacquered | 150 | 600 | 160 | RGL 116002 | |
| | functional shelf Edges are cut with a mitre veritcal and horizontal mounting possible please indicate colour version: no. 501 white matt lacquered no. 547 black matt lacquered | 150 | 900 | 160 | RGL 119003 | |

| Depth indication corre | esponds to the carcass depth | Depth in mm | Width in mm | Height in mm | Article numb | er Hinge | Surchar- ge high- gloss carcass |
|------------------------|--|-------------|----------------|--------------|---------------|----------|--|
| Laundryrolli | | | | | | | |
| 640 | Laundryrolli 1 flap door, with buffered closing 1 take-out laundry-bag, washable 4 roles Colour version corresponds to the carcass colour incl. height indication rolls (100 mm) | 470 | 470 | 756 | WRS 4 0 4 7 | | |
| Benches | | | | | | | |
| 160 | Bench 1 shelf 1 seat cushion in imitation leather Colour version corresponds to the carcass colour | | | | | | |
| | cushion in creamy-white | 450 | 600 | 508 | SETBANK | 6 W | |
| | cushion in black | 450 | 600 | 508 | SETBANK | 6 S | |
| 160 | Bench 2 shelves 1 seat cushion in imitation leather Colour version corresponds to the carcass colour cushion in creamy-white cushion in black | 450 450 | 900 | 508 508 | S E T B A N K | | |
| Glass shelfs | | | | | | | |
| | Glass shelf incl. metal holder | | | | | | |
| | 400 mm wide incl. 2 metal brackets | 130 | 400 | 8 | A B G 1 3 4 0 | 0 8 | |
| | 600 mm wide incl. 2 metal brackets | 130 | 600 | 8 | A B G 1 3 6 0 | 0 8 | |
| | 700 mm wide incl. 2 metal brackets | 130 | 700 | 8 | A B G 1 3 7 0 | 0 8 | |
| | 900 mm wide incl. 3 metal brackets | 130 | 900 | 8 | A B G 1 3 9 0 | 0 8 | |
| | 1200 mm wide incl. 3 metal brackets | 130 | 1200 | 8 | A B G 1 3 1 2 | 0 8 | |
| | 1400 mm wide incl. 4 metal brackets | 130 | 1400 | 8 | ABG 1314 | 0 8 | |
| | | | | | | | |



| Depth indication corr | responds to the carcass depth | Depth in mm | Width in mm | Height in mm | Arti | cle numbe | er | Hinge | ! | Surchar- ge high- gloss carcass |
|-----------------------|---|----------------|-------------|--------------|------|-----------|----|-------|---|--|
| Push- fit sh | elf | | | | | | | | | |
| | Push-fit shelf with ABS thick edge all around incl. holders for push fit shelf | | | | | | | | | |
| | 300 mm widh incl. 2 push-fit holder | 150 | 300 | 28 | SBG | 6030 | | | | |
| | 400 mm wide incl. 2 push-fit holder | 150 | 400 | 28 | SBG | 6 0 4 0 | | | | |
| | 600 mm wide incl. 2 push-fit holder | 150 | 600 | 28 | SBG | 6060 | | | | |
| | 700 mm wide incl. 3 push-fit holder | 150 | 700 | 28 | SBG | 6070 | | | | |
| | 900 mm wide incl. 3 push-fit holder | 150 | 900 | 28 | SBG | 6090 | | | | |
| | 1200 mm wide incl. 3 push-fit holder | 150 | 1200 | 28 | SBG | 6012 | | | | |
| | 1400 mm wide incl. 3 push-fit holder | 150 | 1400 | 28 | SBG | 6014 | | | | |
| Accessories | S | | | | | | | | | |
| | LED lighting element Width 600 mm 8,53 watt / 430 lumens / (3000 -) 6500 Kelvin This product contains a light source with energy efficiency class: F | 130 | 600 | 73 | PΖ | 1077 | 5 | | | |
| | LED lighting element Width 900 mm 13,18 Watt / 660 lumens / (3000 -) 6500 Kelvin This product contains a light source with energy efficiency class: F | 130 | 900 | 73 | PZ | 1078 | 5 | | | |

Programm 040 - examples

| CLE-21 | 70-2 | |
|--|---|-------------|
| Mirror cabinet, 700 mm Washbasin base unit evermite washbasin, LED, 700 mm | S 2 A 4 3 7 0 S 9 W U A 3 5 7 0 7 M S W M 8 2 0 7 B 1 | |
| | | |
| | | |
| | | 700 mm wide |
| CLE-21 | 70-4 | |
| Mirror cabinet, 700 mm Washbasin base unit evermite washbasin, LED, 700 mm | S 2 A 4 3 7 0 2 2 W U A 3 5 7 0 7 M S W M 8 2 0 7 B 1 | |
| | | |
| | | 700 mm wide |
| | | |
| CLE-219 1 Mirror cabinet, 900 mm 1 Washbasin base unit 1 evermite washbasin, LED, 900 mm | 90-2 S 2 A 4 3 9 0 S 9 W U A 3 5 9 0 7 M S W M 8 2 0 9 B 1 | |
| | | |
| | | |
| | | |
| | | 900 mm wide |
| CLE-21 | 90-4 | |
| Mirror cabinet, 900 mm Washbasin base unit evermite washbasin, LED, 900 mm | S 2 A 4 3 9 0 2 2 W U A 3 5 9 0 7 M S W M 8 2 0 9 B 1 | |
| | | |
| | | 900 mm wide |





Programm 040 - examples


| CLE-21 | 12-2 | |
|--|---|--------------|
| Mirror cabinet, 1200 mm Washbasin base unit evermite washbasin, LED, 1200 mm | S 2 A 4 3 1 2 S 9 W U A 3 5 1 2 7 M S W M 8 2 2 0 B 1 | |
| | | |
| | | 1200 mm wide |
| CLE-21 Mirror cabinet 1200 mm Washbasin base unit evermite washbasin, LED, 1200 mm | S 2 A 4 3 1 2 2 2 W U A 3 5 1 2 7 M S W M 8 2 2 0 B 1 | |
| | | |
| | | 1200 mm wide |
| CLE-21 Mirror cabinet, 1400 mm | 14-2 S 2 A 4 3 1 4 S 9 | |
| 1 Washbasin base unit 1 evermite washbasin, LED, 1400 mm | W U A 3 5 1 4 7 M S W M 8 2 4 0 B 1 | |
| | | |
| | | 1400 mm wide |
| CLE-21: 1 Mirror cabinet, 1400 mm | 14-4 S 2 A 4 3 1 4 2 2 | |
| 1 Washbasin base unit1 evermite washbasin, LED, 1400 mm | W U A 3 5 1 4 7 M S W M 8 2 4 0 B 1 | |
| | | |
| | | 1400 mm wide |

| | CLE-2114- | 2D | |
|-------|--|---|--------------|
| 1 1 1 | Mirror cabinet, 1400 mm Washbasin base unit evermite washbasin, LED, 1400 mm Double washbasin | S 2 A 4 3 1 4 S 9 W U A 3 5 1 4 6 M S W M 8 2 4 D B 1 | |
| | | | |
| | | | 1400 mm wide |
| Г | CLE-2114- | 4D | |
| 1 1 1 | Mirror cabinet, 1400 mm Washbasin base unit evermite washbasin, LED, 1400 mm Double washbasin | S 2 A 4 3 1 4 2 2 W U A 3 5 1 4 6 M S W M 8 2 4 D B 1 | |
| | | | |
| | | | |
| | | | 1400 mm wide |

Program 040 - dimensional drawings







For washing stands with fixing screws, the dimensions for boring must be drawn in on-site after the washing stand has been laid on the floor unit.

Washing stands without anchoring brackets have to be fixed on the wall and on the furniture-side with silicon! Cast mineral:

The water temperature must not exceed 55° C / 131° F. Hair tinting lotions have to be removed immediately, so that staining can be avoided.

Modifications:


Technical modifications (+/- 5mm) and flatness modifications (DIN 18202) are subject of the usual material-specific modifications for construction materials, based on DIN 18202.



Program 040 - dimensional drawings

SWG 8140

electrical connections for mirror cabinets



For washing stands with fixing screws, the dimensions for boring must be drawn in on-site after the washing stand has been laid on the floor unit.

Washing stands without anchoring brackets have to be fixed on the wall and on the furniture-side with silicon!

Cast mineral:

The water temperature must not exceed 55° C / 131° F. Hair tinting lotions have to be removed immediately, so that staining can be avoided.

Modifications:

Technical modifications (+/- 5mm) and flatness modifications (DIN 18202) are subject of the usual material-specific modifications for construction materials, based on DIN 18202.