



# Crescendo

Program 33





#### Front colours



No. 764 Stonegrey matt



No. 777 cosmos grey matt



No. 793 noble white matt



No. 891 quarz grey matt



No. 893 titanium grey matt



No. 686 anthracite hgl.



No. 722 polar white hgl.



no. 680 Charleston oak



Nr. 785 natural oak



no. 794 sand oak



#### carcass colours

\* High gloss carcass for an additional price



No. 164 Stonegrey matt



No. 177 cosmos grey matt



No. 111 white matt



no. 191 quarz grey matt



No. 193 titanium grey matt



\*no. 121 anthracite hgl.



\*no. 161 white hgl.



no. 180 Charleston oak



Nr. 185 natural oak



no. 194 sand oak

## Washbasin colours

evermite - washbasins



No. 21 white

#### evermite

New, harder, easy-care surface.

Glass washbasin



no. 82 optiwhite



no. 92 optiwhite matt

#### Handle version



No. 290 bar handle chrome

handle-borehole distance for straight fronts: 96 mm / 384 mm

#### Technique

Pull outs and drawers No. 554

door with integrated buffered closing

#### Mirror cabinets

Series A

Series B







Illustrations and specifications are without obligation. Technical modifications reserved.

Please note the instruction for warranty, mounting and care, and the quality agreements as well, at the beginning of the book.

The numbers represent POINTS not prices

Depth indication corre	esponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Artic	cle numb	er	Hinge	ge	urchar- e high- gloss arcass
incl. handle pads	Mirror cabinet  2 double mirror doors  2 glass shelves  1 switch socket element  1 shelf left  2 enlighted glass shelves  2 x 0,2 watt / 2 x 9 lumens / (3000 -) 6500 Kelvin  1 flyover shelf with LED lighting  2 X 5,1 watt / Converter 15 watt  2 x 449 lumens / (3000 -) 6500 Kelvin  Door width: 296 mm / 396 mm  This product contains a light source with energy efficiency class: F  Additional accessories  LED washbasin lighting  LED washbasin lighting emotion  Emotion lighting	150	900	668	<b>S 2 A</b> P Z  P Z  P Z  P Z	4 3 9 L  1 0 6 3 1 1 5 0 1 0 2 0	60			
incl. handle pads	Mirror cabinet 2 double mirror doors 2 glass shelves 1 switch socket element 1 shelf right 2 enlighted glass shelves 2 x 0,2 watt / 2 x 9 lumens / (3000 -) 6500 Kelvin 1 flyover shelf with LED lighting 2 X 5,1 watt / Converter 15 watt 2 x 449 lumens / (3000 -) 6500 Kelvin Door width: 396 mm / 296 mm This product contains a light source with energy efficiency class: F  Additional accessories LED washbasin lighting LED washbasin lighting emotion Emotion lighting	150	900	668	PZ PZ PZ	1 0 6 3 1 1 5 0 1 0 2 0	60 60			
III. = left incl. handle pads	Mirror cabinet  2 double mirror doors  2 glass shelves  1 switch socket element  2 shelves right/ left  4 enlighted glass shelves  4 X 0,2 Watt / 2 x 9 lumens / (3000 -) 6500 Kelvin  1 flyover shelf with LED lighting  2 X 7,44 watt / converter 30 watt  2 x 651 lumens / (2700 -) 6500 Kelvin  Door width: 346 mm / 446 mm  This product contains a light source with energy efficiency class: F  Additional accessories  LED washbasin lighting  LED washbasin lighting emotion  Emotion lighting	150	1200	668	PΖ	1 0 6 3 1 1 5 0 1 0 2 0	60 60	L/R		

	esponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Artio	cle numb	er	Hinge	Surchar- ge high- gloss carcass
III. = left incl. handle pads	Mirror cabinet 2 double mirror doors 2 glass shelves 1 switch socket element 2 shelves right/ left 4 enlighted glass shelves 4 X 0,2 Watt / 2 x 9 lumens / (3000 -) 6500 Kelvin 1 flyover shelf with LED lighting 2 X 9,0 watt / converter 30 watt 2 x 792 lumens / (2700 -) 6500 Kelvin Door width: 446 mm / 546 mm This product contains a light source with energy efficiency class: F  Additional accessories LED washbasin lighting LED washbasin lighting emotion Emotion lighting	150	1400	668	P Z P Z	1 0 6 3 1 1 5 0 1 0 2 0	90	L/R	
incl. handle blocks	Mirror cabinet  2 double mirror doors  2 glass shelves  1 switch socket element  1 shelf left  2 enlighted glass shelves  2 x 0,2 watt / 2 x 9 lumens / (3000 -) 6500 Kelvin  1 LED panel light profil milled  13,2 watt / converter 30watt  1081 lumens / (2700 -) 6500 Kelvin  Door width: 296 mm / 396 mm  This product contains a light source with energy efficiency class: F  Additional accessories  LED washbasin lighting  LED washbasin lighting emotion  Emotion lighting	150	900	650	P Z P Z P Z	1 0 6 3 1 1 5 0 1 0 2 0	60		

·	sponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Artio	cle numbe	er	Hinge	Surchar- ge high- gloss carcass
Mirror cabine	Mirror cabinet 2 double mirror doors 2 glass shelves 1 switch socket element	150	900	650	S 2 A	4 3 9 R	7 6		
incl. handle blocks	1 shelf right 2 enlighted glass shelves 2 x 0,2 watt / 2 x 9 lumens / (3000 -) 6500 Kelvin 1 LED panel light profil milled 13,2 watt / converter 30watt 1081 lumens / (2700 -) 6500 Kelvin Door width: 396 mm / 296 mm This product contains a light source with energy efficiency class: F								
	Additional accessories LED washbasin lighting LED washbasin lighting emotion Emotion lighting				PZ PZ PZ	1 0 6 3 1 1 5 0 1 0 2 0			
III. = left incl. handle blocks	Mirror cabinet 2 double mirror doors 2 glass shelves 1 switch socket element 2 shelves right/ left 4 enlighted glass shelves 4 X 0,2 Watt / 2 x 9 lumens / (3000 -) 6500 Kelvin 1 LED panel light profil milled 17,83 watt / converter 30 watt 1462 lumens / (2700 -) 6500 Kelvin Door width: 346 mm / 446 mm This product contains a light source with energy efficiency class: F	150	1200	650	S 2 A	4 3 1 2	7 6	L/R	
	Additional accessories LED washbasin lighting LED washbasin lighting emotion Emotion lighting				PZ PZ PZ	1 0 6 3 1 1 5 0 1 0 2 0			
III. = left incl. handle blocks	Mirror cabinet 2 double mirror doors 2 glass shelves 1 switch socket element 2 shelves right/ left 4 enlighted glass shelves 4 X 0,2 Watt / 2 x 9 lumens / (3000 -) 6500 Kelvin 1 LED panel light profil milled 20,9 watt / converter 30 watt 1716 lumens / (2700 -) 6500 Kelvin Door width: 446 mm / 546 mm This product contains a light source with energy efficiency class: F	150	1400	650	S 2 A	4 3 1 4	7 6	L/R	
	Additional accessories LED washbasin lighting LED washbasin lighting emotion Emotion lighting				PZ PZ PZ	1 0 6 3 1 1 5 0 1 0 2 0			

You find information on the the washbasin manufacturer at the beginning of the sales book. \*Delivery time: 8 weeks. Price per washbasin. Washbasin without tap hole is incompatible with CLOU System. Please check your order confirmation for correctness.


Depth indication corre	esponds to the carcass depth  ashbasins	Depth in mm	Width in mm	Height in mm	Arti	cle nu	mb	er	Hinge	Surchar- ge high- gloss carcass
•	evermite washbasin, 900 mm colour white inkl. concealed overflow system chrome finish									
0	can be combined with WUA 3690 09 L evermite	540	906	30	SWM	1 0	9 L	2 1		
	Additional accessories Surcharge for washbasins without tap-hole or with 3 hole	s (accord	ling to ske	tch)						
0	evermite washbasin, 900 mm colour white inkl. concealed overflow system chrome finish can be combined with WUA 3690 09 R									
	evermite	540	906	30	SWM	1 0	9 R	2 1		
	Additional accessories Surcharge for washbasins without tap-hole or with 3 hole	s (accord	ling to ske	tch)						
· 0	evermite washbasin, 1200 mm colour white inkl. concealed overflow system chrome finish									
	can be combined with WUA 3612 09 L									
	evermite	560	1206	30	SWM	11:	2 L	2 1		
	Additional accessories Surcharge for washbasins without tap-hole or with 3 hole	s (accord	ling to ske	tch)						
	evermite washbasin, 1200 mm colour white inkl. concealed overflow system chrome finish									
	can be combined with WUA 3612 09 R									
	evermite	560	1206	30	SWM	1 1 :	2 R	2 1		
	Additional accessories Surcharge for washbasins without tap-hole or with 3 hole	s (accord	ling to ske	tch)						
	evermite washbasin, 1400 mm colour white inkl. concealed overflow system chrome finish									
	can be combined with WUA 3614 09 L									
	evermite	560	1406	30	SWM	11	4 L	2 1		
	Additional accessories Surcharge for washbasins without tap-hole or with 3 hole	s (accord	ling to ske	tch)						
Vou fine	I information on the the washbasin manufacturer at the be	ainnina of	the color	hook						



Depth indication corre	esponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Artio	cle nu	mbe	er	Hinge	ge i	char- high- oss cass
	evermite washbasin, 1400 mm colour white inkl. concealed overflow system chrome finish can be combined with WUA 3614 09 R evermite  Additional accessories Surcharge for washbasins without tap-hole or with 3 hole	560 es (accord	1406 ling to ske	30	SWM	114	1 R	2 1			
Glass washl	oasin										
	Glass washbasin, 900 mm Colour Optiwhite Colour Optiwhite matt inkl. concealed overflow system chrome finish can be combined with WUA 3690 09 L Additional accessories Neutrally bonding silicone for glass washbasins	540 540	906 906		SWG SWG		L				
	Glass washbasin, 900 mm Colour Optiwhite Colour Optiwhite matt inkl. concealed overflow system chrome finish can be combined with WUA 3690 09 R Additional accessories	540 540	906 906	12 12	SWG SWG	1 0 9	R				
· o	Neutrally bonding silicone for glass washbasins Surcharge for washbasins without tap-hole or with 3 hole  Glass washbasin, 1200 mm Colour Optiwhite Colour Optiwhite matt  inkl. concealed overflow system chrome finish	560 560	ling to ske 1206 1206		S W G		2 L				
	can be combined with WUA 3612 09 L  Additional accessories  Neutrally bonding silicone for glass washbasins  Surcharge for washbasins without tap-hole or with 3 hole	es (accord	ling to ske		PΖ	1 23	3 5				

You find information on the the washbasin manufacturer at the beginning of the sales book. \*Delivery time: 8 weeks. Price per washbasin. Washbasin without tap hole is incompatible with CLOU System. Please check your order confirmation for correctness.

Depth indication corre	sponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Artio	cle i	nur	nbe	er	Hinge	Surchar- ge high- gloss carcass
Glass washb	oasin										
	Glass washbasin, 1200 mm Colour Optiwhite Colour Optiwhite matt	560 560	1206 1206	12 12	S W G						
	inkl. concealed overflow system chrome finish can be combined with WUA 3612 09 R										
	Additional accessories  Neutrally bonding silicone for glass washbasins  Surcharge for washbasins without tap-hole or with 3 hole	s (accord	ing to ske	tch)	PΖ	1 :	2 3	5			
	Glass washbasin, 1400 mm Colour Optiwhite	560	1406	12	SWG	1 .	1 4	L	8 2		
	Colour Optiwhite matt	560	1406	12	SWG						
	inkl. concealed overflow system chrome finish can be combined with WUA 3614 09 L										
	Additional accessories Neutrally bonding silicone for glass washbasins Surcharge for washbasins without tap-hole or with 3 hole	s (accord	ing to ske	tch)	PΖ	1 :	2 3	5			
	Glass washbasin, 1400 mm										
	Colour Optiwhite Colour Optiwhite matt	560 560	1406 1406	12 12	S W G S W G						
	inkl. concealed overflow system chrome finish can be combined with WUA 3614 09 R										
	Additional accessories Neutrally bonding silicone for glass washbasins Surcharge for washbasins without tap-hole or with 3 hole	s (accord	ing to ske	tch)	PΖ	1 :	2 3	5			
Washbasin b	pase units										
	Washbasin base unit  1 metal pull out unit with buffered closing and rail  1 metal pull out unit with buffered closing sidewise carcass depth- narrow = 300 mm sidewise carcass depth - wide = 470 mm	470	900	480	WUA	3 (	6 9	0	0 9	L/R	
III. = left	Additional accessories Space-saving drain stench trap DN 40 Space-saving drain stench trap DN 32				P Z P Z			6 7 2 3			
	Washbasin base unit  1 metal pull out unit with buffered closing and rail  1 metal pull out unit with buffered closing sidewise carcass depth- narrow = 300 mm sidewise carcass depth - wide = 470 mm	470	1200	480	WUA	3 (	6 1	2	0 9	L/R	
III. = left	Additional accessories Space-saving drain stench trap DN 40 Space-saving drain stench trap DN 32				P Z P Z			6 7 2 3			



<sup>\*</sup>Delivery time: 8 weeks. Price per washbasin. Washbasin without tap hole is incompatible with CLOU System. Please check your order confirmation for correctness.



Depth indication corre	esponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Artic	cle numbe	er	Hinge	Surchar- ge high- gloss carcass
additional ca	1 metal pull out unit with buffered closing and rail 1 metal pull out unit with buffered closing 1 internal compartment incl. glass shelf (width: 200 mm) sidewise carcass depth- narrow =160 mm sidewise carcass depth - wide = 470 mm  Additional accessories Space-saving drain stench trap DN 40 Space-saving drain stench trap DN 32	470	1400	480	WUA PZ PZ	3 6 1 4 1 3 6 7 1 4 2 3		L/R	
III. = left	Base unit with cast mineral- shelf 2 metal pull-out units with buffered closing incl. drawer rail sidewise carcass depth- narrow = 300 mm sidewise carcass depth = 425 mm  drawing left, according to washbasin unit fitting distance 150 mm	425	400	510	UTA	3 6 4 A	2 1	L/R	
III. = left	Base unit with cast mineral- shelf 1 door 1 glass shelf sidewise carcass depth- narrow = 300 mm sidewise carcass depth = 425 mm  drawing left, according to washbasin unit fitting distance 150 mm	425	400	510	UTA	3 1 4 A	2 1	L/R	
III. = left	Base unit with cast mineral- shelf Colour Optiwhite Colour Optiwhite matt 2 metal pull-out units with buffered closing incl. drawer rail sidewise carcass depth- narrow = 300 mm sidewise carcass depth = 425 mm drawing left, according to washbasin unit fitting distance 150 mm	425 425	400 400	492 492		3 6 4 A 3 6 4 A			

Depth indication corr	esponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Article number	Hinge	Surchar- ge high- gloss carcass
additional c	abinets						
III. = left	Base unit with cast mineral- shelf Colour Optiwhite Colour Optiwhite matt 1 door 1 glass shelf sidewise carcass depth- narrow = 300 mm sidewise carcass depth = 425 mm  drawing left, according to washbasin unit fitting distance 150 mm	425 425	400 400	492 492	UTA314A82 UTA314A92		
M/////////////////////////////////////	Shelf 2 enlighted glass shelves 2 x 0,8 watt / 2 x 27 lumens / (3000 -) 6500 Kelvin mirrored back side This product contains a light source with energy efficiency class: F  if the shelf is fitted or switched separately, the converter PZ 1070 and the the sensor switcher PZ 1066 will be needed in additional.	150	400	640	RG 434B01		
Tall units							
240 240	Tall unit 1 door 4 glass shelves 2 metal pull-outs with buffered closing 1 top cover 330 mm deep	300	300 400	1628 1628	H N A 0 8 3 A 7 1 H N A 0 8 4 A 7 1		
240 240	Tall unit 2 doors 4 glass shelves 2 metal pull-outs with buffered closing 1 top cover 330 mm deep	300	600	1628	H N A 0 8 6 A 7 1		
800 — 160 — 320 — 320 —	Tall unit 1 door 2 glass shelves (top) 2 metal pull-outs with buffered closing 1 drawer with buffered closing 1 top cover 330 mm deep	300 300	300 400	1628 1628	H N A 0 9 3 A 7 M H N A 0 9 4 A 7 M		



Depth indication corr	esponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Article number	Hinge	Surchar- ge high- gloss carcass
Tall units							
800 160 320 320	Tall unit 2 doors 2 glass shelves (top) 2 metal pull-outs with buffered closing 1 drawer with buffered closing 1 top cover 330 mm deep	300	600	1628	H N A 0 9 6 A 7 M		
800 160 320	Tall unit 1 aluminium framed door with satined glass 2 glass shelves (top) 2 metal pull-outs with buffered closing 1 drawer with buffered closing 1 top cover 330 mm deep	300	300	1628	H N A 0 9 3 B 7 M	L/R	
800 160 320	Tall unit 2 aluminium framed doors with satined glass 2 glass shelves (top) 2 metal pull-outs with buffered closing 1 drawer with buffered closing 1 top cover 330 mm deep	300	600	1628	H N A 0 9 6 B 7 M		
· 🗐	Tall unit	300	300	1628	HNA033A 7	L/R	
800	2 doors 2 glass shelves (top) 2 adjustable shelves (bottom) 1 top cover 330 mm deep	300	400	1628	H N A 0 3 4 A 7	L/R	
800	Variable in width:	150-299	300	1628	H V A 0 3 3 0	L/R	
<u> </u>	please quote the exact dimension of carcass depth.  Top cover will be adapted to the cupboard width.	150-299	400	1628	H V A 0 3 4 0	L/R	
800	Tall unit 4 doors 2 glass shelves (top) 2 adjustable shelves (bottom) 1 top cover 330 mm deep	300	600	1628	H N A 0 3 6 A 7		
800	Variable in width: please quote the exact dimension of carcass depth. Top cover will be adapted to the cupboard width.	150-299	600	1628	H V A 0 3 6 0		
300	Tall unit 1 aluminium framed door with satined glass 1 door 2 glass shelves (top) 2 adjustable shelves (bottom) 1 top cover 330 mm deep	300	300	1628	H N A 0 3 3 B 7	L/R	
800	Variable in width: please quote the exact dimension of carcass depth. Top cover will be adapted to the cupboard width.	150-299	300	1628	H V A 0 3 3 1	L/R	
	ible acceptance in the congrete index						

Depth indication corre	esponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Article number ge	high- loss rcass
Tall units						
800	Tall unit 2 aluminium framed doors with satined glass 2 doors 2 glass shelves (top) 2 adjustable shelves (bottom) 1 top cover 330 mm deep	300	600	1628	H N A 0 3 6 B 7	
800	Variable in width: please quote the exact dimension of carcass depth. Top cover will be adapted to the cupboard width.	150-299	600	1628	H V A 0 3 6 1	
	Tall unit for brooms	300	300	1628	H N A 0 3 3 A 7 1 L/R	
800	2 strapped doors 5 glass shelves 1 top cover 330 mm deep	300	400		H N A 0 3 4 A 7 1 L/R	
800	Tall unit for brooms 2 strapped doors left 2 strapped doors right 5 continuously glass shelves 1 top cover 330 mm deep	300	600	1628	H N A 0 3 6 A 7 1	
· 🗂	Tall unit	300	300	1628	H N A 0 2 3 A 7 1 L/R	
320 160 480	1 door 1 glass shelf (top) 1 open compartment 1 drawer with buffered closing 1 door 1 glass shelf 1 top cover 330 mm deep	300	400	1628	H N A 0 2 4 A 7 1 L/R	
320 160 480	Tall unit 2 doors 1 glass shelf (top) 1 open compartment 1 drawer with buffered closing 2 doors 1 glass shelf 1 top cover 330 mm deep	300	600	1628	H N A 0 2 6 A 7 1	
320 640	Tall unit 1 door 1 glass shelf (top) 1 open compartment 1 door 1 glass shelf 1 top cover 330 mm deep	300 300	300 400		H N A 0 2 3 A 7 2 L/R H N A 0 2 4 A 7 2 L/R	



Depth indication corre	esponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Article number	Hinge	Surchar- ge high- gloss carcass
Tall units							
320	Tall unit 2 doors 1 glass shelf (top) 1 open compartment 2 doors 1 glass shelf 1 top cover 330 mm deep	300	600	1628	H N A 0 2 6 A 7 2		
640 160 160 640	Tall unit 1 door 1 glass shelf (top) 2 metal pull-outs with buffered closing, 1 door 1 glass shelf 1 top cover 330 mm deep	300 300	300 400		H N A 0 4 3 A 7 1 H N A 0 4 4 A 7 1		
640	Tall unit 2 doors 1 glass shelf (top) 2 metal pull-outs with buffered closing, 2 doors 1 glass shelf 1 top cover 330 mm deep	300	600	1628	H N A 0 4 6 A 7 1		
160	Tall unit 1 door 2 glass shelves (top) 1 drawer with buffered closing 1 door 1 glass shelf 1 top cover 330 mm deep	300 300	300 400		H N A 0 5 3 A 7 M H N A 0 5 4 A 7 M		
160	Tall unit 2 doors 2 glass shelves (top) 1 drawer with buffered closing 2 doors 1 glass shelf 1 top cover 330 mm deep	300	600	1628	H N A 0 5 6 A 7 M		
160	Tall unit 1 aluminium framed door with satined glass 2 glass shelves (top) 1 drawer with buffered closing 1 door 1 glass shelf 1 top cover 330 mm deep	300	300	1628	H N A 0 5 3 B 7 M	L/R	

Depth indication corre	esponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Article number	Hinge	Surchar- ge high- gloss carcass
Tall units							
160	Tall unit 2 aluminium framed doors with satined glass 2 glass shelves (top) 1 drawer with buffered closing 2 doors 1 glass shelf 1 top cover 330 mm deep	300	600	1628	H N A 0 5 6 B 7 M		
800	Tall unit with laundry basket 1 door 2 glass shelves 1 drawer with buffered closing 1 laundry basket with wire basket 1 top cover 330 mm deep Volume of laundry basket: 25 liters	300	300	1628	HNA053A7W	L/R	
	Volume of laundry basket: 35 liters	300	400	1628	H N A 0 5 4 A 7 W	L/R	
160	Tall unit with laundry basket 2 doors 2 glass shelves 1 drawer with buffered closing 1 laundry basket with wire basket 1 top cover 330 mm deep Volume of laundry basket: 55 liters	300	600	1628	H N A 0 5 6 A 7 W		
160	Tall unit with laundry basket  1 aluminium framed door with satined glass 2 glass shelves 1 drawer with buffered closing 1 laundry basket with wire basket 1 top cover 330 mm deep  Volume of laundry basket: 25 liters	300	300	1628	H N A 0 5 3 B 7 W	L/R	
800	Tall unit with laundry basket 2 aluminium framed doors with satined glass 2 glass shelves 1 drawer with buffered closing 1 laundry basket with wire basket 1 top cover 330 mm deep Volume of laundry basket: 55 liters	300	600	1628	H N A 0 5 6 B 7 W		
800 160 640 160 160 160 160 160 160 160 16	Tall unit with laundry pull out 2 doors 2 glass shelves (top) 1 drawer with buffered closing 2 doors 1 laundry pull out with wire basket 1 top cover 330 mm deep Volume of laundry pull out: 40 liters	300	600	1628	H N A 0 5 6 A 1 W		
Places							



Depth indication corre	esponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Artic	cle numbe	er	Hinge	Surchar- ge high- gloss carcass
Tall unit-she	elf								
238 238 238 238 238 238 238 238 238 238	Tall unit-shelf with open shelf space in carcass colour	150	300	1600	R G	1030	0 1		
374 374 374 374 374 374 374 374 374 374	Tall unit-shelf with mirror surface 4 shelves compartments in carcass colour	150	300	1600	R G	1030	0 2		
374 1 1 366 366 374 Central units	Tall unit-shelf 4 functional hooks 4 shelves compartments in carcass colour	150	300	1600	R G	1030	0 3		
Central dint	3								
	medium-high unit 1 door 2 glass shelves (top)	300	300 400			873A 874A		L/R L/R	
240	2 metal pull-outs with buffered closing 1 top cover 330 mm deep								
240	medium-high unit 2 doors 2 glass shelves (top) 2 metal pull-outs with buffered closing 1 top cover 330 mm deep	300	600	1308	MNA	8 7 6 A	7		
Diagon channe quito									

Depth indication corr	responds to the carcass depth	Depth in mm	Width in mm	Height in mm	Arti	cle ı	numb	er	Hinge	Surchar- ge high- gloss carcass
Central unit	S									
	medium-high unit	300	300	1308	MNA	8 8	3 3 A	7 N	I L/R	
160	door     glass shelves (top)     metal pull-out with buffered closing,     drawer with buffered closing     top cover 330 mm deep	300	400	1308	MNA	8 8	3 4 <i>P</i>	7 M	I L/R	
160	medium-high unit 2 doors 2 glass shelves (top) 1 metal pull-out with buffered closing, 1 drawer with buffered closing 1 top cover 330 mm deep	300	600	1308	MNA	8 8	3 6 <i>A</i>	7 M		
800	medium-high unit 1 aluminium framed door with satined glass 2 glass shelves (top) 1 metal pull-out with buffered closing, 1 drawer with buffered closing 1 top cover 330 mm deep	300	300	1308	MNA	8 8	3 3 E	3 7 N	I L/R	
160	medium-high unit 2 aluminium framed doors with satined glass 2 glass shelves (top) 1 metal pull-out with buffered closing, 1 drawer with buffered closing 1 top cover 330 mm deep	300	600	1308	MNA	8 8	3 6 E	3 7 M	I	
	medium-high unit	300	300	1308	MNA	8 1	1 3 A	7	L/R	
1280	1 door 4 glass shelves 1 top cover 330 mm deep  Variable in width:	300	400	1308	M N A	8 1	1 4 <i>A</i>	7	L/R	
*	please quote the exact dimension of carcass depth.  Top cover will be adapted to the cupboard width.	150-299 150-299	300 400	1308 1308	MVA				L/R L/R	
1280	medium-high unit 2 doors 4 glass shelves 1 top cover 330 mm deep  Variable in width:	300	600	1308	MNA	8 1	I 6 A	7		
	please quote the exact dimension of carcass depth.  Top cover will be adapted to the cupboard width.	150-299	600	1308	MVA	8 1	60			



Depth indication corre	esponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Arti	cle numb	er	Hinge	Surcharge high- gloss carcass
Central units	S								
	medium-high unit with inside drawers	300	300	1308	MNA	8 4 3 A	7	L/R	
1280	1 door 2 inside metal-drawer with buffered closing 1 glass shelf 1 top cover 330 mm deep	300	400	1308	MNA	8 4 4 A	7	L/R	
1280	medium-high unit with inside drawers 2 doors 2 continuously inside metal-drawer with buffered closing 1 continuous glass shelf 1 top cover 330 mm deep	300	600	1308	MNA	8 4 6 A	7		
640	medium-high unit with laundry pull out 2 doors 1 glass shelf (top) 2 doors 1 laundry pull out with wire basket Volume of laundry pull out: 40 liters 1 top cover 330 mm deep	300	600	1308	MNA	836A	1 W		
Highboards									
· [	Highboard	300	300	828	НВА	5 1 3 A	7	L/R	
800	1 door 2 glass shelves 1 top cover 330 mm deep	300	400	828	НВА	5 1 4 A	7	L/R	
÷	Variable in width: please quote the exact dimension of carcass depth.	150-299	300	828	нву	A 5 1 3		L/R	
	Top cover will be adapted to the cupboard width.	150-299	400	828	нву	A 5 1 4		L/R	
800	Highboard 2 doors 2 glass shelves 1 top cover 330 mm deep  Variable in width: please quote the exact dimension of carcass depth. Top cover will be adapted to the cupboard width.	300	600	828 828		5 1 6 A	7		
	ble acceptancies in the congrete index								

The numbers represent POINTS not prices

Depth indication corre	esponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Arti	cle r	numb	er	Hinge	Surcharge high- gloss carcass
Highboards										
800	Highboard 1 aluminium framed door with satined glass 2 glass shelves 1 top cover 330 mm deep	300	300	828	НВА	5 1	3 B	7	L/R	
; <u> </u>	Variable in width: please quote the exact dimension of carcass depth. Top cover will be adapted to the cupboard width.	150-299	300	828	нву	A 5	i 1 3	1	L/R	
800	Highboard 2 aluminium framed doors with satined glass 2 glass shelves 1 top cover 330 mm deep	300	600	828	НВА	5 1	6 B	7		
	Variable in width: please quote the exact dimension of carcass depth. Top cover will be adapted to the cupboard width.	150-299	600	828	нву	A 5	1 6	1		
800 000000 000000 0000000	Highboard with laundry pull out 2 doors 1 laundry pull out with wire basket 1 top cover 330 mm deep									
000000	Volume of laundry pull out: 40 liters	300	600	828	НВА	5 1	1 6 A	1 W	,	
	Highboard	300	300	828	НВА	5 6	3 A	7 M		
320	drawer with buffered closing     metal pull-outs with buffered closing     top cover 330 mm deep	300	400	828	НВА	5 6	6 4 A	7 M		
160 320 320	Highboard 1 drawer with buffered closing 2 metal pull-outs with buffered closing 1 top cover 330 mm deep	300	600	828	НВА	5 6	6 6 A	7 M		
160	Highboard 1 drawer with buffered closing	300	300	828	НВА	5 5	3 A	7 M	L/R	
640	1 door 1 glass shelf 1 top cover 330 mm deep	300	400	828	НВА	5 5	5 4 A	7 M	L/R	

Depth indication corre	esponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Article	number	Hinge	Surchar- ge high- gloss carcass
Highboards								
640	Highboard 1 drawer with buffered closing 2 doors 1 glass shelf 1 top cover 330 mm deep	300	600	828	H B A 5 !	5 6 A 7 M		
160	Highboard with laundry basket 1 drawer with buffered closing 1 laundry basket with wire basket 1 top cover 330 mm deep Volume of laundry basket: 25 liters Volume of laundry basket: 35 liters	300	300 400	828 828		5 3 A 7 W 5 4 A 7 W		
	•							
640	Highboard with laundry basket 1 drawer with buffered closing 1 laundry basket with wire basket 1 top cover 330 mm deep Volume of laundry basket: 55 liters	300	600	828	H B A 5	5 6 A 7 W	,	
640 000000 000000 000000 000000 000000	Highboard with laundry pull out 1 drawer with buffered closing 2 doors 1 laundry pull out with wire basket 1 top cover 325 mm deep Volume of laundry pull out: 40 liters	300	600	828	H B A 5	5 6 A 1 W	,	
Wall units								
640	Wall unit 1 door 1 glass shelf 1 top cover 180 mm deep	150 150	300 400		O G A 4		L/R L/R	
* <u> </u>	Variable in width: please quote the exact dimension of carcass depth. Top cover will be adapted to the cupboard width.	151-300 151-300	300 400		O V A 4 ·		L/R L/R	


Depth indication corre	esponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Article number	Surchar- ge high- gloss carcass
Wall units						
640	Wall unit 2 doors 1 glass shelf 1 top cover 180 mm deep	150	600	668	O G A 4 1 6 A 7	
*	Variable in width: please quote the exact dimension of carcass depth. Top cover will be adapted to the cupboard width.	151-300	600	668	O V A 4 1 6 0	
320	Wall unit 1 flap door, 1 top cover 260 mm deep	230	600	348	O M A 2 1 6 A 7 K	
Base units						
	Base unit	300	300	508	U N A 3 2 3 A 7 M L/R	
320	1 drawer with buffered closing 1 door 1 top cover 330 mm deep	300	400	508	U N A 3 2 4 A 7 M L/R	
320	Base unit 1 drawer with buffered closing 2 doors 1 top cover 330 mm deep	300	600	508	U N A 3 2 6 A 7 M	
240	Base unit 2 pull-outs with buffered closing 1 top cover 330 mm deep	300 300	300 400	508 508	U N A 3 6 3 A 7 U N A 3 6 4 A 7	
240	Base unit 2 pull-outs with buffered closing 1 top cover 330 mm deep	300	600	508	U N A 3 6 6 A 7	
- <del></del>	Base unit	300	300	508	U N A 3 4 3 A 7 M	
320	<ul><li>1 drawer with buffered closing</li><li>1 metal pull-out with buffered closing,</li><li>1 top cover 330 mm deep</li></ul>	300	400	508	U N A 3 4 4 A 7 M	
320	Base unit 1 drawer with buffered closing 1 metal pull-out with buffered closing, 1 top cover 330 mm deep	300	600	508	U N A 3 4 6 A 7 M	
320	Base unit 1 flap door, 1 top cover 260 mm deep	230	600	348	U M A 2 1 6 A 7 K	



Depth indication corre	esponds to the carcass depth	Depth in mm	Width in mm	0	Article number	Hinge	Surchar- ge high- gloss carcass	
Shelves								
	functional shelf Edges are cut with a mitre veritcal and horizontal mounting possible please indicate colour version: no. 501 white matt lacquered no. 547 black matt lacquered	150	300	160	RGL 1 1 3 0 0 1			
	functional shelf Edges are cut with a mitre veritcal and horizontal mounting possible  please indicate colour version: no. 501 white matt lacquered no. 547 black matt lacquered	150	600	160	RGL 1 1 6 0 0 2			
	functional shelf Edges are cut with a mitre veritcal and horizontal mounting possible please indicate colour version: no. 501 white matt lacquered no. 547 black matt lacquered	150	900	160	RGL 119003			
Laundryrolli								
640	Laundryrolli 1 flap door, with buffered closing 1 take-out laundry-bag, washable 4 roles Colour version corresponds to the carcass colour incl. height indication rolls (100 mm)	470	470	756	WRS 4 0 4 7			
Benches								
160	Bench 1 shelf 1 seat cushion in imitation leather Colour version corresponds to the carcass colour cushion in creamy-white cushion in black	450 450	600 600	508 508	SETBANK 6 W SETBANK 6 S			
160	Bench 2 shelves 1 seat cushion in imitation leather Colour version corresponds to the carcass colour cushion in creamy-white	450	900	508	SETBANK9W			
	cushion in black	450	900	508	SETBANK9S			

Depth indication	corresponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Article number	Hinge	Surchar- ge high- gloss carcass
Glass she	elfs						
<u> </u>	Glass shelf incl. metal holder						
	400 mm wide incl. 2 metal brackets	130	400	8	A B G 1 3 4 0 0 8		
	600 mm wide incl. 2 metal brackets	130	600	8	A B G 1 3 6 0 0 8		
	900 mm wide incl. 3 metal brackets	130	900	8	A B G 1 3 9 0 0 8		
	1200 mm wide incl. 3 metal brackets	130	1200	8	A B G 1 3 1 2 0 8		
	1400 mm wide incl. 4 metal brackets	130	1400	8	ABG131408		
Push- fit s	shelf						
	Push-fit shelf with ABS thick edge all around incl. holders for push fit shelf						
	<b>300 mm widh</b> incl. 2 push-fit holder	150	300	28	S B G 6 0 3 0		
	<b>400 mm wide</b> incl. 2 push-fit holder	150	400	28	S B G 6 0 4 0		
	600 mm wide incl. 2 push-fit holder	150	600	28	S B G 6 0 6 0		
	900 mm wide incl. 3 push-fit holder	150	900	28	S B G 6 0 9 0		
	<b>1200 mm wide</b> incl. 3 push-fit holder	150	1200	28	S B G 6 0 1 2		
	<b>1400 mm wide</b> incl. 3 push-fit holder	150	1400	28	SBG 6 0 1 4		
	se observe suitable accessories in the senarate index						

#### Program 033 - bathroom variations





## **Program 033 - bathroom variations**


The numbers represent POINTS not prices

	CRM-E1			
<ol> <li>Mirror cabinet,</li> <li>Washbasin bas</li> <li>evermite washb</li> </ol>		S 2 A 4 3 1 4 2 6 W U A 3 6 1 4 0 9 S W M 1 1 4 R 2 1		
CRG82142R	SWG 114R 82 glass opti	white inst. evermite		
CRG92142R	SWG 114R 92 glass opti	white matt grey inst. evermite	1400 mm wide	
	CRM-E1	14-4R		
<ol> <li>Mirror cabinet,</li> <li>Washbasin bas</li> <li>evermite washb</li> </ol>		S 2 A 4 3 1 4 7 6 W U A 3 6 1 4 0 9 S W M 1 1 4 R 2 1		
C R G 8 2 1 4 4 R	SWG 114R 82 glass opti	white inst. evermite		
CRG83144R	SWG 114R 92 glass opti	white matt inst. evermite	1400 mm wide	

#### Program 033 - dimensional drawings







For washing stands with fixing screws, the dimensions for boring must be drawn in on-site after the washing stand has been laid on the floor unit

Washing stands without anchoring brackets have to be fixed on the wall and on the furniture-side with silicon! Evermite:

The water temperature must not exceed  $55^{\circ}$  C /  $131^{\circ}$  F. Hair tinting lotions have to be removed in a few seconds, so that staining can be avoided.

Modifications:


Technical modifications (+/- 5mm) and flatness modifications (DIN 18202) are subject of the usual material-specific modifications for construction materials, based on DIN 18202.




#### Program 033 - dimensional drawings

#### SWG 112L


#### **SWG 112R**







#### **SWG 114L**

#### **SWG 114R**





#### electrical connections for mirror cabinets



OKFFB=Oberkante Fertigfußboden

For washing stands with fixing screws, the dimensions for boring must be drawn in on-site after the washing stand has been laid on the floor unit.

Washing stands without anchoring brackets have to be fixed on the wall and on the furniture-side with silicon!

Evermite:

The water temperature must not exceed 55° C / 131° F. Hair tinting lotions have to be removed in a few seconds, so that staining can be avoided.

Modifications:

Technical modifications (+/- 5mm) and flatness modifications (DIN 18202) are subject of the usual material-specific modifications for construction materials, based on DIN 18202.

