

c!mano

Program 73







Front colours



No. 777 cosmos grey matt



No. 793 noble white matt



No. 891 quarz grey matt



No. 893 titanium grey matt



No. 722 polar white hgl.



no. 670 Halifax oak



No. 750 cardiff oak



no. 751 Cuneo oak brown



no. 771 Cuneo oak natural



Nr. 785 natural oak



Melamine coated front with ABS-edge

carcass colours

* High gloss carcass for an additional price



No. 177 cosmos grey matt



No. 111 white matt



no. 191 quarz grey matt



No. 193 titanium grey matt



*no. 161 white hgl.



no. 170 Halifax oak



no. 150 cardiff oak



no. 151 Cuneo oak brown



no. 171 Cuneo oak natural



Nr. 185 natural oak

Washbasin colours

Ceramic washbasins



no. 1 Q!flat

white

Available from week 03.2023

Technique

Pull outs and drawers No. 554

door with integrated buffered closing

Handle versions



No. 289 bar handle chrome handle bore 96 mm / 384 mm



No. 359 bar handle black matt handle bore 96 mm / 384 mm



No. 329 Strip handle chrome

handle lenght 194 mm / 294 mm / 494 mmm



no. 338 Strip handle aluminium matt

handle lenght 194 mm / 294 mm / 494 mmm



No. 339 Strip handle black matt

handle lenght 194 mm / 294 mm / 494 mmm

Mirror cabinets

Series A



Series B





Illustrations and specifications are without obligation. Technical modifications reserved.

22/2023

Please note the instruction for warranty, mounting and care, and the quality agreements as well, at the beginning of the book.

Depth indication corre	esponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Artio	cle numbe	er	Hinge	g	Gurchar- ge high- gloss carcass
Mirrors Serie	es A									
EMOTION.	Mirror 1 base plate in carcass material 1 Mirror 500 mm widh and 129 mm high 2 LED strip veritcal 2 LED strip vertical 32,1 watt / converter 60 watt 3467 lumens / 2700 - 6500 Kelvin 1 Touch LED Dimmer This product contains a light source with energy efficiency class: G	39	600	740	SET	4 5 6 0	0 1			
W C C C C C C C C C C C C C C C C C C C	Mirror 1 base plate in carcass material 1 Mirror 800 mm wide and 129 mm high 2 LED strip vertical 2 LED strip vertical 41,0 watt / converter 60 watt 4432 lumens / 2700 - 6500 Kelvin 1 Touch LED Dimmer This product contains a light source with energy efficiency class: G	39	900	740	SET	4 5 9 0	0 1			
EMOTION	Mirror 1 base plate in carcass material 1 Mirror 1100 mm wide and 129 mm high 2 LED strip veritcal 2 LED strip vertical 50,7 watt / converter 60 watt 5476 lumens / 2700 - 6500 Kelvin 1 Touch LED Dimmer This product contains a light source with energy efficiency class: G	39	1200	740	SET	4 5 1 2	0 1			
Mirrors Serie	Mirror 1 base plate in carcass material 1 Mirror 1400 mm wide and 129 mm high 2 LED strip vertical 2 LED strip vertical 49,4 watt / converter 60 watt 5335 lumens / 2700 - 6500 Kelvin 1 Touch LED Dimmer This product contains a light source with energy efficiency class: G	39	1500	740	SET	4515	0 1			
WIII TOTS SCIT										
EMOTION .	Mirror 1 base plate in carcass material 129 mm high 1 Mirror 500 mm widh 2 LED strip veritcal 36,0 watt / converter 60 watt 3888 lumens / 2700 - 6500 Kelvin 1 Touch LED Dimmer This product contains a light source with energy efficiency class: G	39	600	800	SET	5 4 6 0	0 2			


Depth indication corre	esponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Arti	cle n	umb	er	Hinge	Surchar- ge high- gloss carcass
Mirrors Serie	es B									
EMOTION .	Mirror 1 base plate in carcass material 129 mm high 1 Mirror 700 mm wide 2 LED strip veritcal 42,2 watt / converter 60 watt 4558 lumens / 2700 - 6500 Kelvin 1 Touch LED Dimmer This product contains a light source with energy efficiency class: G	39	900	800	SET	5 4	9 0	0 2	2	
EMOTION .	Mirror 1 base plate in carcass material 129 mm high 2 rejoined shelves Depth: 125 mm 1 Mirror 500 mm widh 2 LED strip veritcal 36,0 watt / converter 60 watt 3888 lumens / 2700 - 6500 Kelvin 1 Touch LED Dimmer This product contains a light source with energy efficiency class: G									
	shelves left	141	900	800	SET	5 4	9 0	L 2	2	
	shelves right	141	900	800	SET	5 4	9 0	R 2	2	
EMOTION	Mirror 1 base plate in carcass material 129 mm high 2 rejoined shelves left Depth: 125 mm 2 rejoined shelves right Depth: 125 mm 1 Mirror 700 mm wide 2 LED strip veritcal 42,2 watt / converter 60 watt 4558 lumens / 2700 - 6500 Kelvin 1 Touch LED Dimmer This product contains a light source with energy efficiency class: G	141	1200	800	SET	5 4	1 2	0 2		
EMOTION #	Mirror 1 base plate in carcass material 129 mm high 2 rejoined shelves 1 Mirror 700 mm wide 2 LED strip veritcal 42,2 watt / converter 60 watt 4558 lumens / 2700 - 6500 Kelvin 1 Touch LED Dimmer This product contains a light source with energy efficiency class: G shelves left extension right	141 141	1200 1200	800 800	SET					
	extension right	1-71	1200	000	0	0 4				
EMOTION	Mirror 1 base plate in carcass material 129 mm high 2 rejoined shelves Depth: 125 mm Mirror per 500 mm widh per 2 LED strip veritcal per 36,0 watt / converter 60 watt per 3888 lumens / 2700 - 6500 Kelvin per 1 Touch LED Dimmer This product contains a light source with energy efficiency class: G	141	1500	800	SET	5 4	1 5	0 2	2	

Please observe suitable accessories in the separate index.



Depth indication corresponds to the carcass depth		Depth in mm	Width in mm	Height in mm	Arti	cle numb	er	Hinge	Surchar- ge high- gloss carcass
Mirror cabin	nets Series A								
Shelves end	ling with the carcass								
	Mirror cabinet 1 double mirror door 2 glass shelves 1 switch socket element 1 LED converter 15 W 1 shelf side open e shelve available in different colors Door width: 596 mm door height: 636 mm								
	Shelf right open	150	600	800	SET	5 3 6 R	R G	L/R	
	Shelf left open	150	600	800	SET	5 3 6 L	R G	L/R	
	Additional accessories LED lighting element 600 mm wide in chrome LED lighting element 600 mm wide in black matt LED lighting element 634 mm wide in matt chrome LED lighting element 634 mm wide in black matt Emotion lighting				PZ PZ PZ PZ PZ	1 161 1 162 1 140 1 160 1 020	60 60		
incl. handle blocks III. = right	Mirror cabinet 3 double mirror doors 6 glass shelves 2 central partitions, 1 switch socket element 1 LED converter 30 W 1 shelf side open shelve available in different colors Door width: 238 mm / 412 mm / 238 mm door height: 636 mm the hinge defines the open side of the shelf Additional accessories LED lighting element 900 mm wide in chrome LED lighting element 900 mm wide in black matt LED lighting element 934 mm wide in matt chrome LED lighting element 934 mm wide in black matt Emotion lighting	150	900	800	PZ PZ PZ PZ PZ	1 1 6 1 1 1 6 2 1 1 4 0 1 1 0 2 0	90 90 90	L/R	
incl. handle blocks	Mirror cabinet 2 double mirror doors 4 glass shelves 1 central partition 1 switch socket element 1 LED converter 30 W 1 shelf side open shelve available in different colors Door width: 296 mm / 596 mm door height: 796 mm and 636 mm Shelf right open and high mirror door left Shelf left open und high mirror door right Additional accessories LED lighting element 900 mm wide in chrome LED lighting element 900 mm wide in black matt LED lighting element 934 mm wide in matt chrome LED lighting element 934 mm wide in black matt Emotion lighting	150 150	900			5 3 9 R 5 3 9 L 1 161 1 162 1 140 1 160 1 020	R G 90 90 90		

Depth indication corre	esponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Artio	cle num	ber	Hinge	Surcharge high- gloss carcass
	ets Series A ling with the carcass								
incl. handle blocks	mirror cabinet 3 double mirror doors 6 glass shelves 2 central partitions, 1 switch socket element 1 LED converter 30 W 1 shelf side open shelve available in different colors Door width: 388 mm / 412 mm / 388 mm door height: 636 mm the hinge defines the open side of the shelf	150	1200	800	SET	5 3 1	2 R G	L/R	
	Additional accessories LED lighting element 1200 mm wide in chrome LED lighting element 1200 mm wide in black matt LED lighting element 1234 mm wide in matt chrome LED lighting element 1234 mm wide in black matt Emotion lighting				PZ PZ PZ PZ PZ	1 16 1 16 1 14 1 16 1 02	2 12 0 12 0 12		
incl. handle blocks	Mirror cabinet 4 double mirror doors 8 glass shelves 3 central partitions 1 switch socket element 1 LED converter 30 W 1 shelf side open shelve available in different colors Door width: 296 mm / 238 mm / 412 mm / 238 mm door height: 796 mm and 636 mm								
	Shelf right open and high mirror door left	150	1200	800	SET	5 3 2	RRG	;	
	Shelf left open und high mirror door right	150	1200	800	SET	5 3 2	LRG	;	
	Additional accessories LED lighting element 1200 mm wide in chrome LED lighting element 1200 mm wide in black matt LED lighting element 1234 mm wide in matt chrome LED lighting element 1234 mm wide in black matt Emotion lighting				PZ PZ PZ PZ PZ	1 16 1 16 1 14 1 16 1 02	2 12 0 12 0 12		
incl. handle blocks choose the hinge of the middle-door	mirror cabinet 3 double mirror doors 6 glass shelves 2 central partitions, 2 switch-socket elements 2 LED converter 15 W 2 shelves side open Shelves optionally colour-contrasting Door width: 596 mm / 296 mm / 596 mm door height: 636 mm and 796 mm Additional accessories	150	1500	800	SET	5 3 1	5 R G	L/R	
	LED lighting element 600 mm wide in chrome LED lighting element 600 mm wide in black matt LED lighting element 634 mm wide in matt chrome LED lighting element 634 mm wide in black matt Emotion lighting				PZ PZ PZ PZ PZ	1 16 1 16 1 14 1 16 1 02	2 60 0 60 0 60		



Depth indication corresponds to the carcass depth		Depth in mm	Width in mm	Height in mm				Hinge	Surchar- ge high- gloss carcass
Mirror cabir	nets Series B								
Shelves pro	truding								
incl. handle block Please state the hing	Mirror cabinet 1 double mirror door 2 glass shelves 1 switch socket element 1 LED converter 15 W 1 shelf laterally protruding and open shelve available in different colors Door width: 596 mm door height: 636 mm								
	Shelf right open	150	750	800	SET	5 3 6 R	R U	L/R	
	Shelf left open	150	750	800	SET	5 3 6 L	R U	L/R	
	Additional accessories LED lighting element 600 mm wide in chrome LED lighting element 600 mm wide in black matt LED lighting element 634 mm wide in matt chrome LED lighting element 634 mm wide in black matt Emotion lighting				PZ PZ PZ PZ PZ	1 161 1 162 1 140 1 160 1 020	60 60		
incl. handle blocks III. = right	Mirror cabinet 3 double mirror doors 6 glass shelves 2 central partitions, 1 switch socket element 1 LED converter 30 W 1 shelf laterally protruding and open shelve available in different colors Door width: 238 mm / 412 mm / 238 mm door height: 636 mm the hinge defines the open side of the shelf Additional accessories LED lighting element 900 mm wide in chrome LED lighting element 900 mm wide in black matt LED lighting element 934 mm wide in matt chrome LED lighting element 934 mm wide in black matt Emotion lighting	150	1050	800	PZ PZ PZ PZ PZ	1 1 6 1 1 1 6 2 1 1 4 0 1 1 6 2 0 2 0	90 90 90	L/R	
incl. handle blocks	Mirror cabinet 2 double mirror doors 4 glass shelves 1 central partition 1 switch socket element 1 LED converter 30 W 1 shelf side open shelve available in different colors Door width: 296 mm / 596 mm door height: 796 mm and 636 mm Shelf right open and high mirror door left Shelf left open und high mirror door right Additional accessories LED lighting element 900 mm wide in chrome LED lighting element 900 mm wide in matt chrome LED lighting element 934 mm wide in matt chrome LED lighting element 934 mm wide in black matt Emotion lighting	150 150	1050 1050	800 800		5 3 9 R 5 3 9 L 1 1 6 1 1 1 6 2 1 1 4 0 1 1 6 0 1 0 2 0	R U 90 90 90		

1350	800	P Z P Z P Z P Z P Z	1 1 1 1 1 1 1 1 1 1	1 6 1 1 6 2 1 4 0 1 6 0 2 0	12 12 12 12	I L/R		
1350	800	PZ PZ PZ PZ	1 1 1 1 1 1 1 1 1 1	6 1 6 2 4 0	12 12 12 12	J L/R		
1350	800	PZ PZ PZ PZ	1 1 1 1 1 1 1 1 1 1	6 1 6 2 4 0	12 12 12 12	J L/R		
1350	800	SET	5 3	2 R	RL	J		
1350	800	SET	5 3	2 L	R L	J		
		PZ PZ PZ PZ PZ	1 1 1 1 1 1		12 12 12			
1800	800	PZ PZ PZ	1 1 1 1 1 1	I 6 1 I 6 2 I 4 0	60 60 60	L/R		
	1800	1800 800	P Z 1800 800 SET P Z P Z P Z P Z	PZ 1 0	PZ 1 0 2 0 1800 SET 5 3 1 5 PZ 1 1 6 1 PZ 1 1 6 1 PZ 1 1 6 2 PZ 1 1 4 0 PZ 1 1 6 0	PZ 1 0 2 0 1 1800 800 SET 5 3 1 5 R L PZ 1 1 6 1 60 PZ 1 1 6 2 60 PZ 1 1 4 0 60 PZ 1 1 6 0 60	PZ 1 0 2 0 1 1800	PZ 1 0 2 0 1 1800 800 SET 5 3 1 5 RU L/R PZ 1 1 6 1 6 0 PZ 1 1 6 2 6 0 PZ 1 1 4 0 6 0 PZ 1 1 6 0 6 0

Depth indication corre	esponds to the carcass depth	Depth in mm		0	Arti	cle numbe	er	Hinge	Surchar- ge high- gloss carcass
Sets									
	Consisting of: ceramic washbasins Q!flat, white, 620 mm incl. CLOU drain and overflow system in chrome Washbasin base unit 600 mm 1 metal pull out unit with buffered closing 1 metal pull-out with buffered closing incl. drawer rail	450	620	640	SET	C M 6 0	1 M		
	Additional accessories								
	Space-saving drain stench trap DN 40 Space-saving drain stench trap DN 32				P Z P Z	1 3 6 7 1 4 2 3			
	Available from week 03.2023								
	Consisting of: ceramic washbasins Q!flat, white, 920 mm incl. CLOU drain and overflow system in chrome Washbasin base unit 900 mm 1 metal pull out unit with buffered closing 1 metal pull-out with buffered closing incl. drawer rail	450	920	640	SET	C M 9 0	1 M		
	Additional accessories								
	Space-saving drain stench trap DN 40 Space-saving drain stench trap DN 32				P Z P Z	1 3 6 7 1 4 2 3			
	Available from week 03.2023								
extention left	Consisting of: ceramic washbasins Q!flat, white, 920 mm shelf right incl. CLOU drain and overflow system in chrome Washbasin base unit 600 mm 1 metal pull out unit with buffered closing 1 metal pull-out with buffered closing incl. drawer rail Base unit 300 mm 2 metal pull outs with buffered closing and rail	450	920	640	SET	C M 9 0	1 L		
	Additional accessories								
	Space-saving drain stench trap DN 40 Space-saving drain stench trap DN 32				P Z P Z	1 3 6 7 1 4 2 3			
	Available from week 03.2023								
extension right	Consisting of: ceramic washbasins Q!flat, white, 920 mm shelf right incl. CLOU drain and overflow system in chrome Washbasin base unit 600 mm 1 metal pull out unit with buffered closing 1 metal pull-out with buffered closing incl. drawer rail Base unit 300 mm 2 metal pull outs with buffered closing and rail	450	920	640	SET	C M 9 0	1 R		
	Additional accessories								
	Space-saving drain stench trap DN 40 Space-saving drain stench trap DN 32				P Z P Z	1 3 6 7 1 4 2 3			
	Available from week 03.2023								

Depth indication corre	esponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Arti	cle numbe	er	Hinge	Surchar- ge high- gloss carcass
Sets									
	Consisting of: ceramic washbasins Q!flat, white, 1220 mm incl. CLOU drain and overflow system in chrome washbasin base unit 1200 mm 1 metal pull out unit with buffered closing 1 metal pull-out with buffered closing incl. drawer rail	450	1220	640	SET	CM12	1 M		
	Additional accessories								
	Space-saving drain stench trap DN 40 Space-saving drain stench trap DN 32				P Z P Z	1 3 6 7 1 4 2 3			
	Available from week 03.2023								
extention left	Consisting of: ceramic washbasins Q!flat, white, 1220 mm Left shelf incl. CLOU drain and overflow system in chrome washbasin base unit 900 mm 1 metal pull out unit with buffered closing 1 metal pull-out with buffered closing incl. drawer rail Base unit 300 mm 2 metal pull outs with buffered closing and rail Additional accessories Space-saving drain stench trap DN 40 Space-saving drain stench trap DN 32	450	1220	640	P Z P Z	1 3 6 7 1 4 2 3	1 L		
	Available from week 03.2023								
extension right	Consisting of: ceramic washbasins Q!flat, white, 1220 mm shelf right incl. CLOU drain and overflow system in chrome washbasin base unit 900 mm 1 metal pull out unit with buffered closing 1 metal pull-out with buffered closing incl. drawer rail Base unit 300 mm 2 metal pull outs with buffered closing and rail	450	1220	640	SET	C M 1 2	1 R		
	Additional accessories								
	Space-saving drain stench trap DN 40 Space-saving drain stench trap DN 32 Available from week 03.2023				P Z P Z	1 3 6 7 1 4 2 3			
	Consisting of: double ceramic washbasins Q!flat, white, 1520 mm incl. 2 CLOU drain and overflow systems in chrome 2 Washbasin base units (600 mm + 600 mm), each: 1 metal pull out unit with buffered closing 1 metal pull-out with buffered closing incl. drawer rail Base unit 300 mm 2 metal pull outs with buffered closing and rail Additional accessories	450	1520	640	SET	C M 1 5	1 D		
	Space-saving drain stench trap DN 40 (order 2 pieces) Space-saving drain stench trap DN 32 (order 2 pieces)				P Z P Z	1 3 6 7 1 4 2 3			
	Available from week 03.2023								

You find information on the the washbasin manufacturer at the beginning of the sales book.



Depth indication corresponds to the carcass depth Depth in mm Width in mm		Height in mm			er	Hinge	9	Surchar- ge high- gloss carcass		
Tall unit-she	If									
292 292 292 292 292	Tall unit-shelf in carcass colour 5 shelves compartments with front panels please indicate colour version of the front panels: no. 043 black matt no. 044 alu matt no. 101 chrome	150	300	1600	R G	1030	0 4			
292	Tall unit-shelf 5 shelves compartments with front panels in carcass colour	150	300	1600	R G	1 0 3 0	0 5			
127 266 127 266 127 266	Tall unit-shelf 4 protruding shelves compartments in carcass colour shelves available in different colors	150	600	1600	R G	1060	0 6			
380 380 380 380 380 380 380 380 380 380	Tall unit-shelf 1 door with mirror surface 3 fixed wooden shelves in carcass colour	150	400	1600	HOG	1 0 4 0	0 1	L/R		

Depth indication corr	esponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Article number	Hinge	Surchar- ge high- gloss carcass
Tall units							
top cover ha	as to be ordered separately						
1160 160 320 220 III. = right	Tall unit 1 door 3 glass shelves 1 drawer with buffered closing 1 metal pull-out with buffered closing incl. drawer rail Notice: hinges left side mean door-hinge left und drawer protrudes on the right side!	300	600	1680	SET 166001	L/R	
	Tall unit 2 doors	300	300			L/R	
800	2 glass shelves (top) 2 adjustable shelves (bottom)	300	400			L/R	
800	Tall unit 4 doors 2 glass shelves (top) 2 adjustable shelves (bottom)	300	600	1600	H N A 0 3 6 0		
800	Tall unit for brooms 2 strapped doors 5 glass shelves	300	300 400		H N A 0 3 3 0 1 1 H N A 0 3 4 0 1 1		
800	Tall unit for brooms 2 strapped doors left 2 strapped doors right 5 glass shelves	300	600	1600	HNA 0 3 6 0 1 1		

Please observe suitable accessories in the separate index.



Depth indication corre	esponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Article number	Hinge	Surchar- ge high- gloss carcass
Tall units							dardass
top cover ha	as to be ordered separately						
<u> </u>	Tall unit	300	300	1600	H N A 0 2 3 0 0 1	L/R	
320 160 480	1 door 1 glass shelf (top) 1 open compartment 1 drawer with buffered closing 1 door 1 glass shelf	300	400	1600	H N A 0 2 4 0 0 1	L/R	
320 160 480	Tall unit 2 doors 1 glass shelf (top) 1 open compartment 1 drawer with buffered closing 260 mm deep 2 doors 1 glass shelf	300	600	1600	H N A 0 2 6 0 0 1		
	Tall unit	300	300	1600	H N A 0 2 3 0 0 2	L/R	
320	1 door 1 glass shelf (top) 1 open compartment 1 door 1 glass shelf	300	400		H N A 0 2 4 0 0 2	L/R	
320 G40 G40	Tall unit 2 doors 1 glass shelf (top) 1 open compartment 2 doors 1 glass shelf	300	600	1600	H N A 0 2 6 0 0 2		
640	Tall unit 1 door 1 glass shelf (top) 2 metal pull-outs with buffered closing, 1 door 1 glass shelf	300	300 400		H N A 0 4 3 0 0 1 H N A 0 4 4 0 0 1		
	hle accessories in the senarate index						

Tall units top cover has to be ordered separately Tall unit 2 doors 1 glass shelf (top) 2 matia pull-outs with buffered closing, 2 doors 1 glass shelves (top) 1 drawer with buffered closing 1 door 1 glass shelf Tall unit 2 doors 2 glass shelves (top) 1 drawer with buffered closing 1 door 1 glass shelf Tall unit 2 doors 2 glass shelf Tall unit 2 doors 2 glass shelf Tall unit 2 doors 1 glass shelf Tall unit 2 doors 2 glass shelf Tall unit 2 doors 1 glass shelf Tall unit 2 doors 2 glass shelf Tall unit with laundry basket 1 door 2 glass shelf Tall unit with laundry basket 1 door 2 glass shelf Tall unit with laundry basket 1 door 300 300 1600 H N A 0 5 3 0 W UR H N A 0 5 4 0 W UR Tall unit with laundry basket 2 doors 2 glass shelf Tall unit with laundry basket 1 door 2 glass shelf 1 laundry basket with wire basket 1 doors 300 400 1600 H N A 0 5 4 0 W UR 1 laundry basket with wire basket 2 doors 2 glass shelf Tall unit with laundry basket 2 doors 2 glass shelf 300 400 1600 H N A 0 5 4 0 W UR 1 laundry basket with wire basket 300 400 1600 H N A 0 5 6 0 W	Depth indication corresponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Article number	Hinge	Surchar- ge high- gloss carcass
Tall unit 2 doors 1 glass shelf (top) 2 metal pull-outs with buffered closing. 2 doors 1 glass shelf Tall unit 1 door 2 glass shelves (top) 1 drawer with buffered closing 1 door 1 glass shelf Tall unit 2 doors 2 glass shelves (top) 1 drawer with buffered closing 1 door 1 glass shelf Tall unit 2 doors 2 glass shelves (top) 1 drawer with buffered closing 1 door 1 glass shelf Tall unit 2 doors 2 glass shelves (top) 1 drawer with buffered closing 2 doors 1 glass shelf Tall unit with laundry basket 1 door 2 glass shelves 1 drawer with buffered closing 1 laundry basket with wire basket Tall unit with laundry basket 2 doors 2 glass shelves 1 drawer with buffered closing 1 laundry basket with wire basket 1 drawer with buffered closing 1 laundry basket with wire basket 1 drawer with buffered closing 1 laundry basket with wire basket 1 drawer with buffered closing 1 laundry basket with wire basket 1 drawer with buffered closing 1 laundry basket with wire basket 1 drawer with buffered closing 1 laundry basket with wire basket 1 drawer with buffered closing 1 laundry basket with wire basket 1 drawer with buffered closing 1 laundry basket with wire basket 1 drawer with buffered closing 1 laundry basket with wire basket 1 drawer with buffered closing 1 laundry basket with wire basket 1 drawer with buffered closing 1 laundry basket with wire basket 1 drawer with buffered closing 1 laundry basket with wire basket 1 drawer with buffered closing 1 laundry basket with wire basket 1 drawer with buffered closing 1 laundry basket with wire basket 1 drawer with buffered closing 1 laundry basket with wire basket 1 drawer with buffered closing 1 laundry basket with wire basket							
1 door 2 glass shelves (top) 1 drawer with buffered closing 1 door 1 glass shelf Tall unit 2 doors 2 glass shelves (top) 1 drawer with buffered closing 2 doors 1 glass shelf Tall unit with laundry basket 300 300 1600 H N A 0 5 6 0 W L/R Tall unit with laundry basket 300 300 1600 H N A 0 5 4 0 W L/R Tall unit with laundry basket 300 300 1600 H N A 0 5 4 0 W L/R Tall unit with laundry basket 300 300 1600 H N A 0 5 4 0 W L/R Tall unit with laundry basket 300 300 400 1600 H N A 0 5 4 0 W L/R Tall unit with laundry basket 300 300 400 1600 H N A 0 5 4 0 W L/R Tall unit with laundry basket 300 300 400 1600 H N A 0 5 4 0 W L/R Tall unit with laundry basket 300 300 400 1600 H N A 0 5 4 0 W L/R Tall unit with laundry basket 300 300 400 1600 H N A 0 5 6 0 W	Tall unit 2 doors 1 glass shelf (top) 2 metal pull-outs with buffered closing, 2 doors 1 glass shelf	300	600	1600	H N A 0 4 6 0 0 1		
2 doors 2 glass shelves (top) 1 drawer with buffered closing 2 doors 1 glass shelf Tall unit with laundry basket 300 300 1600 H N A 0 5 3 0 W L/R 1 door 2 glass shelves 1 drawer with buffered closing 1 laundry basket with wire basket Tall unit with laundry basket 2 doors 2 glass shelves 1 drawer with buffered closing 1 laundry basket with wire basket 2 doors 2 glass shelves 1 drawer with buffered closing 1 laundry basket with wire basket 2 doors 2 glass shelves 1 drawer with buffered closing 1 laundry basket with wire basket Volume of laundry basket: 55 liters 300 600 1600 H N A 0 5 6 0 W	1 door 2 glass shelves (top) 1 drawer with buffered closing 1 door 1 glass shelf						
Tall unit with laundry basket 2 glass shelves 1 drawer with buffered closing 1 laundry basket with wire basket Tall unit with laundry basket 2 doors 2 glass shelves 1 drawer with buffered closing 1 laundry basket with wire basket Volume of laundry basket: 55 liters 300 400 1600 H N A 0 5 6 0 W	2 doors 2 glass shelves (top) 1 drawer with buffered closing 2 doors 1 glass shelf	300	600	1600	H N A 0 5 6 0		
2 doors 2 glass shelves 1 drawer with buffered closing 1 laundry basket with wire basket Volume of laundry basket: 55 liters 300 600 1600 H N A 0 5 6 0 W	1 door 2 glass shelves 1 drawer with buffered closing 1 laundry basket with wire basket						
	2 doors 2 glass shelves 1 drawer with buffered closing 1 laundry basket with wire basket Volume of laundry basket: 55 liters	300	600	1600	H N A 0 5 6 0 W		

Depth indication corresponds to the carcass depth		Depth in mm	Width in mm	Height in mm	Arti	cle numbe	er	Hinge	Surchar- ge high- gloss carcass
Tall units									
top cover ha	as to be ordered separately								
1600 ***********************************	Tall unit with laundry pull out 2 doors 2 glass shelves (top) 1 drawer with buffered closing 2 doors 1 laundry pull out with wire basket Volume of laundry pull out: 40 liters Volume of laundry pull out: 40 liters	300	600	1600	H N A	0560	1 W		
800 800 III. = left	Tall unit 1 open shelf unit in carcass colour 2 fixed wooden shelves 2 wooden shelves 2 doors 4 glass shelves	300	500	1600	RHN	0 3 5 0	0 1	L/R	
medium-hig									
290 290 290	medium-high unit in carcass colour 4 shelves compartments with front panels please indicate colour version of the front panels: no. 043 black matt no. 044 alu matt no. 101 chrome	150	300	1280	R G	8 1 3 0	0 4		
290	Tall unit-shelf 4 shelves compartments with front panels in carcass colour	150	300	1280	R G	8 1 3 0	0 5		

Depth indication corresponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Arti	cle numb	er	Hinge	Surchar- ge high- gloss carcass
medium-high unit-shelf							_	
Tall unit-shelf 3 protruding shelves compartments in carcass colour shelves available in different colors	150	600	1280	RG	8 1 6 0	0 6		
Central units top cover has to be ordered separately								
medium-high unit	300	300	1280	MNA	8 1 3 0	7	L/R	
1 door 4 glass shelves	300	400	1280	MNA	8140	7	L/R	
medium-high unit 2 doors 4 glass shelves	300	600	1280	MNA	8 1 6 0	7		
medium-high unit with inside drawers	300	300	1280	MNA	8 4 3 0		L/R	
1 door 2 inside metal-drawer with buffered closing 1 glass shelf	300	400			8 4 4 0		L/R	
medium-high unit with inside drawers 2 doors 2 inside metal-drawer with buffered closing 1 glass shelf Please observe suitable accessories in the separate index.	300	600	1280	MNA	8 4 6 0			

Please observe suitable accessories in the separate index.



Depth indication corresponds to the carcass depth		Depth in mm	Width in mm	Height in mm	Article number	Hinge	Surchar- ge high- gloss
Central units top cover has to be ordered separately							carcass
640	medium-high unit with laundry pull out 2 doors 1 glass shelf (top) 2 doors 1 laundry pull out with wire basket Volume of laundry pull out: 40 liters	300	600	1280	M N A 8 3 6 0 1	W	
1280 III. = left	medium-high unit 1 open shelf unit in carcass colour 1 fixed shelf central 2 wooden shelves 1 door 3 glass shelves	300	500	1280	RMN 8 1 5 0 0	1 L/R	
400 400 400 HII. = left	medium-high unit 1 door in carcass colour 300 mm widh 2 fixed wooden shelves in carcass colour	150	400	1280	MOG 8 1 4 0 0	1 L/R	
Highboards top cover ha	as to be ordered separately						
800	Highboard 1 door 2 glass shelves	300	300 400		HBA 5 1 3 0 HBA 5 1 4 0	L/R L/R	
800	Highboard 2 doors 2 glass shelves	300	600	800	HBA 5 1 6 0		

Depth indication corresponds to the carcass depth			Width in mm	Height in mm	Article number		Surchar- ge high- gloss carcass
Highboards top cover has to be ordered separately							
	Highboard with laundry pull out	300	600	800	HBA51601W		
800 000000 000000 000000 000000	2 doors 1 laundry pull out with wire basket						
. 🚍	Highboard	300	300	800	HBA5530	L/R	
640	1 drawer with buffered closing 260 mm deep 1 door 1 glass shelf	300	400	800	HBA5540	L/R	
160 \$	Highboard 1 drawer with buffered closing 260 mm deep	300	600	800	HBA5560		
640	2 doors 1 glass shelf						
160	Highboard with laundry basket 1 drawer with buffered closing 1 laundry basket with wire basket						
	Volume of laundry basket: 25 liters	300	300	800	HBA5530 W		
	Volume of laundry basket: 35 liters	300	400	800	HBA5540 W		
160	Highboard with laundry basket 1 drawer with buffered closing 1 laundry basket with wire basket						
	Volume of laundry basket: 55 liters	300	600	800	HBA5560 W		
640 000000 000000 0000000 0000000 0000000	Highboard with laundry pull out 1 drawer with buffered closing 2 doors 1 laundry pull out with wire basket	300	600	800	HBA55601W		
*	Highboard	300	300	800	HBA5230	L/R	
320	1 door 1 glass shelf 1 open compartment	300	400	800	H B A 5 2 4 0	L/R	
Dlegge							

Please observe suitable accessories in the separate index.



Depth indication corresponds to the carcass depth		Depth in mm	Width in mm	Height in mm	Article number	Hinge	Surchar- ge high- gloss carcass
Highboards							taltass
top cover h	as to be ordered separately						
480	Highboard 2 doors 1 glass shelf 1 open compartment	300	600	800	H B A 5 2 6 0		
Wall units	as to be ordered separately						
top cover in	as to be ordered separately						
<u> </u>	Wall unit 1 door	150	300	800	OGA5130	1 L/R	
800	2 glass shelves	150	400	800	OGA 5140	1 L/R	
800	Wall unit 2 doors 2 glass shelves	150	600	800	OGA 5 1 6 0	1	
640	Wall unit 1 door 1 glass shelf	150 150	300 400	640 640	OGA 4 1 3 0 OGA 4 1 4 0	L/R L/R	
640	Wall unit 2 doors 1 glass shelf	150	600	640	OGA 4160		
320	Wall unit 1 flap door,	230	600	320	OMA 2160	К	
	able accessories in the senarate index						

Depth indication corresponds to the carcass depth		Depth in mm	Width in mm	Height in mm	Article	numbe	r Hinge	Surchar- ge high- gloss carcass
Base units								
top cover ha	as to be ordered separately							
-	Base unit	300	300	560	UNA4	2 3 0	L/R	
320	drawer with buffered closing metal pull-out with buffered closing,	300	400	560	UNA4	2 4 0	L/R	
320	Base unit 1 drawer with buffered closing 1 metal pull-out with buffered closing,	300	600	560	UNA4	2 6 0		
Trolleys								
	Trolley	470	600	436	RTA2	5 6 A	1	
160	2 metal pull-outs with buffered closing, 1 top cover 490 mm deep 4 roles	470	900	436	RTA2	5 9 A	1	
	incl. height indication rolls (100 mm)							
· —	Trolley	470	600	436	RTA2	7 6 A	1	
320	1 metal pull-out with buffered closing incl. drawer rail 1 top cover 490 mm deep 4 roles	470	900	436	RTA2	7 9 A	1	
	incl. height indication rolls (100 mm)							
Laundryrolli	İ							
640	Laundryrolli 1 flap door, with buffered closing 1 take-out laundry-bag, washable 4 roles Colour version corresponds to the carcass colour incl. height indication rolls (100 mm)	470	470	756	WRS 4	0 4 7		






Depth indication corresponds to the carcass depth		Depth in mm	Width in mm	Height in mm	Arti	cle numb	er	Hinge	Surchar- ge high- gloss carcass
Benches									
160	Bench 1 shelf 1 seat cushion in imitation leather Colour version corresponds to the carcass colour								
	cushion in creamy-white	450	600	508	SET	BANK	6 W		
	cushion in black	450	600	508	SET	BANK	6 S		
160 242	Bench 2 shelves 1 seat cushion in imitation leather Colour version corresponds to the carcass colour cushion in creamy-white	450	900	508		BANK			
	cushion in black	450	900	508	SET	BANK	9 S		
Counter tops									
thickness 28 mm	top cover with ABS edge in carcass colour								
1110111000 Z0 11111	302 mm widh Standard depth	330	302	28	APA	3 3 3 0	2 8		
	402 mm widh Standard depth	330	402	28		3 3 4 0			
	602 mm widh Standard depth	330	602	28		3 3 6 0			
	302 mm widh Standard depth Wall unit 402 mm widh Standard depth Wall unit	180 180	302 402	28 28		1840			
	602 mm widh Standard depth Wall unit	180	602	28	APA	1860	2 8		
	602 mm widh Flap cabinet	260	602	28	APA	2660	2 8		
thickness 16 mm	top cover with ABS edge in carcass colour								
	302 mm widh Standard depth	325	302	16	A P	3 2 3 0			
	402 mm widh Standard depth 602 mm widh Standard depth	325 325	402 602	16 16	A P A P	3 2 4 0 3 2 6 0			
	302 mm widh Standard depth Wall unit	175	302	16	A P	1730			
	402 mm widh Standard depth Wall unit 602 mm widh Standard depth Wall unit	175 175	402 602	16 16	A P A P	1 7 4 0 1 7 6 0			
	602 mm widh Flap cabinet	255	602	16	AP	2560			
			332	. 3					


		Depth in mm	Width in mm	Height in mm	Article number		Hinge	Surchar- ge high- gloss carcass	
Accessories									
	LED lighting element in chrome This product contains a light source with energy efficiency class: F								
	600 mm wide 6,9 Watt / 769 lumens / (2700 -) 6500 Kelvin	115	600	37	PΖ	1 1 6 1	6 0		
EMOTION	900 mm wide 9,9 watt / 1020 lumens / (2700 -) 6500 Kelvin	115	900	37	PΖ	1 1 6 1	9 0		
	1200 mm wide 13 Watt / 1316 lumens / (2700 -) 6500 Kelvin	115	1200	37	PΖ	1 1 6 1	1 2		
-	LED lighting element in black matt This product contains a light source with energy efficiency class: G								
	600 mm wide 6,9 Watt / 769 lumens / (2700 -) 6500 Kelvin	115	600	37	PΖ	1 1 6 2	6 0		
EMOTION	900 mm wide 9,9 watt / 1020 lumens / (2700 -) 6500 Kelvin	115	900	37	PΖ	1 1 6 2	9 0		
	1200 mm wide 13 Watt / 1316 lumens / (2700 -) 6500 Kelvin	115	1200	37	PΖ	1 1 6 2	1 2		
	LED lighting element in chrome matt This product contains a light source with energy efficiency class: G								
EMOTION	634 mm wide 9,28 watt / 731 lumens / (2700 -) 6500 Kelvin	127	634	24	PΖ	1 1 4 0	6 0		
EMOTION	934 mm wide 14,08 Watt / 1109 lumens / (2700 -) 6500 Kelvin	127	934	24	PΖ	1 1 4 0	9 0		
	1234 mm wide 18,88 watt / 1487 lumens / (2700 -) 6500 Kelvin	127	1234	24	PΖ	1 1 4 0	1 2		
	LED lighting element in black matt This product contains a light source with energy efficiency class: G								
	634 mm wide 9,28 watt / 731 lumens / (2700 -) 6500 Kelvin	127	634	24	PΖ	1 1 6 0	6 0		
EMOTION	934 mm wide 14,08 Watt / 1109 lumens / (2700 -) 6500 Kelvin	127	934	24	PΖ	1 1 6 0	9 0		
	1234 mm wide 18,88 watt / 1487 lumens / (2700 -) 6500 Kelvin	127	1234	24	PΖ	1 1 6 0	1 2		




Program 073 - dimensional drawings


SET CM60 1M SET CM90 1M







SET CM90 1L SET CM90 1R





SET CM12 1M SET CM12 1L





For washing stands with fixing screws, the dimensions for boring must be drawn in on-site after the washing stand has been laid on the floor unit.


Modifications:


Technical modifications (+/- 5mm) and flatness modifications (DIN 18202) are subject of the usual material-specific modifications for construction materials, based on DIN 18202.

Program 073 - dimensional drawings


SET CM12 1R

SET CM15 1D





electrical connections for mirror cabinets



For washing stands with fixing screws, the dimensions for boring must be drawn in on-site after the washing stand has been laid on the floor unit.

Modifications:

Technical modifications (+/- 5mm) and flatness modifications (DIN 18202) are subject of the usual material-specific modifications for construction materials, based on DIN 18202.