

# c!puro

#### Program 74







#### Front colours



No. 777 cosmos grey matt



No. 793 noble white matt



No. 891 quarz grey matt



No. 893 titanium grey matt



No. 722 polar white hgl.



no. 670 Halifax oak



No. 750 cardiff oak



no. 751 Cuneo oak brown



no. 771 Cuneo oak natural



Nr. 785 natural oak





#### carcass colours

\* High gloss carcass for an additional price



No. 177 cosmos grey matt



No. 111 white matt



no. 191 quarz grey matt



No. 193 titanium grey matt



\*no. 161 white hgl.



no. 170 Halifax oak



no. 150 cardiff oak



no. 151 Cuneo oak brown



no. 171 Cuneo oak natural



Nr. 185 natural oak

#### Washbasin colours

Ceramic washbasins



no. 1 Q!flat white

Available from week 03.2023

#### Technique

Pull outs and drawers No. 554

door with integrated buffered closing

#### Handle versions



No. 351 strip handle alu matt



No. 352 strip handle black matt

#### Mirror cabinets

Series A



Series B





Illustrations and specifications are without obligation. Technical modifications reserved.

Please note the instruction for warranty, mounting and care, and the quality agreements as well, at the beginning of the book.

•	esponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Arti	cle numbe	er	Hinge		Surchar- ge high- gloss carcass
Mirrors Seri	es A									
EMOTION.	Mirror  1 base plate in carcass material  1 Mirror 500 mm widh and 129 mm high  2 LED strip veritcal  2 LED strip vertical  32,1 watt / converter 60 watt  3467 lumens / 2700 - 6500 Kelvin  1 Touch LED Dimmer  This product contains a light source with energy efficiency class: G	39	600	740	SET	4 5 6 0	0 1			
EMOTION .	Mirror  1 base plate in carcass material  1 Mirror 800 mm wide and 129 mm high  2 LED strip veritcal  2 LED strip vertical  41,0 watt / converter 60 watt  4432 lumens / 2700 - 6500 Kelvin  1 Touch LED Dimmer  This product contains a light source with energy efficiency class: G	39	900	740	SET	4590	0 1			
EMOTION	Mirror  1 base plate in carcass material  1 Mirror 1100 mm wide and 129 mm high  2 LED strip veritcal  2 LED strip vertical  50,7 watt / converter 60 watt  5476 lumens / 2700 - 6500 Kelvin  1 Touch LED Dimmer  This product contains a light source with energy efficiency class: G	39	1200	740	SET	4512	0 1			
Mirrors Serie	Mirror  1 base plate in carcass material 1 Mirror 1400 mm wide and 129 mm high 2 LED strip vertical 2 LED strip vertical 49,4 watt / converter 60 watt 5335 lumens / 2700 - 6500 Kelvin 1 Touch LED Dimmer This product contains a light source with energy efficiency class: G	39	1500	740	SET	4 5 1 5	0 1			
EMOTION E	Mirror  1 base plate in carcass material 129 mm high  1 Mirror 500 mm widh  2 LED strip veritcal  36,0 watt / converter 60 watt  3888 lumens / 2700 - 6500 Kelvin  1 Touch LED Dimmer  This product contains a light source with energy efficiency class: G	39	600	800	SET	5 4 6 0	0 2		278	6

Depth indication corre	esponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Artio	cle numbe	r	Hinge	Surchar- ge high- gloss carcass
Mirrors Seri	es B								
EMOTION	Mirror  1 base plate in carcass material 129 mm high  1 Mirror 700 mm wide  2 LED strip veritcal  42,2 watt / converter 60 watt  4558 lumens / 2700 - 6500 Kelvin  1 Touch LED Dimmer  This product contains a light source with energy efficiency class: G	39	900	800	SET	5 4 9 0	0 2		
EMOTION EMOTION	Mirror  1 base plate in carcass material 129 mm high 2 rejoined shelves Depth: 125 mm 1 Mirror 500 mm widh 2 LED strip veritcal 36,0 watt / converter 60 watt 3888 lumens / 2700 - 6500 Kelvin 1 Touch LED Dimmer This product contains a light source with energy efficiency class: G								
	shelves left	141	900	800	SET	5 4 9 0	L 2		
	shelves right	141	900	800	SET	5 4 9 0	R 2		
EMOTION .	Mirror  1 base plate in carcass material 129 mm high 2 rejoined shelves left Depth: 125 mm 2 rejoined shelves right Depth: 125 mm 1 Mirror 700 mm wide 2 LED strip veritcal 42,2 watt / converter 60 watt 4558 lumens / 2700 - 6500 Kelvin 1 Touch LED Dimmer This product contains a light source with energy efficiency class: G	141	1200	800	SET	5 4 1 2	0 2		
EMOTION #	Mirror  1 base plate in carcass material 129 mm high 2 rejoined shelves 1 Mirror 700 mm wide 2 LED strip veritcal 42,2 watt / converter 60 watt 4558 lumens / 2700 - 6500 Kelvin 1 Touch LED Dimmer This product contains a light source with energy efficiency class: G		4000						
	shelves left	141	1200			5 4 1 2			
	extension right	141	1200	800	SEI	5 4 1 2	K 2		
EMOTION	Mirror  1 base plate in carcass material 129 mm high 2 rejoined shelves Depth: 125 mm Mirror per 500 mm widh per 2 LED strip veritcal per 36,0 watt / converter 60 watt per 3888 lumens / 2700 - 6500 Kelvin per 1 Touch LED Dimmer This product contains a light source with energy efficiency class: G	141	1500	800	SET	5 4 1 5	0 2		
Please of	oserve suitable accessories in the senarate index								

Depth indication corre	esponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Arti	cle numb	er	Hinge	Surchar- ge high- gloss carcass
Mirror cabin	ets Series A								
Shelves end	ling with the carcass								
	Mirror cabinet  1 double mirror door  2 glass shelves  1 switch socket element  1 LED converter 15 W  1 shelf side open e shelve available in different colors Door width: 596 mm door height: 636 mm								
	Shelf right open	150	600	800	SET	5 3 6 R	R G	L/R	
	Shelf left open	150	600	800	SET	5 3 6 L	R G	L/R	
	Additional accessories LED lighting element 600 mm wide in chrome LED lighting element 600 mm wide in black matt LED lighting element 634 mm wide in matt chrome LED lighting element 634 mm wide in black matt Emotion lighting				PZ PZ PZ PZ PZ	1 161 1 162 1 140 1 160 1 020	60 60		
incl. handle blocks	Mirror cabinet 3 double mirror doors 6 glass shelves 2 central partitions, 1 switch socket element 1 LED converter 30 W 1 shelf side open shelve available in different colors Door width: 238 mm / 412 mm / 238 mm door height: 636 mm the hinge defines the open side of the shelf	150	900	800	SET	5 3 9 0	RG	L/R	
	Additional accessories LED lighting element 900 mm wide in chrome LED lighting element 900 mm wide in black matt LED lighting element 934 mm wide in matt chrome LED lighting element 934 mm wide in black matt Emotion lighting				PZ PZ PZ PZ PZ	1 1 6 1 1 1 6 2 1 1 4 0 1 1 6 0 1 0 2 0	90 90		
incl. handle blocks	Mirror cabinet  2 double mirror doors  4 glass shelves  1 central partition  1 switch socket element  1 LED converter 30 W  1 shelf side open shelve available in different colors Door width: 296 mm / 596 mm door height: 796 mm and 636 mm  Shelf right open and high mirror door left Shelf left open und high mirror door right  Additional accessories LED lighting element 900 mm wide in chrome LED lighting element 934 mm wide in matt chrome LED lighting element 934 mm wide in black matt	150 150	900	800 800		5 3 9 R 5 3 9 L 1 1 6 1 1 1 6 2 1 1 4 0 1 1 6 0	<b>R G</b> 90 90 90		
	Emotion lighting				PΖ	1 0 2 0			

Depth indication corre	esponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Artio	cle nu	mbe	r	Hinge	Surchar- ge high- gloss carcass
Mirror cabin Shelves end	ets Series A ling with the carcass									
incl. handle blocks	mirror cabinet 3 double mirror doors 6 glass shelves 2 central partitions, 1 switch socket element 1 LED converter 30 W 1 shelf side open shelve available in different colors Door width: 388 mm / 412 mm / 388 mm door height: 636 mm the hinge defines the open side of the shelf Additional accessories	150	1200	800	SET	5 3	1 2	R G	L/R	
	LED lighting element 1200 mm wide in chrome LED lighting element 1200 mm wide in black matt LED lighting element 1234 mm wide in matt chrome LED lighting element 1234 mm wide in black matt Emotion lighting				PZ PZ PZ PZ PZ	1 1 6 1 1 6 1 1 4 1 1 6 1 0 2	3 2 4 0 3 0	12 12		
incl. handle blocks	Mirror cabinet 4 double mirror doors 8 glass shelves 3 central partitions 1 switch socket element 1 LED converter 30 W 1 shelf side open shelve available in different colors Door width: 296 mm / 238 mm / 412 mm / 238 mm door height: 796 mm and 636 mm									
	Shelf right open and high mirror door left Shelf left open und high mirror door right	150 150	1200 1200	800 800	SET					
	Additional accessories LED lighting element 1200 mm wide in chrome LED lighting element 1200 mm wide in black matt LED lighting element 1234 mm wide in matt chrome LED lighting element 1234 mm wide in black matt Emotion lighting				PZ PZ PZ PZ PZ	1 1 6 1 1 6 1 1 6 1 0 2	3 2 3 0 3 0	12 12		
incl. handle blocks choose the hinge of the middle-door	mirror cabinet 3 double mirror doors 6 glass shelves 2 central partitions, 2 switch-socket elements 2 LED converter 15 W 2 shelves side open Shelves optionally colour-contrasting Door width: 596 mm / 296 mm / 596 mm door height: 636 mm and 796 mm	150	1500	800	SET	5 3	5	R G	L/R	
	Additional accessories LED lighting element 600 mm wide in chrome LED lighting element 600 mm wide in black matt LED lighting element 634 mm wide in matt chrome LED lighting element 634 mm wide in black matt Emotion lighting				PZ PZ PZ PZ PZ	1 1 6 1 1 6 1 1 4 1 1 6 1 0 2	3 2 3 0 3 0	60 60		

Depth indication corr	esponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Arti	cle numb	er	Hinge	Surchar- ge high- gloss carcass
Mirror cabir	nets Series B								
Shelves pro	truding								
incl. handle block Please state the hing	Mirror cabinet  1 double mirror door  2 glass shelves  1 switch socket element  1 LED converter 15 W  1 shelf laterally protruding and open shelve available in different colors Door width: 596 mm door height: 636 mm								
	Shelf right open	150	750	800	SET	5 3 6 R	R U	L/R	
	Shelf left open	150	750	800	SET	5 3 6 L	R U	L/R	
	Additional accessories LED lighting element 600 mm wide in chrome LED lighting element 600 mm wide in black matt LED lighting element 634 mm wide in matt chrome LED lighting element 634 mm wide in black matt Emotion lighting				PZ PZ PZ PZ PZ	1 161 1 162 1 140 1 160 1 020	60 60		
incl. handle blocks III. = right	Mirror cabinet 3 double mirror doors 6 glass shelves 2 central partitions, 1 switch socket element 1 LED converter 30 W 1 shelf laterally protruding and open shelve available in different colors Door width: 238 mm / 412 mm / 238 mm door height: 636 mm the hinge defines the open side of the shelf	150	1050	800	SET	5 3 9 0	RU	L/R	
	Additional accessories LED lighting element 900 mm wide in chrome LED lighting element 900 mm wide in black matt LED lighting element 934 mm wide in matt chrome LED lighting element 934 mm wide in black matt Emotion lighting				PZ PZ PZ PZ PZ	1 161 1 162 1 140 1 160 1 020	9 0 9 0		
incl. handle blocks	Mirror cabinet 2 double mirror doors 4 glass shelves 1 central partition 1 switch socket element 1 LED converter 30 W 1 shelf side open shelve available in different colors Door width: 296 mm / 596 mm door height: 796 mm and 636 mm	150	1050	900	Q E T	5 2 0 5	D !!		
	Shelf right open and high mirror door left	150	1050	800		5 3 9 R			
	Shelf left open und high mirror door right  Additional accessories LED lighting element 900 mm wide in chrome LED lighting element 900 mm wide in black matt LED lighting element 934 mm wide in matt chrome LED lighting element 934 mm wide in black matt Emotion lighting	150	1050	800	PZ PZ PZ PZ PZ PZ	1 1 6 1 1 1 6 2 1 1 4 0 1 1 6 0 1 0 2 0	90 90 90 90		

Depth indication corre	esponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Artio	cle numl	oer	Hinge	Surchar- ge high- gloss carcass
Mirror cabin									
Shelves pro	truding								
incl. handle blocks	mirror cabinet 3 double mirror doors 6 glass shelves 2 central partitions, 1 switch socket element 1 LED converter 30 W 1 shelf laterally protruding and open shelve available in different colors Door width: 388 mm / 412 mm / 388 mm door height: 636 mm the hinge defines the open side of the shelf  Additional accessories LED lighting element 1200 mm wide in chrome LED lighting element 1200 mm wide in black matt LED lighting element 1234 mm wide in matt chrome LED lighting element 1234 mm wide in black matt Emotion lighting	150	1350	800	PZ PZ PZ PZ PZ	1 161 1 162 1 140 1 1020	12 12 12 12	L/R	
incl. handle blocks	Mirror cabinet 4 double mirror doors 8 glass shelves 3 central partitions 1 switch socket element 1 LED converter 30 W 1 shelf laterally protruding and open shelve available in different colors Door width: 296 mm / 238 mm / 412 mm / 238 mm door height: 796 mm and 636 mm Shelf right open and high mirror door left	150	1350	800		5 3 2 1			
	Shelf left open und high mirror door right  Additional accessories LED lighting element 1200 mm wide in chrome LED lighting element 1200 mm wide in black matt LED lighting element 1234 mm wide in matt chrome LED lighting element 1234 mm wide in black matt Emotion lighting	150	1350	800	PZ PZ PZ PZ PZ PZ	1 1 6 1 1 1 6 2 1 1 4 0 1 0 2 0	12 12 12 12		
incl. handle blocks choose the hinge of the middle-door	mirror cabinet 3 double mirror doors 6 glass shelves 2 central partitions, 2 switch-socket elements 2 LED converter 15 W 2 shelves laterally protruding and open Shelves optionally colour-contrasting Door width: 596 mm / 296 mm / 596 mm door height: 636 mm and 796 mm  Additional accessories LED lighting element 600 mm wide in chrome LED lighting element 600 mm wide in black matt LED lighting element 634 mm wide in matt chrome LED lighting element 634 mm wide in black matt Emotion lighting	150	1800	800	PZ PZ PZ PZ PZ PZ	1 161 1 162 1 140 1 160	60 60 60 60	L/R	

Depth indication corre	esponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Arti	cle nur	nber		Hinge	Surchar- ge high- gloss carcass
Sets										
	Consisting of: ceramic washbasins Q!flat, white, 620 mm incl. CLOU drain and overflow system in chrome Washbasin base unit 600 mm 1 metal pull out unit with buffered closing 1 metal pull-out with buffered closing incl. drawer rail	450	620	640	SET	CP6	0 1	М		
	Additional accessories									
	Space-saving drain stench trap DN 40 Space-saving drain stench trap DN 32				P Z P Z	1 3 6				
	Available from week 03.2023									
	Consisting of: ceramic washbasins Q!flat, white, 920 mm incl. CLOU drain and overflow system in chrome Washbasin base unit 900 mm 1 metal pull out unit with buffered closing 1 metal pull-out with buffered closing incl. drawer rail	450	920	640	SET	C P 9	0 1	M		
	Additional accessories									
	Space-saving drain stench trap DN 40 Space-saving drain stench trap DN 32				P Z P Z	1 3 6				
	Available from week 03.2023									
extention left	Consisting of: ceramic washbasins Q!flat, white, 920 mm Left shelf incl. CLOU drain and overflow system in chrome Washbasin base unit 900 mm 1 metal pull out unit with buffered closing 1 metal pull-out with buffered closing incl. drawer rail	450	920	640	SET	CP9	0 1	L		
	Additional accessories									
	Space-saving drain stench trap DN 40 Space-saving drain stench trap DN 32				P Z P Z	1 3 6 1 4 2				
	Available from week 03.2023									
extension right	Consisting of: ceramic washbasins Q!flat, white, 920 mm shelf right incl. CLOU drain and overflow system in chrome Washbasin base unit 900 mm 1 metal pull out unit with buffered closing 1 metal pull-out with buffered closing incl. drawer rail Additional accessories	450	920	640	SET	CP9	0 1	R		
	Space-saving drain stench trap DN 40				ΡZ	1 3 6	7			
	Space-saving drain stench trap DN 32				PΖ	1 4 2				
	Available from week 03.2023									

Depth indication corre	esponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Artio	cle numbe	er	Hinge	Surchar- ge high- gloss carcass
Sets									
extention left	Consisting of: ceramic washbasins Q!flat, white, 920 mm Left shelf incl. CLOU drain and overflow system in chrome Washbasin base unit 600 mm 1 metal pull out unit with buffered closing 1 metal pull-out with buffered closing incl. drawer rail Base unit 300 mm 2 metal pull outs with buffered closing and rail	450	920	640	SET	C P 9 0	2 L		
	Additional accessories								
	Space-saving drain stench trap DN 40 Space-saving drain stench trap DN 32				P Z P Z	1 3 6 7 1 4 2 3			
	Available from week 03.2023								
extension right	Consisting of: ceramic washbasins Q!flat, white, 920 mm shelf right incl. CLOU drain and overflow system in chrome Washbasin base unit 600 mm 1 metal pull out unit with buffered closing 1 metal pull-out with buffered closing incl. drawer rail Base unit 300 mm 2 metal pull outs with buffered closing and rail	450	920	640	SET	C P 9 0	2 R		
	Additional accessories								
	Space-saving drain stench trap DN 40 Space-saving drain stench trap DN 32				P Z P Z	1 3 6 7 1 4 2 3			
	Available from week 03.2023								
	Consisting of: ceramic washbasins Q!flat, white, 1220 mm incl. CLOU drain and overflow system in chrome washbasin base unit 1200 mm 1 metal pull out unit with buffered closing 1 metal pull-out with buffered closing incl. drawer rail Additional accessories  Space-saving drain stench trap DN 40 Space-saving drain stench trap DN 32	450	1220	640	S E T  P Z P Z	1 367 1 423	1 M		
					_	1 420			
extention left	Consisting of: ceramic washbasins Q!flat, white, 1220 mm Left shelf incl. CLOU drain and overflow system in chrome washbasin base unit 1200 mm 1 metal pull out unit with buffered closing 1 metal pull-out with buffered closing incl. drawer rail Additional accessories  Space-saving drain stench trap DN 40 Space-saving drain stench trap DN 32  Available from week 03.2023	450	1220	640	SET PZ PZ	1 3 6 7 1 4 2 3	1 L		
You find i	nformation on the the washbasin manufacturer at the beg	inning of th	ne sales h	nok					

You find information on the the washbasin manufacturer at the beginning of the sales book.



Depth indication corre	esponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Arti	cle numbe	er	Hinge	g	Surchar- ge high- gloss carcass
Sets										
extension right	Consisting of: ceramic washbasins Qlflat, white, 1220 mm shelf right incl. CLOU drain and overflow system in chrome Washbasin base unit 1 metal pull out unit with buffered closing 1 metal pull-out with buffered closing incl. drawer rail	450	1220	640	SET	C P 1 2	1 R			
	Additional accessories				D 7	4 0 0 7				
	Space-saving drain stench trap DN 40 Space-saving drain stench trap DN 32				P Z P Z	1 3 6 7 1 4 2 3				
	Available from week 03.2023									
extention left	Consisting of: ceramic washbasins Q!flat, white, 1220 mm Left shelf incl. CLOU drain and overflow system in chrome washbasin base unit 900 mm 1 metal pull out unit with buffered closing 1 metal pull-out with buffered closing incl. drawer rail Base unit 300 mm 2 metal pull outs with buffered closing and rail	450	1220	640	SET	C P 1 2	2 L			
	Additional accessories									
	Space-saving drain stench trap DN 40 Space-saving drain stench trap DN 32				P Z P Z	1 3 6 7 1 4 2 3				
	Available from week 03.2023									
extension right	Consisting of: ceramic washbasins Q!flat, white, 1220 mm shelf right incl. CLOU drain and overflow system in chrome washbasin base unit 900 mm 1 metal pull out unit with buffered closing 1 metal pull-out with buffered closing incl. drawer rail Base unit 300 mm 2 metal pull outs with buffered closing and rail	450	1220	640	SET	C P 1 2	2 R			
	Additional accessories									
	Space-saving drain stench trap DN 40 Space-saving drain stench trap DN 32 Available from week 03.2023				P Z P Z	1 3 6 7 1 4 2 3				
	Consisting of:	450	1520	640	SET	C P 1 5	1 D			
	double ceramic washbasins Q!flat, white, 1520 mm incl. 2 CLOU drain and overflow systems in chrome 2 Washbasin base units (600 mm + 600 mm), each: 1 metal pull out unit with buffered closing 1 metal pull-out with buffered closing incl. drawer rail Base unit 300 mm 2 metal pull outs with buffered closing and rail Additional accessories		.020	3.0						
	Space-saving drain stench trap DN 40 (order 2 pieces)				ΡZ	1 367				
	Space-saving drain stench trap DN 32 (order 2 pieces)				PΖ	1 423				
You find information of	Available from week 03.2023 on the the washbasin manufacturer at the beginning of the	sales boo	ık							

Tall unit-shelf  Tall unit-shelf in carcass colour  Tall unit-shelf 5 shelves compartments with front panels: no. 044 alu matt no. 101 chrome  Tall unit-shelf 5 shelves compartments with front panels in carcass colour  Tall unit-shelf 4 protruding shelves compartments in carcass colour  Tall unit-shelf 4 protruding shelves compartments in carcass colour shelves available in different colors  Tall unit-shelf 4 protruding shelves compartments in carcass colour shelves available in different colors	Surchar- ge high- gloss carcass
in carcass colour  5 shelves compartments with front panels: no. 033 black matt no. 101 chrome  Tall unit-shelf 5 shelves compartments with front panels: no. 044 alu matt no. 101 chrome  150  R G 1 0 3 0 0 5  Tall unit-shelf 5 shelves compartments with front panels in carcass colour  Tall unit-shelf 4 protruding shelves compartments in carcass colour  4 protruding shelves compartments in carcass colour shelves available in different colors  Tall unit-shelf 4 protruding shelves compartments in carcass colour shelves available in different colors	
Tall units	
4 protruding shelves compartments in carcass colour shelves available in different colors  Tall units	
top cover has to be ordered separately	
Tall unit 1 door 3 glass shelves 1 drawer with buffered closing 1 metal pull-out with buffered closing incl. drawer rail Notice: hinges left side mean door-hinge left und drawer protrudes on the right side!	



Depth indication corre	esponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Article number	er Hinge	Surcharge high- gloss carcass
Tall units top cover ha	as to be ordered separately						
<u>.</u>	Tall unit	300	300	1630	H N A 0 2 3 0	0 3 L/R	
270	2 doors 1 glass shelf (top) 1 glass shelf 1 open compartment	300	400	1630	H N A 0 2 4 0	0 3 L/R	
270	Tall unit 4 doors 1 glass shelf (top) 1 glass shelf 1 open compartment	300	600	1630	H N A 0 2 6 0	0 3	
640	Tall unit with laundry basket 1 door 1 glass shelf (top) 1 open compartment 1 laundry basket with wire basket						
640	Volume of laundry basket: 25 liters Volume of laundry basket: 35 liters	300	300 400	1630 1630	H N A 0 2 3 0 H N A 0 2 4 0		
640	Tall unit with laundry basket 2 doors 1 glass shelf (top) 1 open compartment 1 laundry basket with wire basket Volume of laundry basket: 55 liters	300	600	1630	H N A 0 2 6 0	3 W	

Depth indication corre	esponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Arti	cle n	umb	er	Hinge	Surchar- ge high- gloss carcass
medium-hig	h unit-shelf									
290	medium-high unit in carcass colour 4 shelves compartments with front panels please indicate colour version of the front panels: no. 043 black matt no. 044 alu matt no. 101 chrome	150	300	1280	RG	8 1	3 0	0 4		
290	Tall unit-shelf 4 shelves compartments with front panels in carcass colour	150	300	1280	R G	8 1	3 0	0.5	<b>i</b>	
127 320 127	Tall unit-shelf 3 protruding shelves compartments in carcass colour shelves available in different colors	150	600	1280	RG	8 1	6 0	0 6		
Central units	s as to be ordered separately									
1280	medium-high unit 1 door 4 glass shelves	300	300 400		MNA					
1280	medium-high unit 2 doors 4 glass shelves	300	600	1320	MNA	8 1	6 0	0 3	3	



Depth indication corresponds to the carcass depth		Depth in mm	Width in mm	Height in mm	Article number	Hinge	Surchar- ge high- gloss carcass
Central units top cover has to be ordered separately							Carcass
top cover na				1000			
. 00	medium-high unit with inside drawers 1 door	300	300		M N A 8 4 3 0 0 3		
1280	1 glass shelf (top) 2 inside drawers with buffered closing	300	400	1320	M N A 8 4 4 0 0 3	L/R	
1280	medium-high unit with inside drawers 2 doors 1 continuous glass shelf 2 continuously inside metal-drawer with buffered closing	300	600	1320	M N A 8 4 6 0 0 3		
	medium-high unit 1 door	300	300	1320	M N A 8 2 3 0 0 3	L/R	
160 Land 160 240 Land 160 Land	glass shelf     l open compartment     metal pull-out with buffered closing     metal pull-out with buffered closing incl. drawer rail	300	400	1320	M N A 8 2 4 0 0 3	L/R	
160 160 160 240	medium-high unit 2 doors 1 glass shelf 1 open compartment 1 metal pull-out with buffered closing 1 metal pull-out with buffered closing incl. drawer rail	300	600	1320	M N A 8 2 6 0 0 3		
Highboards							
top cover na	as to be ordered separately						
160 *	Highboard	300	300	880	HBA553003	L/R	
640	1 drawer with buffered closing 1 door 1 glass shelf	300	400	880	H B A 5 5 4 0 0 3	L/R	
640	Highboard 1 drawer with buffered closing 2 doors 1 glass shelf	300	600	880	HBA 5 5 6 0 0 3		


Depth indication corresponds to the carcass depth		Depth in mm	Width in mm	Height in mm	Article number			Hinge	Surchar- ge high- gloss	
Highboards										carcass
•	as to be ordered separately									
160 ‡	Highboard with laundry basket 1 drawer with buffered closing 1 laundry basket with wire basket									
640	Volume of laundry basket: 25 liters	300	300	880	НВА	5 5 3	3 0	3 W		
÷	Volume of laundry basket: 35 liters	300	400	880	НВА	5 5 4	1 0	3 W		
640	Highboard with laundry basket 1 drawer with buffered closing 1 laundry basket with wire basket Volume of laundry basket: 55 liters	300	600	880	НВА	5 5 6	5 1	3 W		
160	Highboard with laundry pull out 1 drawer with buffered closing 1 laundry pull out with wire basket Volume of laundry pull out: 40 liters	300	600	880	НВА	5 5 6	6 0	3 W		
480	<b>Highboard</b> 1 door	300	300	880	НВА					
180	1 glass shelf (top) 1 open compartment 1 fixed shelf in carcass colour	300	400	880	НВА	514	. 0	КЗ	L/K	
180	Highboard 2 doors 1 glass shelf (top) 1 open compartment 1 fixed shelf in carcass colour	300	600	880	НВА	5 1 6	6 0	R 3		
Wall units top cover has to be ordered separately										
	Wall unit	150	300	640	OGA	413	0	1 G	L/R	
640	1 door 1 glass shelf	150	300	640	O G A					
640	Wall unit 2 doors 1 glass shelf	150	600	640	OGA	416	6 0	1 G		
		<u>'</u>								




Depth indication corre	Depth indication corresponds to the carcass depth		Width in mm	Height in mm	Article number		Surchar- ge high- gloss carcass
Base units							0410400
	as to be ordered separately						
	Base unit	300	300	560	U N A 4 8 3 0		
240	1 drawer with buffered closing 1 metal pull-out with buffered closing	300	400	560	U N A 4 8 4 0		
240	Thistal pair out war pairered discorning	300	600	560	U N A 4 8 6 0		
Counter top	S						
thickness 28 mm	top cover with ABS edge in carcass colour						
	302 mm widh Standard depth	330	302	28	A P A 3 3 3 0	- 1	
	402 mm widh Standard depth 602 mm widh Standard depth	330 330	402 602	28 28	A P A 3 3 4 0 A P A 3 3 6 0		
	302 mm widh Standard depth Wall unit	180	302	28	A P A 1 8 3 0	2 8	
	402 mm widh Standard depth Wall unit	180 180	402 602	28 28	A P A 1 8 4 0 A P A 1 8 6 0	- 1	
	602 mm widh Standard depth Wall unit	100	602	20	APAIOOU	2 0	
thickness 16 mm	top cover with ABS edge in carcass colour						
	302 mm widh Standard depth	325	302	16	A P 3 2 3 0		
	402 mm widh Standard depth 602 mm widh Standard depth	325 325	402 602	16 16	A P 3 2 4 0 A P 3 2 6 0		
	302 mm widh Standard depth Wall unit	175	302	16	AP 1730		
	402 mm widh Standard depth Wall unit 602 mm widh Standard depth Wall unit	175 175	402 602	16 16	AP 1740 AP 1760		
	ouz min wan standard depth wan umt	173	002	10			
Benches							
	Danah						
160	Bench 1 shelf 1 seat cushion in imitation leather Colour version corresponds to the carcass colour						
* W W	cushion in creamy-white	450	600	508	SETBANK	6 W	
	cushion in black	450	600	508	SETBANK	6 S	
	3 Bench						
160 242 1	2 shelves 1 seat cushion in imitation leather Colour version corresponds to the carcass colour						
	cushion in creamy-white	450	900	508	SETBANK	9 W	
	cushion in black	450	900	508	SETBANK	9 S	
Please observe suita	ble accessories in the separate index.						


Depth indication corresponds to the carcass depth		Depth in mm	Width in mm	Height in mm	Article number		Hinge	Surchar- ge high- gloss carcass	
Accessories									
1	<b>LED lighting element in chrome</b> This product contains a light source with energy efficiency class: F								
	600 mm wide 6,9 Watt / 769 lumens / (2700 -) 6500 Kelvin	115	600	37	PΖ	116	6 0		
EMOTION	900 mm wide 9,9 watt / 1020 lumens / (2700 -) 6500 Kelvin	115	900	37	PΖ	116	9 0		
	1200 mm wide 13 Watt / 1316 lumens / (2700 -) 6500 Kelvin	115	1200	37	PΖ	116	1 2		
	<b>LED lighting element in black matt</b> This product contains a light source with energy efficiency class: G								
	600 mm wide 6,9 Watt / 769 lumens / (2700 -) 6500 Kelvin	115	600	37	PΖ	1162	6 0		
EMOTION	900 mm wide 9,9 watt / 1020 lumens / (2700 -) 6500 Kelvin	115	900	37	PΖ	1162	9 0		
	1200 mm wide 13 Watt / 1316 lumens / (2700 -) 6500 Kelvin	115	1200	37	PΖ	1162	2 1 2		
	<b>LED lighting element in chrome matt</b> This product contains a light source with energy efficiency class: G								
	634 mm wide 9,28 watt / 731 lumens / (2700 -) 6500 Kelvin	127	634	24	PΖ	1140	6 0		
EMOTION	934 mm wide 14,08 Watt / 1109 lumens / (2700 -) 6500 Kelvin	127	934	24	PΖ	1140	9 0		
	1234 mm wide 18,88 watt / 1487 lumens / (2700 -) 6500 Kelvin	127	1234	24	PΖ	114(	1 2		
	<b>LED lighting element in black matt</b> This product contains a light source with energy efficiency class: G								
	634 mm wide 9,28 watt / 731 lumens / (2700 -) 6500 Kelvin	127	634	24	PΖ	1160	6 0		
EMOTION	934 mm wide 14,08 Watt / 1109 lumens / (2700 -) 6500 Kelvin	127	934	24	PΖ	1160	9 0		
	1234 mm wide 18,88 watt / 1487 lumens / (2700 -) 6500 Kelvin	127	1234	24	PΖ	1160	1 2		

#### Program 074 - dimensional drawings





SET CP90 1L SET CP90 2L





SET CP90 1R SET CP90 2R





For washing stands with fixing screws, the dimensions for boring must be drawn in on-site after the washing stand has been laid on the floor unit.


#### Modifications:


Technical modifications (+/- 5mm) and flatness modifications (DIN 18202) are subject of the usual material-specific modifications for construction materials, based on DIN 18202.

#### Program 074 - dimensional drawings

SET CP12 1M


SET CP12 1L






SET CP12 2L


SET CP12 1R






SET CP12 2R

SET CP15 1D



1220



For washing stands with fixing screws, the dimensions for boring must be drawn in on-site after the washing stand has been laid on the floor unit.

Modifications:

Technical modifications (+/- 5mm) and flatness modifications (DIN 18202) are subject of the usual material-specific modifications for construction materials, based on DIN 18202.