

new generation

FRESH program 45



Front colours



No. 777 cosmos grey matt



No. 793 noble white matt



No. 891 quarz grey matt



No. 893 titanium grey matt



No. 686 anthracite hgl.



No. 722 polar white hgl.




No. 755 hacienda black



No. 769 hacienda grey



no. 670 Halifax oak



no. 680 Charleston oak



No. 750 cardiff oak



no. 751 Cuneo oak brown



no. 771 Cuneo oak natural



Nr. 785 natural oak



no. 794 sand oak

F foiled front

M Melamine coated front with ABS-edge

carcass colours

* High gloss carcass for an additional price



No. 177
cosmos grey
matt



No. 111
white matt




no. 191
quarz grey matt



No. 193
titanium grey
matt



*no. 121
anthracite hgl.



*no. 161
white hgl.



no. 155
hacienda black



no. 169
hacienda grey



no. 170
Halifax oak



no. 180
Charleston oak



no. 150
cardiff oak



no. 151
Cuneo oak
brown



no. 171 Cuneo
oak natural



Nr. 185
natural oak



no. 194
sand oak

Washbasin colours

Cast mineral washbasins

Ceramic washbasins

Glass washbasin



no. 1
white



no. 1
white



no. 82
optiwhite

Technique

door with integrated buffered closing

Pull outs and drawers

No. 559
Pull outs and drawers with soft
close



Handle version



No. 321 bar handle chrome
handle bore 96 mm / 320 mm



No. 294 bar handle chrome
handle bore 96 mm / 384 mm

Mirror cabinets

Series A



Series B



Series C



Series D









Illustrations and specifications are without obligation. Technical modifications reserved.
2022/2023




Please note the instruction for warranty, mounting and care, and the quality agreements as well, at the beginning of the book.

Program 045 - model list




The numbers represent POINTS not prices

Depth indication corresponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Article number	Hinge	Surcharge high-gloss carcass
 <p>Mirror LED lighting vertical 6,6 Watt / converter 15 Watt 1010 lumens / 6000 Kelvin incl. toggle switch This product contains a light source with energy efficiency class: D</p>	59	700	672	F S A 4 3 7 0 1 2		
 <p>Mirror LED lighting vertical 9,3 watt / converter 15 watt 1423 lumens / 6000 Kelvin incl. toggle switch This product contains a light source with energy efficiency class: D</p>	59	1000	672	F S A 4 3 1 0 1 2		
 <p>Mirror LED lighting vertical 11,4 watt / converter 15 watt 1744 lumens / 6000 Kelvin incl. toggle switch This product contains a light source with energy efficiency class: D</p>	59	1200	672	F S A 4 3 1 2 1 2		
 <p>Mirror LED lighting element 4,6 Watt / converter 15 Watt 351 lumens / 6000 Kelvin 1 storage board 120 mm deep in carcass colour 1 switch element This product contains a light source with energy efficiency class: G</p>	30	700	640	F S A 4 5 7 0 B 1		
 <p>Mirror LED lighting element 7,4 watt / converter 15 watt 573 lumens / 6000 Kelvin 1 storage board 120 mm deep in carcass colour 1 switch element This product contains a light source with energy efficiency class: G</p>	30	1000	640	F S A 4 5 1 0 B 1		
 <p>Mirror LED lighting element 7,4 watt / converter 15 watt 573 lumens / 6000 Kelvin 1 storage board 120 mm deep in carcass colour 1 switch element This product contains a light source with energy efficiency class: G</p>	30	1200	640	F S A 4 5 1 2 B 1		




Program 045 - model list

Depth indication corresponds to the carcass depth		Depth in mm	Width in mm	Height in mm	Article number		Hinge	Surcharge high-gloss carcass
Mirror cabinets Series A								
	<p>mirror cabinet 3 mirror doors on wooden-plated 1 LED surface-mounted lamp 4,56 watt / converter 15 watt 351 lumens / 6000 Kelvin 2 central partitions, 3 glass shelves 1 switch socket element Door width: 196 mm / 296 mm / 196 mm This product contains a light source with energy efficiency class: G</p> <p>Additional accessories LED washbasin lighting</p>	150	700	640	S 2 A 4 3 7 0 6 7			
incl. handle blocks					P Z	1 0 6 3 6 0		
	<p>mirror cabinet 3 mirror doors on wooden-plated 1 LED surface-mounted lamp 7,4 watt / converter 15 watt 573 lumens / 6000 Kelvin 2 central partitions, 3 glass shelves 1 switch socket element Door width: 288 mm / 412 mm / 288 mm This product contains a light source with energy efficiency class: G</p> <p>Additional accessories LED washbasin lighting</p>	150	1000	640	S 2 A 4 3 1 0 6 7			
incl. handle blocks					P Z	1 0 6 3 9 0		
	<p>mirror cabinet 3 mirror doors on wooden-plated 1 LED surface-mounted lamp 7,4 watt / converter 15 watt 573 lumens / 6000 Kelvin 2 central partitions, 3 glass shelves 3 glass shelves 1 switch socket element Door width: 388 mm / 412 mm / 388 mm This product contains a light source with energy efficiency class: G</p> <p>Additional accessories LED washbasin lighting</p>	150	1200	640	S 2 A 4 3 1 2 6 7			
incl. handle blocks					P Z	1 0 6 3 1 2		




Program 045 - model list

Depth indication corresponds to the carcass depth		Depth in mm	Width in mm	Height in mm	Article number	Hinge	Surcharge high-gloss carcass
Mirror cabinets Series B							
 <p>incl. handle blocks</p>	<p>mirror cabinet 3 mirror doors on wooden-plated 1 flyover shelf with LED lighting 4,0 watt / converter 15 watt 295 lumens / 6500 Kelvin 1 middle panel with chrome edge 2 central partitions, 3 glass shelves 1 switch socket element Door width: 196 mm / 296 mm / 196 mm This product contains a light source with energy efficiency class: G</p> <p>Additional accessories LED washbasin lighting</p>	150	700	668	S 2 A 4 3 7 0 6 8		
 <p>incl. handle blocks</p>	<p>mirror cabinet 3 mirror doors on wooden-plated 1 flyover shelf with LED lighting 4,0 watt / converter 15 watt 295 lumens / 6500 Kelvin 1 middle panel with chrome edge 2 central partitions, 3 glass shelves 1 switch socket element Door width: 288 mm / 412 mm / 288 mm This product contains a light source with energy efficiency class: G</p> <p>Additional accessories LED washbasin lighting</p>	150	1000	668	S 2 A 4 3 1 0 6 8		
 <p>incl. handle blocks</p>	<p>mirror cabinet 3 mirror doors on wooden-plated 1 flyover shelf with LED lighting 4,0 watt / converter 15 watt 295 lumens / 6500 Kelvin 1 middle panel with chrome edge 2 central partitions, 3 glass shelves 1 switch socket element Door width: 388 mm / 412 mm / 388 mm This product contains a light source with energy efficiency class: G</p> <p>for single washbasin solution</p> <p>Additional accessories LED washbasin lighting</p>	150	1200	668	S 2 A 4 3 1 2 6 8		








Program 045 - model list

Depth indication corresponds to the carcass depth		Depth in mm	Width in mm	Height in mm	Article number	Hinge	Surcharge high-gloss carcass
Mirror cabinets Series B							
 <p>incl. handle blocks</p>	<p>mirror cabinet 3 mirror doors on wooden-plated 1 flyover shelf with LED lighting 2 lighting element 8,0 watt / converter 15 watt 2 x 295 lumens / 2700 - 6500 Kelvin 1 middle panel with chrome edge 2 central partitions, 3 glass shelves 1 switch socket element Door width: 388 mm / 412 mm / 388 mm This product contains a light source with energy efficiency class: G</p> <p>for double washbasin solutions</p> <p>Additional accessories LED washbasin lighting</p>	150	1200	668	S 2 A 4 3 2 D 6 8		
					P Z 1 0 6 3 1 2		
Mirror cabinets Series C							
 <p>incl. handle blocks</p>	<p>Mirror cabinet 3 mirror doors on wooden-plated 2 central partitions, 3 glass shelves 2 LED light profiles at the sides 2 x 6 watt / converter 30 watt 2 x 462 lumens / 6000 Kelvin 1 switch socket element Door width: 180 mm / 296 mm / 180 mm This product contains a light source with energy efficiency class: G</p> <p>Additional accessories LED washbasin lighting lighting element 500 mm</p>	150	700	640	S 2 A 4 3 7 0 7 9		
					P Z 1 0 6 3 6 0 P Z 1 0 8 3 5 0		
 <p>incl. handle blocks</p>	<p>Mirror cabinet 3 mirror doors on wooden-plated 2 central partitions, 3 glass shelves 2 LED light profiles at the sides 2 x 6 watt / converter 30 watt 2 x 462 lumens / 6000 Kelvin 1 switch socket element Door width: 222 mm / 512 mm / 222 mm This product contains a light source with energy efficiency class: G</p> <p>Additional accessories LED washbasin lighting lighting element 800 mm</p>	150	1000	640	S 2 A 4 3 1 0 7 9		
					P Z 1 0 6 3 9 0 P Z 1 0 8 3 8 0		

Program 045 - model list











Depth indication corresponds to the carcass depth		Depth in mm	Width in mm	Height in mm	Article number	Hinge	Surcharge high-gloss carcass
Mirror cabinets Series C							
 <p>incl. handle blocks</p>	<p>Mirror cabinet 3 mirror doors on wooden-plated 2 central partitions, 3 glass shelves 2 LED light profiles at the sides 2 x 6 watt / converter 30 watt 2 x 462 lumens / 6000 Kelvin 1 switch socket element Door width: 372 mm / 412 mm / 372 mm This product contains a light source with energy efficiency class: G</p> <p>Additional accessories LED washbasin lighting lighting element 800 mm</p>	150	1200	640	S 2 A 4 3 1 2 7 9		
Mirror cabinets Series D							
 <p>incl. handle blocks</p>	<p>mirror cabinet 3 mirror doors on wooden-plated 2 central partitions, 3 glass shelves 1 LED surface-mounted lamp 634 mm wide 9,28 watt / Converter 15 watt 731 lumens / 6500 Kelvin 1 switch socket element Door width: 196 mm / 296 mm / 196 mm This product contains a light source with energy efficiency class: G</p> <p>Additional accessories LED washbasin lighting</p>	150	700	640	S E T 4 3 7 0 0 5		
 <p>incl. handle blocks</p>	<p>mirror cabinet 3 mirror doors on wooden-plated 2 central partitions, 3 glass shelves 1 LED surface-mounted lamp 934 mm wide 14,08 watt / converter 30watt 1109 lumens / 6500 Kelvin 1 switch socket element Door width: 288 mm / 412 mm / 288 mm This product contains a light source with energy efficiency class: G</p> <p>Additional accessories LED washbasin lighting</p>	150	1000	640	S E T 4 3 1 0 0 5		

Program 045 - model list

Depth indication corresponds to the carcass depth		Depth in mm	Width in mm	Height in mm	Article number			Hinge	Surcharge high-gloss carcass	
Mirror cabinets Series D										
	<p>mirror cabinet 3 mirror doors on wooden-plated 2 central partitions, 3 glass shelves 1 LED surface-mounted lamp 934 mm wide 14,08 watt / converter 30watt 1109 lumens / 6500 Kelvin 1 switch socket element Door width: 388 mm / 412 mm / 388 mm This product contains a light source with energy efficiency class: G</p> <p>incl. handle blocks</p> <p>Additional accessories LED washbasin lighting</p>	150	1200	640	SET 4 3 1 2 0 5					
Cast mineral washbasins										
	<p>Cast mineral washbasin white</p> <p>can be combined with WUA 3870 2U</p>	500	706	20	WME 3 3 0 7 1					
	<p>Cast mineral washbasin white</p> <p>can be combined with WUA 3810 2U</p>	500	1006	20	WME 3 3 1 0 1					
	<p>Cast mineral washbasin white</p> <p>can be combined with WUA 3812 2U</p>	500	1206	20	WME 3 3 1 2 1					
	<p>Cast mineral washbasin white</p> <p>can be combined with WUA 382D 2U</p>	500	1206	20	WME 3 3 2 D 1					
Glass washbasin										
 	<p>Glass washbasin Colour Optiwhite</p> <p>can be combined with WUA 3870 2U</p> <p>Additional accessories Neutrally bonding silicone for glass washbasins</p>	500	712	12	WGE 3 3 0 7 8 2					








You find information on the the washbasin manufacturer at the beginning of the sales book.

Program 045 - model list

Depth indication corresponds to the carcass depth		Depth in mm	Width in mm	Height in mm	Article number	Hinge	Surcharge high-gloss carcass
 <p>Glass washbasin Colour Optiwhite</p>  <p>can combined with WUA 3810 2U</p> <p>Additional accessories Neutrally bonding silicone for glass washbasins</p>		500	1012	12	WGE 3 3 1 0 8 2 P Z 1 2 3 5		
 <p>Glass washbasin Colour Optiwhite</p>  <p>can combined with WUA 3812 2U</p> <p>Additional accessories Neutrally bonding silicone for glass washbasins</p>		500	1212	12	WGE 3 3 1 2 8 2 P Z 1 2 3 5		
 <p>Glass washbasin Colour Optiwhite</p>  <p>can combined with WUA 382D 2U</p> <p>Additional accessories Neutrally bonding silicone for glass washbasins</p>		500	1212	12	WGE 3 3 2 D 8 2 P Z 1 2 3 5		
<h2>Washbasin base units</h2>							
 <p>Washbasin base unit 2 pull-outs with buffered closing</p> <p>for cast mineral and glass washbasins</p> <p>Additional accessories Space-saving drain stench trap DN 40 Space-saving drain stench trap DN 32</p>		470	700	480	WUA 3 8 7 0 2 U P Z 1 3 6 7 P Z 1 4 2 3		
 <p>Washbasin base unit 2 pull-outs with buffered closing</p> <p>for cast mineral and glass washbasins</p> <p>Additional accessories Space-saving drain stench trap DN 40 Space-saving drain stench trap DN 32</p>		470	1000	480	WUA 3 8 1 0 2 U P Z 1 3 6 7 P Z 1 4 2 3		
 <p>Washbasin base unit 2 pull-outs with buffered closing</p> <p>for cast mineral and glass washbasins for single washbasin solution</p>  <p>Additional accessories Space-saving drain stench trap DN 40 Space-saving drain stench trap DN 32</p>		470	1200	480	WUA 3 8 1 2 2 U P Z 1 3 6 7 P Z 1 4 2 3		






You find information on the the washbasin manufacturer at the beginning of the sales book.

Program 045 - model list

	Depth in mm	Width in mm	Height in mm	Article number	Hinge	Surcharge high-gloss carcass
Depth indication corresponds to the carcass depth						
Washbasin base units						
 Washbasin base unit 2 pull-outs with buffered closing for cast mineral and glass washbasins for double washbasin solutions  Additional accessories Space-saving drain stench trap DN 40 (order 2 pieces) Space-saving drain stench trap DN 32 (order 2 pieces)	470	1200	480	WUA 3 8 2 D 2 U P Z 1 3 6 7 P Z 1 4 2 3		
Ceramic washbasins						
 Ceramic washbasin white can be combined with WUA 3870 4U	500	720	18	WTM 4 4 0 7 1		
 Ceramic washbasin white can be combined with WUA 3810 4U	500	1020	18	WTM 4 4 1 0 1		
 Ceramic washbasin Single washbasin white can be combined with WUA 3812 4U	500	1220	18	WTM 4 4 1 2 1		
 Ceramic washbasin Double washbasin white can be combined with WUA 382D 4U	500	1220	18	WTM 4 4 2 D 1		
Washbasin base units						
 Washbasin base unit 2 pull-outs with buffered closing for ceramic washbasins Additional accessories Space-saving drain stench trap DN 40 Space-saving drain stench trap DN 32	470	700	480	WUA 3 8 7 0 4 U P Z 1 3 6 7 P Z 1 4 2 3		







You find information on the the washbasin manufacturer at the beginning of the sales book.

Program 045 - model list






Depth indication corresponds to the carcass depth		Depth in mm	Width in mm	Height in mm	Article number	Hinge	Surcharge high-gloss carcass
Washbasin base units							
	<p>Washbasin base unit 2 pull-outs with buffered closing</p> <p>for ceramic washbasins</p> <p>Additional accessories Space-saving drain stench trap DN 40 Space-saving drain stench trap DN 32</p>	470	1000	480	W U A 3 8 1 0 4 U		
	<p>Washbasin base unit 2 pull-outs with buffered closing</p> <p>for ceramic washbasins for single washbasin solution</p> <p>Additional accessories Space-saving drain stench trap DN 40 Space-saving drain stench trap DN 32</p>	470	1200	480	W U A 3 8 1 2 4 U		
	<p>Washbasin base unit 2 pull-outs with buffered closing</p> <p>for ceramic washbasins for double washbasin solutions</p> <p>Additional accessories Space-saving drain stench trap DN 40 (order 2 pieces) Space-saving drain stench trap DN 32 (order 2 pieces)</p>	470	1200	480	W U A 3 8 2 D 4 U		
Universal - washbasin base unit							
	<p>Washbasin base unit 2 doors</p> <p>1 top cover 330 mm deep with syphon cut-out (depth: 240 mm, width: 80 mm) grain pattern vertical</p> <p>for free hanging washbasin</p>	300	600	496	W U A 3 1 6 0 A		
Tall units							
	<p>Tall unit 1 door</p> <p>4 glass shelves 2 pull-outs with buffered closing</p>	300	300	1600	H N A 0 8 3 0	4 L/R	
		300	400	1600	H N A 0 8 4 0	4 L/R	

Program 045 - model list








The numbers represent POINTS not prices

Depth indication corresponds to the carcass depth		Depth in mm	Width in mm	Height in mm	Article number	Hinge	Surcharge high-gloss carcass
Tall units							
	Tall unit 2 doors 4 glass shelves 2 pull-outs with buffered closing	300	600	1600	HNA08604		
	Tall unit 1 door 1 glass shelf (top) 1 open compartment 1 drawer with buffered closing 1 door 1 glass shelf	300	300	1600	HNA023001	L/R	
		300	400	1600	HNA024001	L/R	
	Tall unit 2 doors 1 glass shelf (top) 1 open compartment 1 drawer with buffered closing 2 doors 1 glass shelf	300	600	1600	HNA026001		
Tall unit-shelf							
	Tall unit-shelf with open shelf space in carcass colour	150	300	1600	RG103001		
	Tall unit-shelf with mirror surface 4 shelves compartments in carcass colour	150	300	1600	RG103002		






Program 045 - model list

Depth indication corresponds to the carcass depth		Depth in mm	Width in mm	Height in mm	Article number	Hinge	Surcharge high-gloss carcass
<h3>Tall unit-shelf</h3>  <p>Tall unit-shelf 4 functional hooks 4 shelves compartments in carcass colour</p>		150	300	1600	R G 1 0 3 0 0 3		
<h3>Central units</h3>							
 <p>medium-high unit 1 door 1 glass shelf 2 pull-outs with buffered closing 1 top cover 325 mm deep</p>		300 300	300 400	1136 1136	M N A 7 7 3 A 0 1 M N A 7 7 4 A 0 1	L/R L/R	
 <p>medium-high unit 2 doors 1 glass shelf 2 pull-outs with buffered closing 1 top cover 325 mm deep</p>		300	600	1136	M N A 7 7 6 A 0 1		
 <p>medium-high unit 1 door 3 glass shelves 1 top cover 325 mm deep</p>		300 300	300 400	1136 1136	M N A 7 1 3 A 0 1 M N A 7 1 4 A 0 1	L/R L/R	
 <p>medium-high unit 2 doors 2 glass shelves 1 top cover 325 mm deep</p>		300	600	1136	M N A 7 1 6 A 0 1		





Program 045 - model list

Depth indication corresponds to the carcass depth		Depth in mm	Width in mm	Height in mm	Article number	Hinge	Surcharge high-gloss carcass
	Highboard 1 door 1 glass shelf 1 top cover 325 mm deep	300	300	656	H B A 4 1 3 A 0 1	L/R	
		300	400	656	H B A 4 1 4 A 0 1	L/R	
	Highboard 2 doors 1 glass shelf 1 top cover 325 mm deep	300	600	656	H B A 4 1 6 A 0 1		
	Highboard with laundry basket 1 laundry basket with wire basket 1 top cover 325 mm deep Volume of laundry basket: 25 liters Volume of laundry basket: 35 liters	300	300	656	H B A 4 1 3 W 0 1		
		300	400	656	H B A 4 1 4 W 0 1		
	Highboard with laundry basket 1 laundry basket with wire basket 1 top cover 325 mm deep Volume of laundry basket: 55 liters	300	600	656	H B A 4 1 6 W 0 1		
	Highboard 1 drawer with buffered closing 1 door 1 glass shelf 1 top cover 325 mm deep	300	300	816	H B A 5 5 3 A 0 1	L/R	
		300	400	816	H B A 5 5 4 A 0 1	L/R	
	Highboard 1 drawer with buffered closing 2 doors 1 glass shelf 1 top cover 325 mm deep	300	600	816	H B A 5 5 6 A 0 1		
	Highboard with laundry basket 1 drawer with buffered closing 1 laundry basket with wire basket 1 top cover 325 mm deep Volume of laundry basket: 25 liters Volume of laundry basket: 35 liters	300	300	816	H B A 5 5 3 W 0 1		
		300	400	816	H B A 5 5 4 W 0 1		






Program 045 - model list

Depth indication corresponds to the carcass depth		Depth in mm	Width in mm	Height in mm	Article number	Hinge	Surcharge high-gloss carcass
Highboards							
	<p>Highboard with laundry basket 1 drawer with buffered closing 1 laundry basket with wire basket 1 top cover 325 mm deep Volume of laundry basket: 55 liters</p>	300	600	816	H B A 5 5 6 W 0 1		
Wall units							
	<p>Wall unit 1 door 1 glass shelf</p>	150 150	300 400	640 640	O G A 4 1 3 0 O G A 4 1 4 0	L/R L/R	
	<p>Wall unit 2 doors 1 glass shelf</p>	150	600	640	O G A 4 1 6 0		
Base units							
	<p>Base unit 2 pull-outs with buffered closing 1 top cover 325 mm deep</p>	300 300	300 400	496 496	U N A 3 6 3 A 0 1 U N A 3 6 4 A 0 1		
	<p>Base unit 2 pull-outs with buffered closing 1 top cover 325 mm deep</p>	300	600	496	U N A 3 6 6 A 0 1		

Program 045 - model list







Depth indication corresponds to the carcass depth		Depth in mm	Width in mm	Height in mm	Article number		Hinge	Surchar- ge high- gloss carcass
Shelves								
	functional shelf Edges are cut with a mitre vertical and horizontal mounting possible please indicate colour version: no. 501 white matt lacquered no. 547 black matt lacquered	150	300	160	R	G L 1 1 3 0 0 1		
	functional shelf Edges are cut with a mitre vertical and horizontal mounting possible please indicate colour version: no. 501 white matt lacquered no. 547 black matt lacquered	150	600	160	R	G L 1 1 6 0 0 2		
	functional shelf Edges are cut with a mitre vertical and horizontal mounting possible please indicate colour version: no. 501 white matt lacquered no. 547 black matt lacquered	150	900	160	R	G L 1 1 9 0 0 3		
Glass shelves								
	Glass shelf incl. metal holder 400 mm wide incl. 2 metal brackets 600 mm wide incl. 2 metal brackets 700 mm wide incl. 2 metal brackets 1000 mm wide incl. 3 metal brackets 1200 mm wide incl. 3 metal brackets							
		130	400	8	A	B G 1 3 4 0 0 8		
		130	600	8	A	B G 1 3 6 0 0 8		
		130	700	8	A	B G 1 3 7 0 0 8		
		130	1000	8	A	B G 1 3 1 0 0 8		
		130	1200	8	A	B G 1 3 1 2 0 8		

Program 045 - model list

Depth indication corresponds to the carcass depth		Depth in mm	Width in mm	Height in mm	Article number			Hinge	Surchar- ge high- gloss carcass	
Push- fit shelf										
	Push-fit shelf with ABS thick edge all around incl. holders for push fit shelf 300 mm wide incl. 2 push-fit holder 400 mm wide incl. 2 push-fit holder 600 mm wide incl. 2 push-fit holder 700 mm wide incl. 3 push-fit holder 1000 mm wide incl. 3 push-fit holder 1200 mm wide incl. 3 push-fit holder	150	300	28	S B G	6 0 3 0				
		150	400	28	S B G	6 0 4 0				
		150	600	28	S B G	6 0 6 0				
		150	700	28	S B G	6 0 7 0				
		150	1000	28	S B G	6 0 1 0				
		150	1200	28	S B G	6 0 1 2				
Accessories										
	Neutrally bonding silicone for glass washbasins 310 ml cartridge 				P Z	1 2 3 5				
	Towel holder chrome gloss front opened to fit on carcass at side Please observe carcass depth and furniture height	380	50	10	P Z	1 1 2 7 4 5				
	Towel holder one-armed extendable Chrome hgl. wall-mounted	330-567	44	44	P Z	1 1 3 7 1				

Program 045 - model list





Depth indication corresponds to the carcass depth

	Depth in mm	Width in mm	Height in mm	Article number			Hinge	Surcharge high-gloss carcass
 <p>Towel holder two-armed extendable Chrome hgl. wall-mounted</p>	322-562	87	47	P Z	1 1 3 7	2		
 <p>LED lighting element Width: 500 mm 4,56 watt / 351 lumens / 6000 Kelvin This product contains a light source with energy efficiency class: G</p>	94	500	44	P Z	1 0 8 3	5 0		
 <p>LED lighting element Width: 800 mm 7,44 watt / 573 lumens / 6000 Kelvin This product contains a light source with energy efficiency class: G</p>	94	800	44	P Z	1 0 8 3	8 0		
 <p>LED washbasin lighting 2,4 Watt / 168 lumens / 6500 Kelvin 1 switch element to fit underneath mirror cabinet This product contains a light source with energy efficiency class: G not suitable with Emotion lighting</p>	10	560	10	P Z	1 0 6 3	6 0		
 <p>LED washbasin lighting 3,9 Watt / 287 lumens / 6500 Kelvin 1 switch element to fit underneath mirror cabinet This product contains a light source with energy efficiency class: G not suitable with Emotion lighting</p>	10	860	10	P Z	1 0 6 3	9 0		
 <p>LED washbasin lighting 5,3 Watt / 371 lumens / 6500 Kelvin 1 switch element to fit underneath mirror cabinet This product contains a light source with energy efficiency class: G not suitable with Emotion lighting</p>	10	1160	10	P Z	1 0 6 3	1 2		


Program 045 - model list


Depth indication corresponds to the carcass depth		Depth in mm	Width in mm	Height in mm	Article number			Hinge	Surcharge high-gloss carcass
Accessories									
	Container transparent with single fixing option can be combined with mounting rails - PZ 1237 L	84	84	65	P Z	1 2 3 7	B 1		
	Container transparent with double fixing option can be combined with mounting rails - PZ 1237 L	168	84	65	P Z	1 2 3 7	B 2		
	Container transparent with triple fixing option can be combined with mounting rails - PZ 1237 L	251	84	65	P Z	1 2 3 7	B 3		
	Positioning strip white with single fixing option can be combined with storage boxes - PZ 1237 B	27	83	9	P Z	1 2 3 7	L 1		
	Positioning strip white with double fixing option can be combined with storage boxes - PZ 1237 B	27	167	9	P Z	1 2 3 7	L 2		
	Positioning strip white with triple fixing option can be combined with storage boxes - PZ 1237 B	27	250	9	P Z	1 2 3 7	L 3		


Program 045 - model list


Depth indication corresponds to the carcass depth		Depth in mm	Width in mm	Height in mm	Article number			Hinge	Surcharge high-gloss carcass
Accessories									
	Positioning strip white with sixfold fixing option can be combined with storage boxes - PZ 1237 B	27	504	9	P Z	1 2 3 7	L 6		
	Touch LED Dimmer for LED mirror cabinets and lightings				P Z	1 0 5 7			
	Space-saving drain stench trap from GEBERIT made of plastic, in white nominal diameter: 40				P Z	1 3 6 7			
	Space-saving drain stench trap from GEBERIT made of plastic, in white nominal diameter: 32				P Z	1 4 2 3			

Program 045 - bathroom versions

FRM-0170-2			
1	mirror cabinet	S 2 A 4 3 7 0 6 7	
1	Washbasin base unit	W U A 3 8 7 0 2 U	
1	washbasin, cast mineral, white, 700 mm	W M E 3 3 0 7 1	
FR K 0 1 7 0 2		W T M 4 4 0 7 1 ceramic inst. cast mineral	700 mm wide



FRM-0170-3			
1	mirror cabinet	S 2 A 4 3 7 0 6 8	
1	Washbasin base unit	W U A 3 8 7 0 2 U	
1	washbasin, cast mineral, white, 700 mm	W M E 3 3 0 7 1	
FR K 0 1 7 0 3		W T M 4 4 0 7 1 ceramic inst. cast mineral	700 mm wide



FRM-0170-4			
1	mirror cabinet	S 2 A 4 3 7 0 7 9	
1	Washbasin base unit	W U A 3 8 7 0 2 U	
1	washbasin, cast mineral, white, 700 mm	W M E 3 3 0 7 1	
FR K 0 1 7 0 4		W T M 4 4 0 7 1 ceramic inst. cast mineral	700 mm wide



FRM-0170-5			
1	mirror cabinet	S E T 4 3 7 0 0 5	
1	Washbasin base unit	W U A 3 8 7 0 2 U	
1	washbasin, cast mineral, white, 700 mm	W M E 3 3 0 7 1	
FR K 0 1 7 0 1		W T M 4 4 0 7 1 ceramic inst. cast mineral	700 mm wide



Program 045 - bathroom versions

The numbers represent POINTS not prices

FRM-0110-2			
1	mirror cabinet	S 2 A 4 3 1 0 6 7	
1	Washbasin base unit	W U A 3 8 1 0 2 U	
1	washbasin, mineral, white, 1000 mm	W M E 3 3 1 0 1	
FR K 0 1 1 0 2		WTM 4410 1 ceramic inst. cast mineral	 1000 mm wide

FRM-0110-3			
1	mirror cabinet	S 2 A 4 3 1 0 6 8	
1	Washbasin base unit	W U A 3 8 1 0 2 U	
1	washbasin, mineral, white, 1000 mm	W M E 3 3 1 0 1	
FR K 0 1 1 0 3		WTM 4410 1 ceramic inst. cast mineral	 1000 mm wide



FRM-0110-4			
1	mirror cabinet	S 2 A 4 3 1 0 7 9	
1	Washbasin base unit	W U A 3 8 1 0 2 U	
1	washbasin, mineral, white, 1000 mm	W M E 3 3 1 0 1	
FR K 0 1 1 0 4		WTM 4410 1 ceramic inst. cast mineral	 1000 mm wide

FRM-0110-5			
1	mirror cabinet	S E T 4 3 1 0 0 5	
1	Washbasin base unit	W U A 3 8 1 0 2 U	
1	washbasin, mineral, white, 1000 mm	W M E 3 3 1 0 1	
FR K 0 1 1 0 1		WTM 4410 1 ceramic inst. cast mineral	 1000 mm wide

Program 045 - bathroom versions



The numbers represent POINTS not prices

FRM-0112-2	
1 mirror cabinet	S 2 A 4 3 1 2 6 7
1 Washbasin base unit	W U A 3 8 1 2 2 U
1 Cast mineral washbasin, white , 1200 mm	W M E 3 3 1 2 1
FRK 0 1 1 2 2 WTM 4412 1 ceramic inst. cast mineral	



1200 mm wide

FRM-0112-3	
1 mirror cabinet	S 2 A 4 3 1 2 6 8
1 Washbasin base unit	W U A 3 8 1 2 2 U
1 Cast mineral washbasin, white , 1200 mm	W M E 3 3 1 2 1
FRK 0 1 1 2 3 WTM 4412 1 ceramic inst. cast mineral	



1200 mm wide

FRM-0112-4	
1 mirror cabinet	S 2 A 4 3 1 2 7 9
1 Washbasin base unit	W U A 3 8 1 2 2 U
1 Cast mineral washbasin, white , 1200 mm	W M E 3 3 1 2 1
FRK 0 1 1 2 4 WTM 4412 1 ceramic inst. cast mineral	

1200 mm wide



FRM-0112-5	
1 mirror cabinet	S E T 4 3 1 2 0 5
1 Washbasin base unit	W U A 3 8 1 2 2 U
1 Cast mineral washbasin, white , 1200 mm	W M E 3 3 1 2 1
FRK 0 1 1 2 1 WTM 4412 1 ceramic inst. cast mineral	








1200 mm wide



Program 045 - bathroom versions

The numbers represent POINTS not prices

FRM-0112-D2			
1 mirror cabinet	S 2 A 4 3 1 2 6 7		
1 Washbasin base unit	W U A 3 8 2 D 2 U		
1 Cast mineral washbasin, white , 1200 mm Double washbasin	W M E 3 3 2 D 1		
FRK 0 1 1 2 D 2	WTM 442D 1 ceramic inst. cast mineral		 1200 mm wide


FRM-0112-D3			
1 mirror cabinet	S 2 A 4 3 2 D 6 8		
1 Washbasin base unit	W U A 3 8 2 D 2 U		
1 Cast mineral washbasin, white , 1200 mm Double washbasin	W M E 3 3 2 D 1		
FRK 0 1 1 2 D 3	WTM 442D 1 ceramic inst. cast mineral		 1200 mm wide

FRM-0112-D4			
1 mirror cabinet	S 2 A 4 3 1 2 7 9		
1 Washbasin base unit	W U A 3 8 2 D 2 U		
1 Cast mineral washbasin, white , 1200 mm Double washbasin	W M E 3 3 2 D 1		
FRK 0 1 1 2 D 4	WTM 442D 1 ceramic inst. cast mineral		 1200 mm wide


FRM-0112-D5			
1 mirror cabinet	S E T 4 3 1 2 0 5		
1 Washbasin base unit	W U A 3 8 2 D 2 U		
1 Cast mineral washbasin, white , 1200 mm Double washbasin	W M E 3 3 2 D 1		
FRK 0 1 1 2 D 1	WTM 442D 1 ceramic inst. cast mineral		 1200 mm wide

Program 045 - dimensional drawings


WME 3307 1




WME 3310 1




WME 3312 1




WME 332D 1




WGE 3307 82




WGE 3310 82




WGE 3312 82



WGE 332D 82



WTM 4407 1



For washing stands with fixing screws, the dimensions for boring must be drawn in on-site after the washing stand has been laid on the floor unit.

Washing stands without anchoring brackets have to be fixed on the wall and on the furniture-side with silicon!

Cast mineral:


The water temperature must not exceed 55° C / 131° F. Hair tinting lotions have to be removed immediately, so that staining can be avoided.

Modifications:


Technical modifications (+/- 5mm) and flatness modifications (DIN 18202) are subject of the usual material-specific modifications for construction materials, based on DIN 18202.

Program 045 - dimensional drawings


WTM 4410 1




WTM 4412 1



WTM 442D 1



electrical connections for mirror cabinets



For washing stands with fixing screws, the dimensions for boring must be drawn in on-site after the washing stand has been laid on the floor unit.

Washing stands without anchoring brackets have to be fixed on the wall and on the furniture-side with silicon!

Cast mineral:

The water temperature must not exceed 55° C / 131° F. Hair tinting lotions have to be removed immediately, so that staining can be avoided.

Modifications:

Technical modifications (+/- 5mm) and flatness modifications (DIN 18202) are subject of the usual material-specific modifications for construction materials, based on DIN 18202.