

# new generation

# LINEA Program 050



## Front colours




No. 777 cosmos grey matt



No. 793 noble white matt




No. 891 quarz grey matt



No. 893 titanium grey matt



No. 686 anthracite hgl.



No. 722 polar white hgl.



Nr. 785 natural oak



no. 680 Charleston oak


**F** foiled front

## carcass colours

\* High gloss carcass for an additional price



No. 177  
cosmos grey  
matt



No. 111  
white matt



no. 191  
quarz grey matt



No. 193  
titanium grey  
matt



\*no. 121  
anthracite hgl.



\*no. 161  
white hgl.



Nr. 185  
natural oak



no. 180  
Charleston oak

## Washbasin colours



Cast mineral washbasins

No. 1 white

## Handle version



No. 320 bar handle chrome

handle-borehole distance for straight fronts: 96 mm / 384 mm



No. 350 bar handle black

handle-borehole distance for straight fronts: 96 mm / 384 mm

## Technique

door with integrated buffered closing

Pull outs and drawers

No. 559

Pull outs and drawers with soft close



## Mirror cabinets




Series A






Series B






# Program 050 - model list

Depth indication corresponds to the carcass depth		Depth in mm	Width in mm	Height in mm	Article number	Hinge
 <p>III. = left incl. handle block</p>		150	700	656	<b>S 2 A 4 2 7 0 S 1</b>	L/R
<p><b>mirror cabinet</b> 1 mirror door on wooden-plated 1 glass shelf 1 flyover shelf with LED lighting 4,56 watt / converter 15 watt 351 lumens / 6000 Kelvin 2 mirror-finished shelf units with 2 glass shelves each 150 mm wide 1 switch socket element Door width: 396 mm This product contains a light source with energy efficiency class: G</p> <p>Additional accessories LED washbasin lighting</p>					P Z 1 0 6 3 6 0	
 <p>incl. handle blocks</p>		150	1000	656	<b>S 2 A 4 2 R 1 S 1</b>	
<p><b>mirror cabinet</b> 2 mirror doors on wooden-plated with 1 glass shelf each 1 flyover shelf with LED lighting 6,48 watt / converter 15 watt 499 lumens / 6000 Kelvin 2 mirror-finished shelf units with 2 glass shelves each 150 mm wide 1 switch socket element Door width: 396 mm / 314 mm This product contains a light source with energy efficiency class: G</p> <p>Additional accessories LED washbasin lighting</p>					P Z 1 0 6 3 9 0	
 <p>incl. handle blocks</p>		150	1000	656	<b>S 2 A 4 2 L 1 S 1</b>	
<p><b>mirror cabinet</b> 2 mirror doors on wooden-plated with 1 glass shelf each 1 flyover shelf with LED lighting 6,48 watt / converter 15 watt 499 lumens / 6000 Kelvin 2 mirror-finished shelf units with 2 glass shelves each 150 mm wide 1 switch socket element Door width: 314 mm / 396 mm This product contains a light source with energy efficiency class: G</p> <p>Additional accessories LED washbasin lighting</p>					P Z 1 0 6 3 9 0	



# Program 050 - model list

Depth indication corresponds to the carcass depth		Depth in mm	Width in mm	Height in mm	Article number			Hinge
<b>Mirror cabinets Series A</b>								
	<p><b>mirror cabinet</b>            3 mirror doors on wooden-plated            with 1 glass shelf each            1 flyover shelf with LED lighting            6,48 watt / converter 15 watt            499 lumens / 6000 Kelvin            with 2 glass shelves each            150 mm wide            1 switch socket element            Door width: 314 mm / 396 mm / 314 mm            This product contains a light source with energy efficiency class: G</p> <p>Additional accessories            LED washbasin lighting</p>	150	1300	656	S 2 A 4 2 1 3 S 1			
incl. handle blocks					P Z	1 0 6 3	1 2	
	<p><b>mirror cabinet</b>            2 mirror doors on wooden-plated            with 1 glass shelf each            1 flyover shelf with LED lighting            9,12 watt / converter 30 watt            2 x 351 lumens / 6000 Kelvin            3 mirror-finished shelf units            with 2 glass shelves each            outside 150 mm wide            middel 300 mm wide            1 switch socket element left            Door width: 546 mm / 546 mm            This product contains a light source with energy efficiency class: G</p> <p>Additional accessories            LED washbasin lighting (please order 2 pieces)</p>	150	1700	656	S 2 A 4 2 1 7 S 1			
incl. handle blocks					P Z	1 0 6 3	60	
<b>Mirror cabinets Series B</b>								
	<p><b>Mirror cabinet</b>            3 mirror doors on wooden-plated            2 central partitions,            3 glass shelves            2 LED light profiles at the sides            2 x 6 watt / converter 30 watt            2 x 462 lumens / 6000 Kelvin            1 switch socket element            Door width: 180 mm / 296 mm / 180 mm            This product contains a light source with energy efficiency class: G</p> <p>Additional accessories            LED washbasin lighting            lighting element 500 mm</p>	170	700	640	S 2 A 4 3 7 0 7 9			
incl. handle blocks					P Z	1 0 6 3	60	
					P Z	1 0 8 3	50	

# Program 050 - model list




Depth indication corresponds to the carcass depth		Depth in mm	Width in mm	Height in mm	Article number	Hinge
<b>Mirror cabinets Series B</b>						
 <p>incl. handle blocks</p>	<p><b>Mirror cabinet</b>            3 mirror doors on wooden-plated            2 central partitions,            3 glass shelves            2 LED light profiles at the sides            2 x 6 watt / converter 30 watt            2 x 462 lumens / 6000 Kelvin            1 switch socket element            Door width: 222 mm / 512 mm / 222 mm            This product contains a light source with energy efficiency class: G</p> <p>Additional accessories            LED washbasin lighting            lighting element 800 mm</p>	170	1000	640	<b>S 2 A 4 3 1 0 7 9</b>	
 <p>incl. handle blocks</p>	<p><b>Mirror cabinet</b>            3 mirror doors on wooden-plated            2 central partitions, 3 glass shelves            2 LED light profiles at the sides            2 x 6 watt / converter 30 watt            2 x 462 lumens / 6000 Kelvin            1 switch socket element            Door width: 372 mm / 512 mm / 372 mm            This product contains a light source with energy efficiency class: G</p> <p>Additional accessories            LED washbasin lighting            lighting element 800 mm</p>	170	1300	640	<b>S 2 A 4 3 1 3 7 9</b>	
 <p>incl. handle blocks</p>	<p><b>Mirror cabinet</b>            Consisting of 2 elements, each:            3 mirror doors on wooden-plated            2 central partitions, 3 glass shelves            2 LED light profiles at the sides            2 x 6 watt / converter 30 watt            2 x 462 lumens / 6000 Kelvin            1 switch socket element            1 shelf unit centred            mirrored back side            2 glass shelves            Door width: 180 mm / 296 mm / 180 mm -            180 mm / 296 mm / 180 mm            This product contains a light source with energy efficiency class: G</p> <p>Additional accessories            lighting element (please order 2 pieces)            LED washbasin lighting (please order 2 pieces)</p>	170	1700	640	<b>S 2 A 4 3 1 7 7 9</b>	

# Program 050 - model list

Depth indication corresponds to the carcass depth		Depth in mm	Width in mm	Height in mm	Article number	Hinge
<b>Sets</b>						
	<b>Consisting of:</b> washbasin, cast mineral, white, 712 mm Washbasin base unit 700 mm 1 metal pull out unit with buffered closing 1 drawer with buffered closing					
	<b>without LED lighting</b> <b>with LED lighting</b> 1 LED converter 12 V, 15 Watt 302 lumens / 6500 Kelvin incl. toggle switch at the side This product contains a light source with energy efficiency class: F  Additional accessories Space-saving drain stench trap DN 40 Space-saving drain stench trap DN 32 motion sensor for LED lighting	502 502	712 712	500 500	<b>SETLN70 1</b> <b>SETLN70B1</b>  P Z 1 3 6 7 P Z 1 4 2 3 P Z 1 1 4 1	
 III. = left	<b>Consisting of:</b> Cast mineral washbasin, white, 1012 mm Washbasin base unit, 1000 mm 1 metal pull out unit with buffered closing 1 drawer with buffered closing 1 door					
	<b>without LED lighting</b> <b>with LED lighting</b> 1 LED converter 12 V, 15 Watt 432 lumens / 6500 Kelvin incl. toggle switch at the side This product contains a light source with energy efficiency class: F  Additional accessories Space-saving drain stench trap DN 40 Space-saving drain stench trap DN 32 motion sensor for LED lighting	502 502	1012 1012	500 500	<b>SETLN10 1</b> <b>SETLN10B1</b>  P Z 1 3 6 7 P Z 1 4 2 3 P Z 1 1 4 1	L/R L/R

You find information on the the washbasin manufacturer at the beginning of the sales book.





# Program 050 - model list

	Depth in mm	Width in mm	Height in mm	Article number	Hinge
Depth indication corresponds to the carcass depth					
<b>Sets</b>					
 <p><b>Consisting of:</b> washbasin mineral, white, 1312 mm Washbasin base unit 1300 mm 1 metal pull out unit with buffered closing 1 drawer with buffered closing 2 doors left and right</p> <p><b>without LED lighting</b></p> <p><b>with LED lighting</b> 1 LED converter 12 V, 15 Watt 562 lumens / 6500 Kelvin incl. toggle switch at the side This product contains a light source with energy efficiency class: F</p> <p>Additional accessories Space-saving drain stench trap DN 40 Space-saving drain stench trap DN 32 motion sensor for LED lighting</p>	502	1312	500	<b>SETLN13 1</b>	
	502	1312	500	<b>SETLN13B1</b>	
 <p><b>Consisting of:</b> washbasin mineral, white, 1712 mm 2 washstand base units, 1000 mm + 700 mm, each: 1 metal pull out unit with buffered closing 1 drawer with buffered closing 1 door central</p> <p><b>without LED lighting</b></p> <p><b>with LED lighting</b> 1 LED converter 12 V, 15 Watt 734 lumens / 6500 Kelvin incl. toggle switch at the side This product contains a light source with energy efficiency class: F</p> <p>Additional accessories Space-saving drain stench trap DN 40 (order 2 pieces) Space-saving drain stench trap DN 32 (order 2 pieces) motion sensor for LED lighting</p>	502	1712	500	<b>SETLN17 1</b>	L/R
	502	1712	500	<b>SETLN17B1</b>	L/R
 <p><b>Washbasin base unit</b> 2 doors 1 top cover 330 mm deep with syphon cut-out (depth: 240 mm, width: 80 mm) grain pattern vertical</p> <p>for free hanging washbasin</p>	300	600	496	<b>WUA3160 A</b>	

You find information on the the washbasin manufacturer at the beginning of the sales book.






# Program 050 - model list

Depth indication corresponds to the carcass depth








		Depth in mm	Width in mm	Height in mm	Article number			Hinge
<b>Tall units</b>								
	<b>Tall unit</b> 1 door 4 glass shelves 1 drawer with buffered closing 1 pull-out with buffered closing	300	300	1600	<b>HNA0830</b>	<b>5</b>	L/R	
			300	400	1600	<b>HNA0840</b>	<b>5</b>	L/R
	<b>Tall unit</b> 2 doors 4 glass shelves 1 drawer with buffered closing 1 pull-out with buffered closing	300	600	1600	<b>HNA0860</b>	<b>5</b>		
	<b>Tall unit</b> 1 door 1 glass shelf (top) 1 open compartment 1 drawer with buffered closing 1 door 1 glass shelf	300	300	1600	<b>HNA023001</b>		L/R	
			300	400	1600	<b>HNA024001</b>		L/R
	<b>Tall unit</b> 2 doors 1 glass shelf (top) 1 open compartment 1 drawer with buffered closing 2 doors 1 glass shelf	300	600	1600	<b>HNA026001</b>			










# Program 050 - model list

Depth indication corresponds to the carcass depth		Depth in mm	Width in mm	Height in mm	Article number	Hinge
<b>Tall unit-shelf</b>						
	<b>Tall unit-shelf</b> with open shelf space in carcass colour	150	300	1600	<b>R G 1 0 3 0 0 1</b>	
	<b>Tall unit-shelf</b> with mirror surface 4 shelves compartments in carcass colour	150	300	1600	<b>R G 1 0 3 0 0 2</b>	
	<b>Tall unit-shelf</b> 4 functional hooks 4 shelves compartments in carcass colour	150	300	1600	<b>R G 1 0 3 0 0 3</b>	
<b>Central units</b>						
	<b>medium-high unit</b> 1 door 2 glass shelves (top) 1 drawer with buffered closing 1 pull-out with buffered closing 1 top cover 325 mm deep	300 300	300 400	1296 1296	<b>M N A 8 8 3 A 0 1</b> <b>M N A 8 8 4 A 0 1</b>	L/R L/R
	<b>medium-high unit</b> 2 doors 2 glass shelves (top) 1 drawer with buffered closing 1 pull-out with buffered closing 1 top cover 325 mm deep	300	600	1296	<b>M N A 8 8 6 A 0 1</b>	






# Program 050 - model list

Depth indication corresponds to the carcass depth		Depth in mm	Width in mm	Height in mm	Article number	Hinge
<b>Central units</b>						
	<b>medium-high unit</b> 1 door 4 glass shelves 1 top cover 325 mm deep	300	300	1296	<b>M N A 8 1 3 A 0 1</b>	L/R
		300	400	1296	<b>M N A 8 1 4 A 0 1</b>	L/R
	<b>medium-high unit</b> 2 doors 4 glass shelves 1 top cover 325 mm deep	300	600	1296	<b>M N A 8 1 6 A 0 1</b>	
<b>Highboards</b>						
	<b>Highboard</b> 1 door 1 glass shelf 1 top cover 325 mm deep	300	300	656	<b>H B A 4 1 3 A 0 1</b>	L/R
		300	400	656	<b>H B A 4 1 4 A 0 1</b>	L/R
	<b>Highboard</b> 2 doors 1 glass shelf 1 top cover 325 mm deep	300	600	656	<b>H B A 4 1 6 A 0 1</b>	
	<b>Highboard with laundry basket</b> 1 laundry basket with wire basket 1 top cover 325 mm deep					
	Volume of laundry basket: 25 liters	300	300	656	<b>H B A 4 1 3 W 0 1</b>	
	Volume of laundry basket: 35 liters	300	400	656	<b>H B A 4 1 4 W 0 1</b>	
	<b>Highboard with laundry basket</b> 1 laundry basket with wire basket 1 top cover 325 mm deep					
	Volume of laundry basket: 55 liters	300	600	656	<b>H B A 4 1 6 W 0 1</b>	
	<b>Highboard</b> 1 drawer with buffered closing 1 door 1 glass shelf 1 top cover 325 mm deep	300	300	816	<b>H B A 5 5 3 A 0 1</b>	L/R
		300	400	816	<b>H B A 5 5 4 A 0 1</b>	L/R









# Program 050 - model list

Depth indication corresponds to the carcass depth		Depth in mm	Width in mm	Height in mm	Article number	Hinge
<b>Highboards</b>						
	<b>Highboard</b> 1 drawer with buffered closing 2 doors 1 glass shelf 1 top cover 325 mm deep	300	600	816	<b>HBA556A01</b>	
	<b>Highboard with laundry basket</b> 1 drawer with buffered closing 1 laundry basket with wire basket 1 top cover 325 mm deep  Volume of laundry basket: 25 liters  Volume of laundry basket: 35 liters	300	300	816	<b>HBA553W01</b>	
	<b>Highboard with laundry basket</b> 1 drawer with buffered closing 1 laundry basket with wire basket 1 top cover 325 mm deep  Volume of laundry basket: 55 liters	300	600	816	<b>HBA556W01</b>	
<b>Wall units</b>						
	<b>Wall unit</b> 1 door 1 glass shelf	150	300	640	<b>OGA4130</b>	L/R
		150	400	640	<b>OGA4140</b>	L/R
	<b>Wall unit</b> 2 doors 1 glass shelf	150	600	640	<b>OGA4160</b>	
<b>Base units</b>						
	<b>Base unit</b> 1 drawer with buffered closing 1 pull-out with buffered closing incl. drawer rail 1 top cover 325 mm deep	300	300	496	<b>UNA343A01</b>	
		300	400	496	<b>UNA344A01</b>	
	<b>Base unit</b> 1 drawer with buffered closing 1 pull-out with buffered closing incl. drawer rail 1 top cover 325 mm deep	300	600	496	<b>UNA346A01</b>	





# Program 050 - model list

Depth indication corresponds to the carcass depth		Depth in mm	Width in mm	Height in mm	Article number			Hinge
<b>Shelves</b>								
	<b>functional shelf</b> Edges are cut with a mitre vertical and horizontal mounting possible  please indicate colour version: no. 501 white matt lacquered no. 547 black matt lacquered	150	300	160	R	G	L 1 1 3 0 0 1	
	<b>functional shelf</b> Edges are cut with a mitre vertical and horizontal mounting possible  please indicate colour version: no. 501 white matt lacquered no. 547 black matt lacquered	150	600	160	R	G	L 1 1 6 0 0 2	
	<b>functional shelf</b> Edges are cut with a mitre vertical and horizontal mounting possible  please indicate colour version: no. 501 white matt lacquered no. 547 black matt lacquered	150	900	160	R	G	L 1 1 9 0 0 3	
<b>Glass shelves</b>								
	<b>Glass shelf</b> incl. metal holder  <b>400 mm wide</b> incl. 2 metal brackets  <b>600 mm wide</b> incl. 2 metal brackets  <b>700 mm wide</b> incl. 2 metal brackets  <b>1000 mm wide</b> incl. 3 metal brackets	130	400	8	A	B	G 1 3 4 0 0 8	
		130	600	8	A	B	G 1 3 6 0 0 8	
		130	700	8	A	B	G 1 3 7 0 0 8	
		130	1000	8	A	B	G 1 3 1 0 0 8	
<b>Accessories</b>								
	<b>Towel holder</b> chrome gloss front opened to fit on carcass at side  Please observe carcass depth and furniture height	380	50	10	P	Z	1 1 2 7 4 5	

## Program 050 - model list


Depth indication corresponds to the carcass depth		Depth in mm	Width in mm	Height in mm	Article number			Hinge
<b>Accessories</b>								
	<b>Towel holder</b> one-armed extendable Chrome hgl. wall-mounted	330-567	44	44	P Z	1 1 3 7	1	
	<b>Towel holder</b> two-armed extendable Chrome hgl. wall-mounted	322-562	87	47	P Z	1 1 3 7	2	
	<b>Cosmetic mirror</b> 2-times magnified vacuum cup and fixation metal fixing bracket chrome	30	150	150	P Z	1 2 3 3		
	<b>Touch LED Dimmer</b> for LED mirror cabinets and lightings				P Z	1 0 5 7		
	<b>Motion sensor</b> for LED lighting of washbasins or washbasin base units Term and sensitivity of lighting are adjustable	20	88	45	P Z	1 1 4 1		
	<b>LED lighting element</b> Width: 500 mm 4,56 watt / 351 lumens / 6000 Kelvin This product contains a light source with energy efficiency class: G	94	500	44	P Z	1 0 8 3 5 0		
	<b>LED lighting element</b> Width: 800 mm 7,44 watt / 573 lumens / 6000 Kelvin This product contains a light source with energy efficiency class: G	94	800	44	P Z	1 0 8 3 8 0		
	<b>LED washbasin lighting</b> 2,4 Watt / 168 lumens / 6500 Kelvin 1 switch element to fit underneath mirror cabinet This product contains a light source with energy efficiency class: G  not suitable with Emotion lighting	10	560	10	P Z	1 0 6 3 6 0		

# Program 050 - model list


Depth indication corresponds to the carcass depth		Depth in mm	Width in mm	Height in mm	Article number			Hinge
<b>Accessories</b>								
	<p><b>LED washbasin lighting</b>            3,9 Watt / 287 lumens / 6500 Kelvin            1 switch element            to fit underneath mirror cabinet            This product contains a light source with energy efficiency class: G</p> <p>not suitable with Emotion lighting</p>	10	860	10	P Z	1 0 6 3 9 0		
	<p><b>LED washbasin lighting</b>            5,3 Watt / 371 lumens / 6500 Kelvin            1 switch element            to fit underneath mirror cabinet            This product contains a light source with energy efficiency class: G</p> <p>not suitable with Emotion lighting</p>	10	1160	10	P Z	1 0 6 3 1 2		
	<p><b>Space-saving drain stench trap from GEBERIT</b>            made of plastic, in white            nominal diameter: 40</p>				P Z	1 3 6 7		
	<p><b>Space-saving drain stench trap from GEBERIT</b>            made of plastic, in white            nominal diameter: 32</p>				P Z	1 4 2 3		

# Program 050 - dimensional drawings


SET LN70




SET LN10 L




SET LN10 R




SET LN13



SET LN17



## electrical connections for mirror cabinets



### Modifications:

Technical modifications (+/- 5mm) and flatness modifications (DIN 18202) are subject of the usual material-specific modifications for construction materials, based on DIN 18202.