Washbasin colours

STONEPLUS washbasins

No. 61
white

STONEPLUS®

New, harder, easy-care surface.

Glass washbasin

no. 82
optiwhite

no. 92
optiwhite matt

no. 98
black matt

Ceramic counter top washbasin

Málaga

no. 1
white

Handle versions

No. 329
Strip handle chrome

handle lenght 194 mm / 294 mm / 494 mmm

no. 338
Strip handle aluminium matt

handle lenght 194 mm / 294 mm / 494 mmm

No. 339
Strip handle black matt

handle lenght 194 mm / 294 mm / 494 mmm

Technique

door with integrated buffered closing

Pull outs and drawers

No. 554

Illustrations and specifications are without obligation. Technical modifications reserved.

2022/2023 - ID

Please note the instruction for warranty, mounting and care, and the quality agreements as well, at the beginning of the book.

Program 070 - model list

Depth indication corresponds to the carcass depth

Washbasins

	Depth in mm	Width in mm	Height in mm	Article number	Hinge
washbasin 1200 mm 1 tap hole incl. CLOU drain and overflow system can be combined with SET 2912 3M/B					
STONEPLUS - washbasin white	500	1232	12	**WMS 2312 61**	
Glass washbasin optiwhite	500	1232	12	**WGS 2312 82**	
Glass washbasin optiwhite matt	500	1232	12	**WGS 2312 92**	
Glass washbasin black matt	500	1232	12	**WGS 2312 98**	
Additional accessories Neutrally bonding silicone for glass washbasins Surcharge for washbasins without tap-hole or with 3 holes (according to sketch)				PZ 1235	
Double washbasin 1400 mm 2 tap holes incl. 2 CLOU drain and overflow systems can be combined with SET 2914 3M/B					
STONEPLUS - washbasin white	500	1432	12	**WMS 234D 61**	
Glass washbasin optiwhite	500	1432	12	**WGS 234D 82**	
Glass washbasin optiwhite matt	500	1432	12	**WGS 234D 92**	
Glass washbasin black matt	500	1432	12	**WGS 234D 98**	
Additional accessories Neutrally bonding silicone for glass washbasins Surcharge for washbasins without tap-hole or with 3 holes (according to sketch)				PZ 1235	

Washbasin base units for washbasins

	Depth in mm	Width in mm	Height in mm	Article number	Hinge
Washbasin base unit round for washbasins 1 metal pull out unit with buffered closing side doubling 10 mm each					
without LED lighting	492	620	316	**SET 2960 3M**	
with LED lighting 2,64 Watt / converter 15 Watt 211 lumens / 6000 Kelvin 1 motion sensor This product contains a light source with energy efficien- cy class: G	492	620	316	**SET 2960 3B**	
for washbasins Additional accessories Design installationsset chrome:				PZ 1389 1E	
Space-producing drain stench trap DN 32				PZ 1407	

You find information on the the washbasin manufacturer at the beginning of the sales book.
***Delivery time: 8 weeks. Price per washbasin. Washbasin without tap hole is incompatible with CLOU System. Please check your order confirmation for correctness.**

Program 070 - model list

Depth indication corresponds to the carcass depth

Washbasin base units for washbasins

	Depth in mm	Width in mm	Height in mm	Article number	Hinge
Washbasin base unit round for washbasins 1 metal pull out unit with buffered closing side doubling 10 mm each					
without LED lighting	492	920	316	**S E T 2 9 9 0 3 M**	
with LED lighting 2,64 Watt / converter 15 Watt 211 lumens / 6000 Kelvin 1 motion sensor This product contains a light source with energy efficiency class: G	492	920	316	**S E T 2 9 9 0 3 B**	
Additional accessories					
Design installationsset chrome:				P Z 1 3 8 9 1 E	
Space-producing drain stench trap DN 32				P Z 1 4 0 7	
Washbasin base unit round for washbasins 1 metal pull out unit with buffered closing side doubling 10 mm each					
without LED lighting	492	1220	316	**S E T 2 9 1 2 3 M**	
with LED lighting 2,64 Watt / converter 15 Watt 211 lumens / 6000 Kelvin 1 motion sensor This product contains a light source with energy efficiency class: G	492	1220	316	**S E T 2 9 1 2 3 B**	
Additional accessories					
Design installationsset chrome:				P Z 1 3 8 9 1 E	
Space-producing drain stench trap DN 32				P Z 1 4 0 7	
 **Washbasin base unit round** **for double washbasin solutions** for washbasins 2 metal pull out units with buffered closing and syphon cut- out side doubling 10 mm each					
without LED lighting	492	1420	316	**S E T 2 9 1 4 3 M**	
with LED lighting 2,64 Watt / converter 15 Watt 211 lumens / 6000 Kelvin 1 motion sensor This product contains a light source with energy efficiency class: G	492	1420	316	**S E T 2 9 1 4 3 B**	
Additional accessories					
Design installationsset chrome (order 2 pieces)				P Z 1 3 8 9 1 E	
Space-producing drain stench trap DN 32 (order 2 pieces)				P Z 1 4 0 7	

You find information on the the washbasin manufacturer at the beginning of the sales book.
Please observe suitable accessories in the separate index.

Program 070 - model list

Depth indication corresponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Article number	Hinge
Ceramic counter top washbasin					
ceramic counter too Málaga white incl. tap hole with overflow	420	550	95	**WTA 4255 1**	
Matching washstand cutout				**AUS 42552 8**	
Washbasin plates					
washbasin plate with ABS edge **Width 626 mm** for 1 cutout central	495	626	28	**APA 50606 3**	
Width 926 mm for 1 cutout central	495	926	28	**APA 50906 3**	
Width 1226 mm for 1 cutout central	495	1226	28	**APA 50126 3**	
Width 1426 mm for 2 cutouts left and right	495	1426	28	**APA 50146 3**	
Please note the additional price for washbasin cutouts.					
Washbasin base units for counter top washbasins and washbasin plates					
Washbasin base unit round for counter top washbasins at washbasin plates 1 metal pull out unit with buffered closing side doubling 10 mm each					
without LED lighting	492	620	316	**SET 29602 M**	
with LED lighting 2,64 Watt / converter 15 Watt 211 lumens / 6000 Kelvin 1 motion sensor This product contains a light source with energy efficiency class: G	492	620	316	**SET 29602 B**	
Additional accessories Design installationsset chrome: Space-producing drain stench trap DN 32				 PZ 1389 1E PZ 1407	

You find information on the the washbasin manufacturer at the beginning of the sales book.
Please observe suitable accessories in the separate index.

Program 070 - model list

Depth indication corresponds to the carcass depth

Washbasin base units for counter top wash-basins and washbasin plates

	Depth in mm	Width in mm	Height in mm	Article number	Hinge
Washbasin base unit round for counter top washbasins at washbasin plates 1 metal pull out unit with buffered closing side doubling 10 mm each					
without LED lighting	492	920	316	**S E T 2 9 9 0 2 M**	
with LED lighting 2,64 Watt / converter 15 Watt 211 lumens / 6000 Kelvin 1 motion sensor This product contains a light source with energy efficiency class: G	492	920	316	**S E T 2 9 9 0 2 B**	
Additional accessories					
Design installationsset chrome:				P Z 1 3 8 9 1 E	
Space-producing drain stench trap DN 32				P Z 1 4 0 7	
Washbasin base unit round for counter top washbasins at washbasin plates 1 metal pull out unit with buffered closing side doubling 10 mm each					
without LED lighting	492	1220	316	**S E T 2 9 1 2 2 M**	
with LED lighting 2,64 Watt / converter 15 Watt 211 lumens / 6000 Kelvin 1 motion sensor This product contains a light source with energy efficiency class: G	492	1220	316	**S E T 2 9 1 2 2 B**	
Additional accessories					
Design installationsset chrome:				P Z 1 3 8 9 1 E	
Space-producing drain stench trap DN 32				P Z 1 4 0 7	
 **Washbasin base unit round** **for double washbasin solutions** for counter top washbasins at washbasin plates 2 metal pull out units with buffered closing and syphon cut- out side doubling 10 mm each					
without LED lighting	492	1420	316	**S E T 2 9 1 4 2 M**	
with LED lighting 2,64 Watt / converter 15 Watt 211 lumens / 6000 Kelvin 1 motion sensor This product contains a light source with energy efficiency class: G	492	1420	316	**S E T 2 9 1 4 2 B**	
Additional accessories					
Design installationsset chrome (order 2 pieces)				P Z 1 3 8 9 1 E	
Space-producing drain stench trap DN 32 (order 2 pieces)				P Z 1 4 0 7	

Please observe suitable accessories in the separate index.

Program 070 - model list

Depth indication corresponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Article number	Hinge		
Counter tops							
top cover for assembling underneath the washbasin base unit Please position the drillings of brackets depending on the water supply line.							
620 mm wide incl. 2 wall fixings	400	620	28	**A U W 4 0 6 2 2 8**			
920 mm wide incl. 2 wall fixings	400	920	28	**A U W 4 0 9 2 2 8**			
1220 mm wide incl. 3 wall fixings	400	1220	28	**A U W 4 0 1 2 2 8**			
1420 mm wide incl. 3 wall fixings	400	1420	28	**A U W 4 0 1 4 2 8**			
System shelf							
 **System shelf** metal frame in black matt 4 fixed wooden shelves Depth: 200 mm, 240 mm, 280 mm, 320 mm variable in width Width from both outer edges of the frame	320	300-600	1600	**R G M 1 6 0 V 0 1**			
Tall unit-shelf							
 **Tall unit-shelf** 1 door with mirror surface 3 fixed wooden shelves in carcass colour	150	400	1600	**H O G 1 0 4 0 0 1**	L/R		

Ill. = left

Please observe suitable accessories in the separate index.

Program 070 - model list

Depth indication corresponds to the carcass depth

Tall unit-shelf

	Depth in mm	Width in mm	Height in mm	Article number			Hinge
 **Tall unit-shelf** with open shelf space in carcass colour	150	300	1600	**R G**	**1 0 3 0**	**0 1**	
 **Tall unit-shelf** with mirror surface 4 shelves compartments in carcass colour	150	300	1600	**R G**	**1 0 3 0**	**0 2**	
 **Tall unit-shelf** 4 functional hooks 4 shelves compartments in carcass colour	150	300	1600	**R G**	**1 0 3 0**	**0 3**	

Tall units

	Depth in mm	Width in mm	Height in mm	Article number			Hinge
 **Tall unit** 1 door 2 glass shelves (top) 2 metal pull-outs with buffered closing 1 drawer with buffered closing 1 top cover 330 mm deep	300 300	300 400	1628 1628	**H N A** **H N A**	**0 9 3 A** **0 9 4 A**	**7 M** **7 M**	L/R L/R
 **Tall unit** 2 doors 2 glass shelves (top) 2 metal pull-outs with buffered closing 1 drawer with buffered closing 1 top cover 330 mm deep	300	600	1628	**H N A**	**0 9 6 A**	**7 M**	

Program 070 - model list

Depth indication corresponds to the carcass depth

Tall units

	Depth in mm	Width in mm	Height in mm	Article number	Hinge
 **Tall unit** 2 doors 2 glass shelves (top) 2 adjustable shelves (bottom) 1 top cover 330 mm deep	300	300	1628	**H N A 0 3 3 A 7**	L/R
	300	400	1628	**H N A 0 3 4 A 7**	L/R
Variable in width: please quote the exact dimension of carcass depth. Top cover will be adapted to the cupboard width.	150-299	300	1628	**H V A 0 3 3 0**	L/R
	150-299	400	1628	**H V A 0 3 4 0**	L/R
 **Tall unit** 4 doors 2 glass shelves (top) 2 adjustable shelves (bottom) 1 top cover 330 mm deep	300	600	1628	**H N A 0 3 6 A 7**	
Variable in width: please quote the exact dimension of carcass depth. Top cover will be adapted to the cupboard width.	150-299	600	1628	**H V A 0 3 6 0**	
 **Tall unit for brooms** 2 strapped doors 5 glass shelves 1 top cover 330 mm deep	300	300	1628	**H N A 0 3 3 A 7 1**	L/R
	300	400	1628	**H N A 0 3 4 A 7 1**	L/R
 **Tall unit for brooms** 2 strapped doors left 2 strapped doors right 5 continuously glass shelves 1 top cover 330 mm deep	300	600	1628	**H N A 0 3 6 A 7 1**	
 **Tall unit** 1 door 1 glass shelf (top) 1 open compartment 1 drawer with buffered closing 1 door 1 glass shelf 1 top cover 330 mm deep	300	300	1628	**H N A 0 2 3 A 7 1**	L/R
	300	400	1628	**H N A 0 2 4 A 7 1**	L/R

Please observe suitable accessories in the separate index.

Program 070 - model list

Depth indication corresponds to the carcass depth

Tall units

	Depth in mm	Width in mm	Height in mm	Article number	Hinge
 **Tall unit** 2 doors 1 glass shelf (top) 1 open compartment 1 drawer with buffered closing 2 doors 1 glass shelf 1 top cover 330 mm deep	300	600	1628	**H N A 0 2 6 A 7 1**	
 **Tall unit** 1 door 1 glass shelf (top) 1 open compartment 1 door 1 glass shelf 1 top cover 330 mm deep	300 300	300 400	1628 1628	**H N A 0 2 3 A 7 2** **H N A 0 2 4 A 7 2**	L/R L/R
 **Tall unit** 2 doors 1 glass shelf (top) 1 open compartment 2 doors 1 glass shelf 1 top cover 330 mm deep	300	600	1628	**H N A 0 2 6 A 7 2**	
 **Tall unit** 1 door 1 glass shelf (top) 2 metal pull-outs with buffered closing, 1 door 1 glass shelf 1 top cover 330 mm deep	300 300	300 400	1628 1628	**H N A 0 4 3 A 7 1** **H N A 0 4 4 A 7 1**	L/R L/R
 **Tall unit** 2 doors 1 glass shelf (top) 2 metal pull-outs with buffered closing, 2 doors 1 glass shelf 1 top cover 330 mm deep	300	600	1628	**H N A 0 4 6 A 7 1**	

Please observe suitable accessories in the separate index.

Program 070 - model list

Depth indication corresponds to the carcass depth

Tall units

	Depth in mm	Width in mm	Height in mm	Article number	Hinge
 **Tall unit** 1 door 2 glass shelves (top) 1 drawer with buffered closing 1 door 1 glass shelf 1 top cover 330 mm deep	300	300	1628	**H N A 0 5 3 A 7 M**	L/R
	300	400	1628	**H N A 0 5 4 A 7 M**	L/R
 **Tall unit** 2 doors 2 glass shelves (top) 1 drawer with buffered closing 2 doors 1 glass shelf 1 top cover 330 mm deep	300	600	1628	**H N A 0 5 6 A 7 M**	
 **Tall unit with laundry basket** 1 door 2 glass shelves 1 drawer with buffered closing 1 laundry basket with wire basket 1 top cover 330 mm deep					
Volume of laundry basket: 25 liters	300	300	1628	**H N A 0 5 3 A 7 W**	L/R
Volume of laundry basket: 35 liters	300	400	1628	**H N A 0 5 4 A 7 W**	L/R
 **Tall unit with laundry basket** 2 doors 2 glass shelves 1 drawer with buffered closing 1 laundry basket with wire basket 1 top cover 330 mm deep					
Volume of laundry basket: 55 liters	300	600	1628	**H N A 0 5 6 A 7 W**	
 **Tall unit with laundry pull out** 2 doors 2 glass shelves (top) 1 drawer with buffered closing 2 doors 1 laundry pull out with wire basket 1 top cover 330 mm deep					
Volume of laundry pull out: 40 liters	300	600	1628	**H N A 0 5 6 A 1 W**	

Please observe suitable accessories in the separate index.

Program 070 - model list

Depth indication corresponds to the carcass depth

medium-high unit-shelf

	Depth in mm	Width in mm	Height in mm	Article number	Hinge
 Ill. = left **medium-high unit** 1 door in carcass colour 300 mm widh 2 fixed wooden shelves in carcass colour	150	400	1280	**M O G 8 1 4 0 0 1**	L/R

Central units

	Depth in mm	Width in mm	Height in mm	Article number	Hinge
 **medium-high unit** 1 door 2 glass shelves (top) 1 metal pull-out with buffered closing, 1 drawer with buffered closing 1 top cover 330 mm deep	300	300	1308	**M N A 8 8 3 A 7 M**	L/R
	300	400	1308	**M N A 8 8 4 A 7 M**	L/R
 **medium-high unit** 2 doors 2 glass shelves (top) 1 metal pull-out with buffered closing, 1 drawer with buffered closing 1 top cover 330 mm deep	300	600	1308	**M N A 8 8 6 A 7 M**	
 **medium-high unit** 1 door 4 glass shelves 1 top cover 330 mm deep	300	300	1308	**M N A 8 1 3 A 7**	L/R
	300	400	1308	**M N A 8 1 4 A 7**	L/R
Variable in width: please quote the exact dimension of carcass depth. Top cover will be adapted to the cupboard width.	150-299	300	1308	**M V A 8 1 3 0**	L/R
	150-299	400	1308	**M V A 8 1 4 0**	L/R
 **medium-high unit** 2 doors 4 glass shelves 1 top cover 330 mm deep	300	600	1308	**M N A 8 1 6 A 7**	
Variable in width: please quote the exact dimension of carcass depth. Top cover will be adapted to the cupboard width.	150-299	600	1308	**M V A 8 1 6 0**	
 **medium-high unit with inside drawers** 1 door 2 inside metal-drawer with buffered closing 1 glass shelf 1 top cover 330 mm deep	300	300	1308	**M N A 8 4 3 A 7**	L/R
	300	400	1308	**M N A 8 4 4 A 7**	L/R

Please observe suitable accessories in the separate index.

Program 070 - model list

Depth indication corresponds to the carcass depth

Central units

	Depth in mm	Width in mm	Height in mm	Article number			Hinge
 1280 **medium-high unit with inside drawers** 2 doors 2 continuously inside metal-drawer with buffered closing 1 glass shelf 1 top cover 330 mm deep	300	600	1308	**M N A**	**8 4 6 A**	**7**	
 640 640 **medium-high unit with laundry pull out** 2 doors 1 glass shelf (top) 2 doors 1 laundry pull out with wire basket Volume of laundry pull out: 40 liters 1 top cover 330 mm deep	300	600	1308	**M N A**	**8 3 6 A**	**1 W**	

Highboards

	Depth in mm	Width in mm	Height in mm	Article number			Hinge
 800 **Highboard** 1 door 2 glass shelves 1 top cover 330 mm deep	300	300	828	**H B A**	**5 1 3 A**	**7**	L/R
	300	400	828	**H B A**	**5 1 4 A**	**7**	L/R
Variable in width: please quote the exact dimension of carcass depth. Top cover will be adapted to the cupboard width.	150-299	300	828	**H B V**	**A 5 1 3**		L/R
	150-299	400	828	**H B V**	**A 5 1 4**		L/R
 800 **Highboard** 2 doors 2 glass shelves 1 top cover 330 mm deep	300	600	828	**H B A**	**5 1 6 A**	**7**	
Variable in width: please quote the exact dimension of carcass depth. Top cover will be adapted to the cupboard width.	150-299	600	828	**H B V**	**A 5 1 6**		
 800 **Highboard with laundry pull out** 2 doors 1 laundry pull out with wire basket 1 top cover 330 mm deep Volume of laundry pull out: 40 liters	300	600	828	**H B A**	**5 1 6 A**	**1 W**	
 160 320 320 **Highboard** 1 drawer with buffered closing 2 metal pull-outs with buffered closing 1 top cover 330 mm deep	300	300	828	**H B A**	**5 6 3 A**	**7 M**	
	300	400	828	**H B A**	**5 6 4 A**	**7 M**	

Please observe suitable accessories in the separate index.

Program 070 - model list

Depth indication corresponds to the carcass depth

Highboards

	Depth in mm	Width in mm	Height in mm	Article number	Hinge
 **Highboard** 1 drawer with buffered closing 2 metal pull-outs with buffered closing 1 top cover 330 mm deep	300	600	828	**H B A 5 6 6 A 7 M**	
 **Highboard** 1 drawer with buffered closing 1 door 1 glass shelf 1 top cover 330 mm deep	300	300	828	**H B A 5 5 3 A 7 M**	L/R
	300	400	828	**H B A 5 5 4 A 7 M**	L/R
 **Highboard** 1 drawer with buffered closing 2 doors 1 glass shelf 1 top cover 330 mm deep	300	600	828	**H B A 5 5 6 A 7 M**	
 **Highboard with laundry basket** 1 drawer with buffered closing 1 laundry basket with wire basket 1 top cover 330 mm deep					
Volume of laundry basket: 25 liters	300	300	828	**H B A 5 5 3 A 7 W**	
Volume of laundry basket: 35 liters	300	400	828	**H B A 5 5 4 A 7 W**	
 **Highboard with laundry basket** 1 drawer with buffered closing 1 laundry basket with wire basket 1 top cover 330 mm deep					
Volume of laundry basket: 55 liters	300	600	828	**H B A 5 5 6 A 7 W**	
 **Highboard with laundry pull out** 1 drawer with buffered closing 2 doors 1 laundry pull out with wire basket 1 top cover 330 mm deep					
Volume of laundry pull out: 40 liters	300	600	828	**H B A 5 5 6 A 1 W**	

Wall units

	Depth in mm	Width in mm	Height in mm	Article number	Hinge
 **Wall unit** 1 door 1 glass shelf 1 top cover 180 mm deep	150	300	668	**O G A 4 1 3 A 7**	L/R
	150	400	668	**O G A 4 1 4 A 7**	L/R
Variable in width: please quote the exact dimension of carcass depth. Top cover will be adapted to the cupboard width.	151-300	300	668	**O V A 4 1 3 0**	L/R
	151-300	400	668	**O V A 4 1 4 0**	L/R

Please observe suitable accessories in the separate index.

Program 070 - model list

Depth indication corresponds to the carcass depth

Wall units

	Depth in mm	Width in mm	Height in mm	Article number	Hinge
 **Wall unit** 2 doors 1 glass shelf 1 top cover 180 mm deep	150	600	668	**O G A 4 1 6 A 7**	
Variable in width: please quote the exact dimension of carcass depth. Top cover will be adapted to the cupboard width.	151-300	600	668	**O V A 4 1 6 0**	
 **Wall unit** 1 flap door, 1 top cover 260 mm deep	230	600	348	**O M A 2 1 6 A 7 K**	

Base units

	Depth in mm	Width in mm	Height in mm	Article number	Hinge
Base unit 1 drawer with buffered closing 1 door 1 top cover 330 mm deep	300	300	508	**U N A 3 2 3 A 7 M**	L/R
	300	400	508	**U N A 3 2 4 A 7 M**	L/R
 **Base unit** 1 drawer with buffered closing 2 doors 1 top cover 330 mm deep	300	600	508	**U N A 3 2 6 A 7 M**	
 **Base unit** 1 drawer with buffered closing 1 metal pull-out with buffered closing, 1 top cover 330 mm deep	300	300	508	**U N A 3 4 3 A 7 M**	
	300	400	508	**U N A 3 4 4 A 7 M**	
 **Base unit** 1 drawer with buffered closing 1 metal pull-out with buffered closing, 1 top cover 330 mm deep	300	600	508	**U N A 3 4 6 A 7 M**	
 **Base unit** 1 flap door, 1 top cover 260 mm deep	230	600	348	**U M A 2 1 6 A 7 K**	

Please observe suitable accessories in the separate index.

Program 070 - model list

Depth indication corresponds to the carcass depth

Trolleys

	Depth in mm	Width in mm	Height in mm	Article number	Hinge		
Trolley 2 compartments compartments widths: 275 mm 4 roles incl. height indication rolls (100 mm)	400	600	340	**R O W 1 1 6 0 0 2**			
Trolley 3 compartments compartments widths: 278 mm 5 roles incl. height indication rolls (100 mm)	400	900	340	**R O W 1 1 9 0 0 3**			
Trolley 4 compartments compartments widths: 278 mm 5 roles incl. height indication rolls (100 mm)	400	1200	340	**R O W 1 1 1 2 0 4**			
Trolley 5 compartments compartments widths: 278 mm 5 roles incl. height indication rolls (100 mm)	400	1400	340	**R O W 1 1 1 4 0 5**			
Storage box gris foldable 1 Eingrifföse	255	255	200	**P Z 1 1 5 3 0 1**			

Shelves

	Depth in mm	Width in mm	Height in mm	Article number	Hinge		
functional shelf Edges are cut with a mitre veritcal and horizontal mounting possible please indicate colour version: no. 501 white matt lacquered no. 547 black matt lacquered	150	300	160	**R G L 1 1 3 0 0 1**			
 **functional shelf** Edges are cut with a mitre veritcal and horizontal mounting possible please indicate colour version: no. 501 white matt lacquered no. 547 black matt lacquered	150	600	160	**R G L 1 1 6 0 0 2**			
 **functional shelf** Edges are cut with a mitre veritcal and horizontal mounting possible please indicate colour version: no. 501 white matt lacquered no. 547 black matt lacquered	150	900	160	**R G L 1 1 9 0 0 3**			

Please observe suitable accessories in the separate index.

Program 070 - model list

Depth indication corresponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Article number	Hinge
Laundryrolli					
 **Laundryrolli** 1 flap door, with buffered closing 1 take-out laundry-bag, washable 4 roles Colour version corresponds to the carcass colour incl. height indication rolls (100 mm)	470	470	756	**W R S 4 0 4 7**	
Benches					
 **Bench** 1 shelf 1 seat cushion in imitation leather Colour version corresponds to the carcass colour					
cushion in creamy-white	450	600	508	**S E T B A N K 6 W**	
cushion in black	450	600	508	**S E T B A N K 6 S**	
 **Bench** 2 shelves 1 seat cushion in imitation leather Colour version corresponds to the carcass colour					
cushion in creamy-white	450	900	508	**S E T B A N K 9 W**	
cushion in black	450	900	508	**S E T B A N K 9 S**	
Glass shelfs					
Glass shelf incl. metal holder					
400 mm wide incl. 2 metal brackets	130	400	8	**A B G 1 3 4 0 0 8**	
600 mm wide incl. 2 metal brackets	130	600	8	**A B G 1 3 6 0 0 8**	
900 mm wide incl. 3 metal brackets	130	900	8	**A B G 1 3 9 0 0 8**	
1200 mm wide incl. 3 metal brackets	130	1200	8	**A B G 1 3 1 2 0 8**	
1400 mm wide incl. 4 metal brackets	130	1400	8	**A B G 1 3 1 4 0 8**	

Please observe suitable accessories in the separate index.

Program 070 - bathroom variations

ROK-0190-1

1	Mirror round	F S R 4 0 7 0 0 1
1	Ceramic counter top washbasin	W T A 4 2 5 5 1
1	washbasin plate	A P A 5 0 9 0 6 3
1	cut- out central	A U S 4 2 5 5 2 8
1	Washbasin base unit	S E T 2 9 9 0 2 M
1	top cover	A U W 4 0 9 2 2 8
1	functional shelf in white matt	R G L 1 1 6 0 0 2
1	medium-high unit	M O G 8 1 4 0 0 1



926 mm wide

ROS-6112-1

1	Built-in mirrored cabinet	S 2 A 5 5 1 2 E 1
1	STONEPLUS - washbasin	W M S 2 3 1 2 6 1
1	Washbasin base unit with LED lighting	S E T 2 9 1 2 3 B
1	Trolley	R O W 1 1 1 2 0 4
2	Storage box	P Z 1 1 5 3 0 1
1	medium-high unit	M O G 8 1 4 0 0 1



1232 mm wide

ROG-9814-1D

1	Mirror	S E T 4 1 1 4 0 2
1	Glass shelf	A B G 1 3 1 4 0 8
1	glass washbasin in black matt	W G S 2 3 4 D 9 8
1	Washbasin base unit with LED lighting	S E T 2 9 1 4 3 B
1	top cover	A U W 4 0 1 4 2 8



1432 mm wide

ROK-0114-1D

1	Mirror	S E T 4 1 1 4 0 2
1	Glass shelf	A B G 1 3 1 4 0 8
2	Ceramic counter top washbasin	W T A 4 2 5 5 1
2	cut- out left and right	A U S 4 2 5 5 2 8
1	washbasin plate	A P A 5 0 1 4 6 3
1	Washbasin base unit with LED lighting	S E T 2 9 1 4 2 B
1	Trolley	R O W 1 1 1 4 0 5
4	Storage box	P Z 1 1 5 3 0 1
1	Tall unit-shelf	H O G 1 0 4 0 0 1



1426 mm wide

Program 070 - dimensional drawings

WMS/WGS 2306 + SET 2960 3x



WMS/WGS 2309 + SET 2990 3x



WMS/WGS 2312 + SET 2912 3x



WMS/WGS 234D + SET 2914 3x



WTA 4255 1 + APA 5060 63 + SET 2960 2x



WTA 4255 1 + APA 5090 63 + SET 2990 2x



Washing stands without anchoring brackets have to be fixed on the wall and on the furniture-side with silicon!
STONEPLUS:
The water temperature must not exceed 55° C / 131° F. Hair tinting lotions have to be removed in a few seconds, so that staining can be avoided.
Modifications:
Technical modifications (+/- 5mm) and flatness modifications (DIN 18202) are subject of the usual material-specific modifications for construction materials, based on DIN 18202.

Program 070 - dimensional drawings

WTA 4255 1 + APA 5012 63 + SET 2912 2x



2x WTA 4255 1 + APA 5014 63 + SET 2914 2x



electrical connections for mirror cabinets



Built-in mirrored cabinet



Wall cutout for built-in mirrored cabinets





[1] Maß inkl. Wandbelag

**Mittlere Aufhängeleisten nur bei Spiegelschränken mit Breite 1400 mm

Washing stands without anchoring brackets have to be fixed on the wall and on the furniture-side with silicon!
STONEPLUS:
The water temperature must not exceed 55° C / 131° F. Hair tinting lotions have to be removed in a few seconds, so that staining can be avoided.
Modifications:
Technical modifications (+/- 5mm) and flatness modifications (DIN 18202) are subject of the usual material-specific modifications for construction materials, based on DIN 18202.