



Star line

Program 32





Front colours



No. 764 Stonegrey matt



No. 777 cosmos grey matt



No. 793 noble white matt



No. 891 quarz grey matt



No. 893 titanium grey matt



No. 686 anthracite hgl.



No. 722 polar white hgl.



No. 755 hacienda black



No. 769 hacienda grey



no. 670 Halifax oak



no. 680 Charleston oak



No. 750 cardiff oak



no. 751 Cuneo oak brown



no. 771 Cuneo oak natural




Nr. 785 natural oak



no. 794 sand oak





carcass colours

* High gloss carcass for an additional price



No. 164 Stonegrey matt



No. 177 cosmos grey matt



No. 111 white matt



no. 191 quarz grey matt



No. 193 titanium grey matt



*no. 121 anthracite hgl.



*no. 161 white hgl.



no. 155 hacienda black



no. 169 hacienda grey



no. 170 Halifax oak



no. 180 Charleston oak



no. 150 cardiff oak



no. 151 Cuneo oak brown



no. 171 Cuneo oak natural



Nr. 185 natural oak



no. 194 sand oak

Washbasin colours

STONEPLUS washbasins



Series A STONE-PLUS

No. 61 white evermite - washbasins



Series B

evermite

No. 21 white





no. 82 optiwhite



no. 92 optiwhite matt



Handle versions



No. 294 bar handle chrome, narrow variation

handle bore 96 mm / 384 mm



No. 296 bar handle chrome, expanded variation

handle bore 96 mm / 384 mm



No. 329 Strip handle chrome*

handle lenght 194 mm / 294 mm



no. 338 Strip handle aluminium matt*

handle lenght 194 mm / 294 mm



No. 339 Strip handle black matt*

handle lenght 194 mm / 294 mm / 494 mmm

*Aluminum frame doors not compatible with the handle

Technique

Pull outs and drawers

No. 554

door with integrated buffered closing

Mirror cabinets

Series A



Series C








Illustrations and specifications are without obligation. Technical modifications reserved.

Depth indication corr	esponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Arti	cle nui	mbe	er	Hinge	
Mirrors										
## MINITION	Mirror 1 LED panel light Emotion lighting 1 LED converter incl. LED washbasin lighting This product contains a light source with energy efficiency class: F									
	900 mm wide 26,4 watt / 2482 lumens / 2700 - 6500 Kelvin	91	900	652	FSB	4 1 9	0	0 1		
	1200 mm wide 35,7 watt / 3356 lumens / 2700 - 6500 Kelvin	91	1200	652	FSB	4 1 1	2	0 1		
	1400 mm wide 41,9 watt / 3939 lumens / 2700 - 6500 Kelvin	91	1400	652	FSB	4 1 1	4	0 1		
	1600 mm wide 48,1 watt / 4521 lumens / 2700 - 6500 Kelvin	91	1600	652	FSB	4 1 1	6	0 1		
Mirror cabir	nets Series A									
EMOTION incl. handle pads	Mirror cabinet 3 double mirror doors 2 central partitions, 6 glass shelves 1 switch socket element 1 mirror panel incl. LED lighting 8,1 Watt / converter 15 Watt 690 lumens / (3000 -) 6500 Kelvin Door width: 238 mm / 412 mm / 238 mm This product contains a light source with energy efficiency class: F	150	900	720	S 2 A	5 8 9	0 0	6		
	Additional accessories LED washbasin lighting LED washbasin lighting emotion Emotion lighting				PZ PZ PZ	1 0 6 1 1 5 1 0 2	0			
incl. handle pads	Mirror cabinet 3 double mirror doors 2 central partitions, 6 glass shelves 1 switch socket element 1 mirror panel incl. LED lighting 10,6 Watt / converter 30 Watt 900 lumens / (3000 -) 6500 Kelvin Door width: 388 mm / 412 mm / 388 mm This product contains a light source with energy efficiency class: F for single washbasin solution	150	1200	720	S 2 A	5 8 1	2	6		
	Additional accessories LED washbasin lighting LED washbasin lighting emotion Emotion lighting				PZ PZ PZ	1 0 6 1 1 5 1 0 2	0			





Depth indication corre	esponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Artio	cle numbe	er	Hinge	
Mirror cabin	ets Series A								
incl. handle pads	Mirror cabinet 3 double mirror doors 2 central partitions, 6 glass shelves 1 switch socket element 1 mirror panel incl. LED lighting 10,6 Watt / converter 30 Watt 900 lumens / (3000 -) 6500 Kelvin Door width: 496 mm / 196 mm / 496 mm This product contains a light source with energy efficiency class: F for double washbasin solutions Additional accessories LED washbasin lighting LED washbasin lighting Emotion lighting	150	1200	720	PZ PZ PZ	1 0 6 3 1 1 5 0 1 0 2 0	- 1		
incl. handle pads	Mirror cabinet 3 double mirror doors 2 central partitions, 6 glass shelves 1 switch socket element 1 mirror panel incl. LED lighting 12,5 Watt / converter 30 Watt 1060 lumens / (3000 -) 6500 Kelvin Door width: 446 mm / 496 mm / 446 mm This product contains a light source with energy efficiency class: F for single washbasin solution Additional accessories LED washbasin lighting LED washbasin lighting Emotion lighting	150	1400	720	S 2 A	5 8 1 4 1 0 6 3 1 1 5 0 1 0 2 0	- 1		
incl. handle pads	Mirror cabinet 3 double mirror doors 2 central partitions, 6 glass shelves 1 switch socket element 1 mirror panel incl. LED lighting 12,5 Watt / converter 30 Watt 1060 lumens / (3000 -) 6500 Kelvin Door width: 546 mm / 296 mm / 546 mm This product contains a light source with energy efficiency class: F for double washbasin solutions Additional accessories LED washbasin lighting LED washbasin lighting emotion Emotion lighting	150	1400		PZ PZ PZ	1 063 1 150 1 020			


Depth indication corre	esponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Artio	cle numb	er	Hinge	
Mirror cabin	ets Series A								
incl. handle pads	Mirror cabinet 3 double mirror doors 2 central partitions, 6 glass shelves 1 switch socket element 1 mirror panel incl. LED lighting 14,4 Watt / converter 30 Watt 1220 lumens / (3000 -) 6500 Kelvin Door width: 546 mm / 496 mm / 546 mm This product contains a light source with energy efficiency class: F	150	1600	720	S 2 A	5 8 1 6	5		
	Additional accessories LED washbasin lighting LED washbasin lighting emotion Emotion lighting				PZ PZ PZ	1 0 6 3 1 1 5 0 1 0 2 0	12		
Mirror cabin	ets Series B								
EMOTION incl. handle pads	Mirror cabinet 3 double mirror doors 2 central partitions, 6 glass shelves 1 switch socket element 1 flyover shelf with LED lighting 2 X 5,1 watt / Converter 15 watt 2 x 449 lumens / (3000 -) 6500 Kelvin Door width: 238 mm / 412 mm / 238 mm This product contains a light source with energy efficiency class: E	150	900	668	S 2 A	4 3 9 0	1 6		
	Additional accessories LED washbasin lighting LED washbasin lighting emotion Emotion lighting				PZ PZ PZ	1 0 6 3 1 1 5 0 1 0 2 0	90		
incl. handle pads	Mirror cabinet 3 double mirror doors 2 central partitions, 6 glass shelves 1 switch socket element 1 flyover shelf with LED lighting 2 X 7,44 watt / converter 30 watt 2 x 651 lumens / (2700 -) 6500 Kelvin Door width: 388 mm / 412 mm / 388 mm This product contains a light source with energy efficiency class: E for single washbasin solution	150	1200	668	S 2 A	4312	1 6		
	Additional accessories LED washbasin lighting LED washbasin lighting emotion Emotion lighting				PZ PZ PZ	1 0 6 3 1 1 5 0 1 0 2 0	12		





Depth indication corre	esponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Artio	cle numbe	er	Hinge	
Mirror cabin	ets Series B								
incl. handle pads	Mirror cabinet 3 double mirror doors 2 central partitions, 6 glass shelves 1 switch socket element 1 flyover shelf with LED lighting 2 X 7,44 watt / converter 30 watt 2 x 651 lumens / (2700 -) 6500 Kelvin Door width: 496 mm / 196 mm / 496 mm This product contains a light source with energy efficiency class: E for double washbasin solutions Additional accessories LED washbasin lighting LED washbasin lighting emotion Emotion lighting	150	1200	668	S 2 A	1 0 6 3 1 1 5 0 1 0 2 0	12		
incl. handle pads	Mirror cabinet 3 double mirror doors 2 central partitions, 6 glass shelves 1 switch socket element 1 flyover shelf with LED lighting 2 X 9,0 watt / converter 30 watt 2 x 792 lumens / (2700 -) 6500 Kelvin Door width: 446 mm / 496 mm / 446 mm This product contains a light source with energy efficiency class: E for single washbasin solution Additional accessories LED washbasin lighting LED washbasin lighting emotion Emotion lighting	150	1400	668	PZ PZ PZ	1 0 6 3 1 1 5 0 1 0 2 0	12		
incl. handle pads	Mirror cabinet 3 double mirror doors 2 central partitions, 6 glass shelves 1 switch socket element 1 flyover shelf with LED lighting 2 X 9,0 watt / converter 30 watt 2 x 792 lumens / (2700 -) 6500 Kelvin Door width: 546 mm / 296 mm / 546 mm This product contains a light source with energy efficiency class: E for double washbasin solutions Additional accessories LED washbasin lighting LED washbasin lighting Emotion lighting	150	1400		P Z P Z P Z	1 0 6 3 1 1 5 0 1 0 2 0	12		

·	esponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Arti	cle	nur	nb	er	Hinge	
Mirror cabir	nets Series B										
incl. handle pads	Mirror cabinet 3 double mirror doors 2 central partitions, 6 glass shelves 1 switch socket element 1 flyover shelf with LED lighting 2 X 10,5 watt / converter 30 watt 2 x 924 lumens / (2700 -) 6500 Kelvin Door width: 546 mm / 496 mm / 546 mm This product contains a light source with energy efficiency class: E	150	1600	668	S 2 A	4	3 1	6	1 (5	
	Additional accessories LED washbasin lighting LED washbasin lighting emotion Emotion lighting				PZ PZ PZ	1		0	12 12 1		
Mirror cabin	ets Series C										
incl. handle blocks	Mirror cabinet 3 double mirror doors 2 central partitions, 6 glass shelves 1 switch socket element 1 LED panel light 13,6 Watt / converter 30 Watt 731 lumens / (2700 -) 6500 Kelvin Door width: 238 mm / 412 mm / 238 mm This product contains a light source with energy efficiency class: F	150	900	660	S 2 A	4	3 9	0 0	7 8	3	
	Additional accessories LED washbasin lighting LED washbasin lighting emotion Emotion lighting				PZ PZ PZ	1		0	90		
incl. handle blocks	mirror cabinet 3 double mirror doors 2 central partitions, 6 glass shelves 1 switch socket element 1 LED panel light 18,2 watt / converter 30watt 1115 lumens / (2700 -) 6500 Kelvin Door width: 388 mm / 412 mm / 388 mm This product contains a light source with energy efficiency class: F	150	1200	660	S 2 A	4	3 1	2	7 8	3	
	for single washbasin solution Additional accessories LED washbasin lighting LED washbasin lighting emotion Emotion lighting				PZ PZ PZ	1		0	12 12 1		





Depth indication corre	esponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Artic	cle numbe	er	Hinge	
Mirror cabin	ets Series C								
EMOTION incl. handle blocks	mirror cabinet 3 double mirror doors 2 central partitions, 6 glass shelves 1 switch socket element 1 LED panel light 18,2 watt / converter 30watt 1115 lumens / (2700 -) 6500 Kelvin Door width: 496 mm / 196 mm / 496 mm This product contains a light source with energy efficiency class: F for double washbasin solutions Additional accessories LED washbasin lighting LED washbasin lighting EED washbasin lighting Emotion lighting	150	1200	660	PZ PZ PZ	1 0 6 3 1 1 5 0 1 0 2 0	12		
incl. handle blocks	mirror cabinet 3 double mirror doors 2 central partitions, 6 glass shelves 1 switch socket element 1 LED panel light 21,3 watt / converter 30 watt 1492 lumens / (2700 -) 6500 Kelvin Door width: 446 mm / 496 mm / 446 mm This product contains a light source with energy efficiency class: F for single washbasin solution Additional accessories LED washbasin lighting LED washbasin lighting ED washbasin lighting Emotion lighting	150	1400		PZ PZ PZ	1 0 6 3 1 1 5 0 1 0 2 0	12		
incl. handle blocks	mirror cabinet 3 double mirror doors 2 central partitions, 6 glass shelves 1 switch socket element 1 LED panel light 21,3 watt / converter 30 watt 1492 lumens / (2700 -) 6500 Kelvin Door width: 546 mm / 296 mm / 546 mm This product contains a light source with energy efficiency class: F for double washbasin solutions Additional accessories LED washbasin lighting LED washbasin lighting Emotion lighting	150	1400		PZ PZ PZ	1 0 6 3 1 1 5 0 1 0 2 0	12		

·	esponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Artio	cle r	numl	per	Hinge	
incl. handle blocks	mirror cabinet 3 double mirror doors 2 central partitions, 6 glass shelves 1 switch socket element 1 LED panel light 24,4 watt / converter 30 watt 1747 lumens / (2700 -) 6500 Kelvin Door width: 546 mm / 496 mm / 546 mm This product contains a light source with energy efficiency class: F Additional accessories LED washbasin lighting LED washbasin lighting emotion Emotion lighting	150	1600	660	S 2 A P Z P Z P Z	1 (063	3 1 2 3 1 2		
STONEPLUS Series A	S washbasins									
	STONEPLUS washbasin, 900 mm colour white 1 tap hole 1 drain cover incl. permanent drain can be combined with WUA 3390 07	495	906	18	WME	9 1	91	E 6 '	I	
	Additional accessories CLOU drain and overflow system LED lighting frame motion sensor for LED lighting Surcharge for washbasins without tap-hole or with 3 holes (according to sketch)				PZ PZ PZ	1 (1 0 9 0 6 1 1 4 1	90		
	STONEPLUS washbasin, 1.200 mm colour white 1 tap hole 1 drain cover incl. permanent drain can be combined with WUA 3312 07	495	1206	18	WME	9 1	2 [E 6 '	I	
	Additional accessories CLOU drain and overflow system LED lighting frame motion sensor for LED lighting Surcharge for washbasins without tap-hole or with 3 holes (according to sketch)				PZ PZ PZ	1 (11 0 9 6 1 1 4 1	12		






Depth indication corre	esponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Artic	cle numbe	er	Hinge	
STONEPLUS	S washbasins								
Series A									
	STONEPLUS double washbasin, 1200 mm, colour white 2 tap holes 1 drain cover incl. permanent drain	495	1206	18	WME	9 1 2 D	6 1		
	can be combined with WUA 3312 7, WUA 3312 07								
	Additional accessories LED lighting frame motion sensor for LED lighting Surcharge for washbasins without tap-hole or with 3 holes (according to sketch)				PΖ	1 0 6 1 1 1 4 1			
	STONEPLUS washbasin, 1400 mm colour white 1 tap hole 1 drain cover incl. permanent drain	495	1406	18	WME	9 1 4 E	6 1		
	can be combined with WUA 3314 07 Additional accessories CLOU drain and overflow system LED lighting frame motion sensor for LED lighting Surcharge for washbasins without tap-hole or with 3 holes (according to sketch)				PΖ	1 1 0 9 1 0 6 1 1 1 4 1	1 14		
	STONEPLUS double washbasin, 1400 mm colour white 2 tap holes 1 drain cover incl. permanent drain can be combined with WUA 3314 7, WUA 3314 07	495	1406	18	WME	9 1 4 D	6 1		
	Additional accessories CLOU drain and overflow system (order 2 pieces) LED lighting frame motion sensor for LED lighting Additional price for Washbasin without tap hole / with 3 holes (acc. to sketch).				PZ PZ PZ	1 1 0 9 1 0 6 1 1 1 4 1	1 1 4		
	STONEPLUS double washbasin, 1600 mm colour white 2 tap holes 1 drain cover incl. permanent drain can be combined with WUA 3316 7	495	1606	18	WME	9 1 6 D	6 1		
	Additional accessories CLOU drain and overflow system (order 2 pieces) LED lighting frame motion sensor for LED lighting Additional price for Washbasin without tap hole / with 3 holes (acc. to sketch).				PZ PZ PZ	1 109 1 061 1 141	1 1 6		

^{*}Delivery time: 8 weeks. Price per washbasin. Washbasin without tap hole is incompatible with CLOU System. Please check your order confirmation for correctness.

Depth indication corre	sponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Artio	cle numbe	er	Hinge	
evermite - w Series B	ashbasins								
•	evermite washbasin, 900 mm colour white 1 tap hole inkl. concealed overflow system chrome finish can be combined with WUA 3390 07	495	906	18	SWM	9 2 9 E	2 1		
	Additional accessories LED lighting frame motion sensor for LED lighting Surcharge for washbasins without tap-hole or with 3 holes (according to sketch)				P Z P Z	1061	90		
	evermite washbasin, 1200 mm colour white 1 tap hole inkl. concealed overflow system chrome finish	495	1206	18	SWM	9 2 2 E	2 1		
	can be combined with WUA 3312 07 Additional accessories LED lighting frame motion sensor for LED lighting Surcharge for washbasins without tap-hole or with 3 holes (according to sketch)				P Z P Z	1 0 6 1 1 1 4 1	12		
	evermite double washbasin, 1200 mm colour white 2 tap holes incl. permanent drain	495	1206	18	SWM	9 2 2 D	2 1		
	can be combined with WUA 3312 7, WUA 3312 07 Additional accessories LED lighting frame motion sensor for LED lighting Surcharge for washbasins without tap-hole or with 3 holes (according to sketch)				P Z P Z	1 0 6 1 1 1 4 1	12		
	evermite washbasin, 1400 mm colour white 1 tap hole inkl. concealed overflow system chrome finish can be combined with WUA 3314 07	495	1406	18	SWM	9 2 4 E	2 1		
	Additional accessories LED lighting frame motion sensor for LED lighting Surcharge for washbasins without tap-hole or with 3 holes (according to sketch)				P Z P Z	1 0 6 1 1 1 4 1	14		
	evermite double washbasin, 1400 mm colour white 2 tap holes inkl. concealed overflow system chrome finish	495	1406	18	SWM	9 2 4 D	2 1		
	can be combined with WUA 3314 7, WUA 3314 07 Additional accessories LED lighting frame motion sensor for LED lighting Surcharge for washbasins without tap-hole or with 3 holes (according to sketch)				P Z P Z	1 0 6 1 1 1 4 1	14		






Depth indication corre	esponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Artio	cle numbe	er	Hinge	
evermite - w Series B	ashbasins								
• •	evermite double washbasin, 1600 mm colour white 2 tap holes inkl. concealed overflow system chrome finish	495	1606	18	SWM	9 2 6 D	2 1		
	can be combined with WUA 3316 7 Additional accessories LED lighting frame motion sensor for LED lighting Surcharge for washbasins without tap-hole or with 3 hole	es (accord	ing to ske	tch)	P Z P Z	1 0 6 1 1 1 4 1	16		
Washbasin I	pase units								
	Washbasin base unit 1 metal pull out unit with buffered closing and rail 1 metal pull-out with buffered closing	470	900	480	WUA	3 3 9 0	0 7		
	for evermite and STONEPLUS washbasins Additional accessories Space-saving drain stench trap DN 40 Space-saving drain stench trap DN 32				P Z P Z	1 3 6 7 1 4 2 3			
	Washbasin base unit consisting of 2 elements 2 metal pull-out units with buffered closing incl. drawer rail 2 metal pull-outs with buffered closing, for evermite and STONEPLUS washbasins	470	1200	480	WUA	3 3 1 2	7		
	Additional accessories Space-saving drain stench trap DN 40 Space-saving drain stench trap DN 32 Washbasin base unit	470	1200	480	PZ PZ	1 3 6 7 1 4 2 3	0.7		
	1 metal pull out unit with buffered closing and rail 1 metal pull-out with buffered closing for evermite and STONEPLUS washbasins	470	1200	400		3312			
	Additional accessories Space-saving drain stench trap DN 40 Space-saving drain stench trap DN 32				P Z P Z	1 3 6 7 1 4 2 3			
	Washbasin base unit consisting of 2 elements 2 metal pull-out units with buffered closing incl. drawer rail 2 metal pull-outs with buffered closing,	470	1400	480	WUA	3 3 1 4	7		
	for evermite and STONEPLUS washbasins Additional accessories Space-saving drain stench trap DN 40 (order 2 pieces) Space-saving drain stench trap DN 32 (order 2 pieces) The the washbasin manufacturer at the beginning of the				P Z P Z	1 3 6 7 1 4 2 3			

You find information on the the washbasin manufacturer at the beginning of the sales book.
*Delivery time: 8 weeks. Price per washbasin. Washbasin without tap hole is incompatible with CLOU System. Please check your order confirmation for correctness.

Depth indication corre	esponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Artio	cle numb	er	Hinge	
Washbasin	base units								
	Washbasin base unit 1 metal pull out unit with buffered closing and rail 1 metal pull-out with buffered closing	470	1400	480	WUA	3 3 1 4	0 7		
	for evermite and STONEPLUS washbasins								
	Additional accessories Space-saving drain stench trap DN 40 Space-saving drain stench trap DN 32				P Z P Z	1 3 6 7			
	Washbasin base unit consisting of 2 elements 2 metal pull-out units with buffered closing incl. drawer rail 2 metal pull-outs with buffered closing,	470	1600	480	WUA	3 3 1 6	7		
	for evermite and STONEPLUS washbasins Additional accessories Space-saving drain stench trap DN 40 (order 2 pieces) Space-saving drain stench trap DN 32 (order 2 pieces)				P Z P Z	1 3 6 7			
Glass washl	oasin								
	Glass washbasin, 900 mm	405	000	40	W 0 0				
®	Colour Optiwhite Colour Optiwhite matt	495 495	906 906	12 12		9 2 9 E			
	1 tap hole inkl. concealed overflow system chrome finish								
	can be combined with WUA 3390 09								
	Additional accessories Neutrally bonding silicone for glass washbasins Surcharge for washbasins without tap-hole or with 3 holes (according to sketch)				PΖ	1 2 3 5			
	Glass washbasin, 1200 mm Colour Optiwhite	495	1206	12	WGS	9 2 2 E	8 2		
	Colour Optiwhite matt	495	1206	12	wgs	9 2 2 E	9 2		
	1 tap hole inkl. concealed overflow system chrome finish								
	can be combined with WUA 3312 09								
	Additional accessories Neutrally bonding silicone for glass washbasins Surcharge for washbasins without tap-hole or with 3 holes (according to sketch)				PΖ	1 2 3 5			
	information on the the washbasin manufacturer at the heal								





Depth indication corre	esponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Article numl	oer	Hinge	
Glass washl	oasin							
	Glass double washbasin, 1200 mm Colour Optiwhite	495	1206	12	WG S 9 2 2 I	8 2		
	Colour Optiwhite matt	495	1206	12	WGS 9 2 2 I	9 2		
	2 tap holes incl. not lockable flow-off valve							
	can be combined with WUA 3312 09							
	Additional accessories Neutrally bonding silicone for glass washbasins Surcharge for washbasins without tap-hole or with 3 holes (according to sketch)				PZ 1235	5		
	Glass washbasin, 1400 mm Colour Optiwhite	495	1406	12	WGS9241	8 2		
	Colour Optiwhite matt	495	1406	12	WGS 9 2 4 I	9 2		
	1 tap hole inkl. concealed overflow system chrome finish							
	can be combined with WUA 3314 09							
	Additional accessories Neutrally bonding silicone for glass washbasins Surcharge for washbasins without tap-hole or with 3 holes (according to sketch)				PZ 1235	5		
	Glass double washbasin, 1400 mm Colour Optiwhite	495	1406	12	WGS9241	8 2		
	Colour Optiwhite matt	495	1406	12	WGS 9 2 4 I	9 2		
	2 tap holes inkl. 2 concealed overflow systems chrome finish							
	can be combined with WUA 3314 9							
	Additional accessories Neutrally bonding silicone for glass washbasins Surcharge for washbasins without tap-hole or with 3 holes (according to sketch)				PZ 1235	5		
	Glass double washbasin, 1600 mm Colour Optiwhite	495	1606	12	WGS9261	8 2		
• •	Colour Optiwhite matt	495	1606	12	WGS 9 2 6 I	9 2		
•	2 tap holes inkl. 2 concealed overflow systems chrome finish							
	can be combined with WUA 3316 9							
	Additional accessories Neutrally bonding silicone for glass washbasins Surcharge for washbasins without tap-hole or with 3 holes (according to sketch)				PZ 1235	j		

You find information on the the washbasin manufacturer at the beginning of the sales book. *Delivery time: 8 weeks. Price per washbasin. Washbasin without tap hole is incompatible with CLOU System. Please check your order confirmation for correctness.

Depth indication corre	esponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Arti	cle nu	mber	Hinge	
Washbasin I	base units								
	Washbasin base unit 1 metal pull out unit with buffered closing and rail 1 metal pull out unit with buffered closing for gloss washbasins	470	900	480	W U A	3 3 9	0 0 9)	
	for glass washbasins Additional accessories Space-saving drain stench trap DN 40 Space-saving drain stench trap DN 32				P Z P Z	1 3 1 4			
	Washbasin base unit 1 metal pull out unit with buffered closing and rail 1 metal pull out unit with buffered closing for glass washbasins Additional accessories	470	1200	480	WUA	3 3 1	2 0 9		
	Space-saving drain stench trap DN 40 Space-saving drain stench trap DN 32				P Z P Z	1 3 1 4	2 3		
	Washbasin base unit 1 metal pull out unit with buffered closing and rail 1 metal pull out unit with buffered closing	470	1400	480	WUA	3 3 1	4 0 9		
	for glass washbasins Additional accessories Space-saving drain stench trap DN 40 Space-saving drain stench trap DN 32				P Z P Z	1 3 1 4			
	Washbasin base unit consisting of 2 elements 2 metal pull-out units with buffered closing incl. drawer rail 2 metal pull out units with buffered closing and syphon cut- out	470	1400	480	WUA	3 3 1	4 9		
	for glass washbasins Additional accessories Space-saving drain stench trap DN 40 (order 2 pieces) Space-saving drain stench trap DN 32 (order 2 pieces)				P Z P Z	1 3 1 4			
	Washbasin base unit consisting of 2 elements 2 metal pull-out units with buffered closing incl. drawer rail 2 metal pull out units with buffered closing and syphon cut- out	470	1600	480	WUA	3 3 1	6 9		
	for glass washbasins Additional accessories Space-saving drain stench trap DN 40 (order 2 pieces) Space-saving drain stench trap DN 32 (order 2 pieces)				P Z P Z	1 3 1 4			
Places									



Depth indication corre	esponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Article number	Hinge
Tall units						
240 — 240 — —	Tall unit 1 door 4 glass shelves 2 metal pull-outs with buffered closing 1 top cover 330 mm deep	300	300 400		H N A 0 8 3 A 7 1 H N A 0 8 4 A 7 1	
240 240	Tall unit 2 doors 4 glass shelves 2 metal pull-outs with buffered closing 1 top cover 330 mm deep	300	600	1628	H N A 0 8 6 A 7 1	
· -	Tall unit	300	300	1628	H N A 0 9 3 A 7 M	L/R
160 320 320	1 door 2 glass shelves (top) 2 metal pull-outs with buffered closing 1 drawer with buffered closing 1 top cover 330 mm deep	300	400	1628	H N A 0 9 4 A 7 M	L/R
800 160 320 320 320 320	Tall unit 2 doors 2 glass shelves (top) 2 metal pull-outs with buffered closing 1 drawer with buffered closing 1 top cover 330 mm deep	300	600	1628	H N A 0 9 6 A 7 M	
800 160 320 320 320 320	Tall unit 1 aluminium framed door with satined glass 2 glass shelves (top) 2 metal pull-outs with buffered closing 1 drawer with buffered closing 1 top cover 330 mm deep Aluminium framed door can not be combined with striphandles.	300	300	1628	H N A 0 9 3 B 7 M	L/R
160 320 320	Tall unit 2 aluminium framed doors with satined glass 2 glass shelves (top) 2 metal pull-outs with buffered closing 1 drawer with buffered closing 1 top cover 330 mm deep Aluminium framed door can not be combined with striphandles.	300	600	1628	H N A 0 9 6 B 7 M	

Depth indication corresponds to the carcass depth		Depth in mm	Width in mm	Height in mm	Article number	Hinge
Tall units						
800	Tall unit 2 doors 2 glass shelves (top) 2 adjustable shelves (bottom) 1 top cover 330 mm deep	300 300	300 400			L/R L/R
800	Variable in width: please quote the exact dimension of carcass depth. Top cover will be adapted to the cupboard width.	150-299 150-299	300 400		H V A 0 3 3 0 H V A 0 3 4 0	L/R L/R
800	Tall unit 4 doors 2 glass shelves (top) 2 adjustable shelves (bottom) 1 top cover 330 mm deep Variable in width: please quote the exact dimension of carcass depth. Top cover will be adapted to the cupboard width.	300	600		H N A 0 3 6 A 7	
800	Tall unit 1 aluminium framed door with satined glass 1 door 2 glass shelves (top) 2 adjustable shelves (bottom) 1 top cover 330 mm deep	300	300	1628	H N A 0 3 3 B 7	L/R
800	Variable in width: please quote the exact dimension of carcass depth. Top cover will be adapted to the cupboard width. Aluminium framed door can not be combined with striphandles.	150-299	300	1628	H V A 0 3 3 1	L/R
800	Tall unit 2 aluminium framed doors with satined glass 2 doors 2 glass shelves (top) 2 adjustable shelves (bottom) 1 top cover 330 mm deep	300	600	1628	H N A 0 3 6 B 7	
800	Variable in width: please quote the exact dimension of carcass depth. Top cover will be adapted to the cupboard width. Aluminium framed door can not be combined with striphandles.	150-299	600	1628	H V A 0 3 6 1	
	Tall unit for brooms	300	300	1628	H N A 0 3 3 A 7 1	L/R
800	2 strapped doors 5 glass shelves 1 top cover 330 mm deep	300	400	1628	H N A 0 3 4 A 7 1	L/R



Depth indication corresponds to the carcass depth		Depth in mm	Width in mm	Height in mm	Article number	Hinge
Tall units						
800	Tall unit for brooms 2 strapped doors left 2 strapped doors right 5 continuously glass shelves 1 top cover 330 mm deep	300	600	1628	H N A 0 3 6 A 7 1	
	Tall unit	300	300	1628	H N A 0 2 3 A 7 1	L/R
320 160 480	1 door 1 glass shelf (top) 1 open compartment 1 drawer with buffered closing 1 door 1 glass shelf 1 top cover 330 mm deep	300	400	1628	H N A 0 2 4 A 7 1	L/R
320 160 480	Tall unit 2 doors 1 glass shelf (top) 1 open compartment 1 drawer with buffered closing 2 doors 1 glass shelf 1 top cover 330 mm deep	300	600	1628	H N A 0 2 6 A 7 1	
640 320 640	Tall unit 1 door 1 glass shelf (top) 1 open compartment 1 door 1 glass shelf 1 top cover 330 mm deep	300 300	300 400		H N A 0 2 3 A 7 2 H N A 0 2 4 A 7 2	
640 320 640	Tall unit 2 doors 1 glass shelf (top) 1 open compartment 2 doors 1 glass shelf 1 top cover 330 mm deep	300	600	1628	H N A 0 2 6 A 7 2	

Depth indication corre	esponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Article number	Hinge
Tall units						
640 160 160 640	Tall unit 1 door 1 glass shelf (top) 2 metal pull-outs with buffered closing, 1 door 1 glass shelf 1 top cover 330 mm deep	300 300	300 400		H N A 0 4 3 A 7 1 H N A 0 4 4 A 7 1	
640 160 160 640	Tall unit 2 doors 1 glass shelf (top) 2 metal pull-outs with buffered closing, 2 doors 1 glass shelf 1 top cover 330 mm deep	300	600	1628	H N A 0 4 6 A 7 1	
	Tall unit 1 door	300	300	1628	H N A 0 5 3 A 7 M	L/R
160 —	2 glass shelves (top) 1 drawer with buffered closing 1 door 1 glass shelf 1 top cover 330 mm deep	300	400	1628	H N A 0 5 4 A 7 M	L/R
800	Tall unit 2 doors 2 glass shelves (top) 1 drawer with buffered closing 2 doors 1 glass shelf 1 top cover 330 mm deep	300	600	1628	H N A 0 5 6 A 7 M	
160	Tall unit 1 aluminium framed door with satined glass 2 glass shelves (top) 1 drawer with buffered closing 1 door 1 glass shelf 1 top cover 330 mm deep Aluminium framed door can not be combined with striphandles.	300	300	1628	H N A 0 5 3 B 7 M	L/R
160	Tall unit 2 aluminium framed doors with satined glass 2 glass shelves (top) 1 drawer with buffered closing 2 doors 1 glass shelf 1 top cover 330 mm deep Aluminium framed door can not be combined with striphandles. Deserve suitable accessories in the separate index.	300	600	1628	H N A 0 5 6 B 7 M	



Depth indication corresponds to the carcass depth		Depth in mm	Width in mm	Height in mm	Article number	Hinge	
Tall units							
800	Tall unit with laundry basket 1 door 2 glass shelves 1 drawer with buffered closing 1 laundry basket with wire basket 1 top cover 330 mm deep						
640	Volume of laundry basket: 25 liters Volume of laundry basket: 35 liters	300	300 400	1628 1628	H N A 0 5 3 A 7 W H N A 0 5 4 A 7 W		
160	Tall unit with laundry basket 2 doors 2 glass shelves 1 drawer with buffered closing 1 laundry basket with wire basket 1 top cover 330 mm deep Volume of laundry basket: 55 liters	300	600	1628	H N A 0 5 6 A 7 W	,	
800	Tall unit with laundry basket 1 aluminium framed door with satined glass 2 glass shelves 1 drawer with buffered closing 1 laundry basket with wire basket 1 top cover 330 mm deep Volume of laundry basket: 25 liters Aluminium framed door can not be combined with striphandles.	300	300	1628	H N A 0 5 3 B 7 W	/ L/R	
800	Tall unit with laundry basket 2 aluminium framed doors with satined glass 2 glass shelves 1 drawer with buffered closing 1 laundry basket with wire basket 1 top cover 330 mm deep Volume of laundry basket: 55 liters Aluminium framed door can not be combined with striphandles.	300	600	1628	H N A 0 5 6 B 7 W	1	
800 160 640 (100) (Tall unit with laundry pull out 2 doors 2 glass shelves (top) 1 drawer with buffered closing 2 doors 1 laundry pull out with wire basket 1 top cover 330 mm deep Volume of laundry pull out: 40 liters	300	600	1628	H N A 0 5 6 A 1 W	,	

Depth indication corre	esponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Artio	cle numbe	r	Hinge	
Tall unit-she	elf								
238 \$ 2	Tall unit-shelf with open shelf space in carcass colour	150	300	1600	R G	1030	0 1		
	Tall unit-shelf	150	300	1600	R G	1030	0 2		
374	with mirror surface 4 shelves compartments in carcass colour	100	333	1000					
374 I I I 366 I I I 374 I I I	Tall unit-shelf 4 functional hooks 4 shelves compartments in carcass colour	150	300	1600	RG	1030	0 3		
Central unit	S								
	medium-high unit	300	300	1308	MNA	8 7 3 A	7	L/R	
240	1 door 2 glass shelves (top) 2 metal pull-outs with buffered closing 1 top cover 330 mm deep	300	400	1308	MNA	8 7 4 A	7	L/R	
240	medium-high unit 2 doors 2 glass shelves (top) 2 metal pull-outs with buffered closing 1 top cover 330 mm deep	300	600	1308	MNA	876A	7		
	medium-high unit	300	300	1308	M N A	8 8 3 A	7 M	L/R	
800 160 320	1 door2 glass shelves (top)1 metal pull-out with buffered closing,1 drawer with buffered closing1 top cover 330 mm deep	300	400	1308	MNA	8 8 4 A	7 M	L/R	
	hserve suitable accessories in the senarate index								



Depth indication corre	esponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Artic	le numbe	er	Hinge	
Central units	S								
160	medium-high unit 2 doors 2 glass shelves (top) 1 metal pull-out with buffered closing, 1 drawer with buffered closing 1 top cover 330 mm deep	300	600	1308	MNA	8 8 6 A	7 M		
160	medium-high unit 1 aluminium framed door with satined glass 2 glass shelves (top) 1 metal pull-out with buffered closing, 1 drawer with buffered closing 1 top cover 330 mm deep Aluminium framed door can not be combined with striphandles.	300	300	1308	MNA	8 8 3 B	7 M	L/R	
160	medium-high unit 2 aluminium framed doors with satined glass 2 glass shelves (top) 1 metal pull-out with buffered closing, 1 drawer with buffered closing 1 top cover 330 mm deep Aluminium framed door can not be combined with striphandles.	300	600	1308	MNA	8 8 6 B	7 M		
<u> </u>	medium-high unit 1 door	300	300	1308	MNA	8 1 3 A	7	L/R	
1280	4 glass shelves 1 top cover 330 mm deep	300	400	1308	MNA	8 1 4 A	7	L/R	
	Variable in width: please quote the exact dimension of carcass depth.	150-299	300	1308	MVA	8 1 3 0		L/R	
* 🔛	Top cover will be adapted to the cupboard width.	150-299	400	1308	MVA	8 1 4 0		L/R	
1280	medium-high unit 2 doors 4 glass shelves 1 top cover 330 mm deep	300	600	1308	MNA	8 1 6 A	7		
U U U U U U U U U U	Variable in width: please quote the exact dimension of carcass depth. Top cover will be adapted to the cupboard width.	150-299	600	1308	MVA	8 1 6 0			
1280	medium-high unit with inside drawers 1 door 2 inside metal-drawer with buffered closing 1 glass shelf 1 top cover 330 mm deep	300	300 400	1308 1308		8 4 3 A 8 4 4 A		L/R L/R	
1280	medium-high unit with inside drawers 2 doors 2 continuously inside metal-drawer with buffered closing 1 continuous glass shelf 1 top cover 330 mm deep	300	600	1308	MNA	8 4 6 A	7		

Depth indication corresponds to the carcass depth Central units Min mm	
2 doors 1 glass shelf (top) 2 doors 1 laundry pull out with wire basket Volume of laundry pull out: 40 liters 1 top cover 330 mm deep Highboard 1 door 2 glass shelves 300 300 828 HBA 5 1 3 A 7 L/R 1 door 2 glass shelves	
Highboard 300 300 828 H B A 5 1 3 A 7 L/R 1 door 2 glass shelves 300 400 828 H B A 5 1 4 A 7 L/R	
1 door 2 glass shelves 300 400 828 H B A 5 1 4 A 7 L/R	
2 glass shelves 300 400 828 H B A 5 1 4 A 7 L/R	
1 top cover 330 mm deep	
Variable in width: please quote the exact dimension of carcass depth. Variable in width: please quote the exact dimension of carcass depth.	
Top cover will be adapted to the cupboard width. 150-299 400 828 H B V A 5 1 4 L/R	
Highboard 2 doors 2 glass shelves 1 top cover 330 mm deep Variable in width: please quote the exact dimension of carcass depth. Top cover will be adapted to the cupboard width. 300 600 828 H B A 5 1 6 A 7	
Highboard 1 aluminium framed door with satined glass 2 glass shelves 1 top cover 330 mm deep	
Variable in width: please quote the exact dimension of carcass depth. Top cover will be adapted to the cupboard width. Aluminium framed door can not be combined with striphandles. 150-299 300 828 HBVA513 1 L/R	
Highboard 2 aluminium framed doors with satined glass 2 glass shelves 1 top cover 330 mm deep	
Variable in width: please quote the exact dimension of carcass depth. Top cover will be adapted to the cupboard width. Aluminium framed door can not be combined with striphandles. 150-299 600 828 HBVA516 1	
Highboard with laundry pull out 2 doors 1 laundry pull out with wire basket 1 top cover 330 mm deep	
Volume of laundry pull out: 40 liters 300 600 828 HBA 5 1 6 A 1 W	



Depth indication corre	esponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Article number の
Highboards					
320	Highboard 1 drawer with buffered closing 2 metal pull-outs with buffered closing 1 top cover 330 mm deep	300 300	300 400	828 828	H B A 5 6 3 A 7 M H B A 5 6 4 A 7 M
320	Highboard 1 drawer with buffered closing 2 metal pull-outs with buffered closing 1 top cover 330 mm deep	300	600	828	H B A 5 6 6 A 7 M
640	Highboard 1 drawer with buffered closing 1 door 1 glass shelf 1 top cover 330 mm deep	300 300	300 400		H B A 5 5 3 A 7 M L/R H B A 5 5 4 A 7 M L/R
640	Highboard 1 drawer with buffered closing 2 doors 1 glass shelf 1 top cover 330 mm deep	300	600	828	H B A 5 5 6 A 7 M
160	Highboard with laundry basket 1 drawer with buffered closing 1 laundry basket with wire basket 1 top cover 330 mm deep				
; LIV	Volume of laundry basket: 25 liters Volume of laundry basket: 35 liters	300 300	300 400	828 828	H B A 5 5 3 A 7 W H B A 5 5 4 A 7 W
640	Highboard with laundry basket 1 drawer with buffered closing 1 laundry basket with wire basket 1 top cover 330 mm deep Volume of laundry basket: 55 liters	300	600	828	H B A 5 5 6 A 7 W
160	Highboard with laundry pull out 1 drawer with buffered closing 2 doors 1 laundry pull out with wire basket 1 top cover 325 mm deep				
	Volume of laundry pull out: 40 liters	300	600	828	H B A 5 5 6 A 1 W

Depth indication corre	esponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Arti	cle r	numb	er	Hinge	
Wall units										
. =	Wall unit	150	300	668	OGA	4 1	3 A	7	L/R	-
640	1 door 1 glass shelf 1 top cover 180 mm deep	150	400	668	O G A	4 1	4 A	7	L/R	
* <u> </u>	Variable in width: please quote the exact dimension of carcass depth.	151-300	300	668	O V A	4 1	3 0)	L/R	
	Top cover will be adapted to the cupboard width.	151-300	400	668	O V A	4 1	4 0)	L/R	
640	Wall unit 2 doors 1 glass shelf 1 top cover 180 mm deep Variable in width:	150	600	668	O G A	4 1	6 A	7		
	please quote the exact dimension of carcass depth. Top cover will be adapted to the cupboard width.	151-300	600	668	O V A	4 1	6 0)		
320	Wall unit 1 flap door, 1 top cover 260 mm deep	230	600	348	ОМА	2 1	6 A	7 K		
Base units										
	Base unit	300	300	508	UNA	3 2	3 A	7 M	L/R	\dashv
320	1 drawer with buffered closing 1 door 1 top cover 330 mm deep	300	400	508	U N A	3 2	4 A	7 M	L/R	
160	Base unit 1 drawer with buffered closing 2 doors 1 top cover 330 mm deep	300	600	508	UNA	3 2	6 A	7 M		
240	Base unit 2 pull-outs with buffered closing 1 top cover 330 mm deep	300 300	300 400	508 508	UNA					
240	Base unit 2 pull-outs with buffered closing 1 top cover 330 mm deep	300	600	508	UNA	3 6	6 A	7		
160	Base unit 1 drawer with buffered closing 1 metal pull-out with buffered closing, 1 top cover 330 mm deep	300 300	300 400	508 508	U N A					
	oserve suitable accessories in the separate index									



Depth indication corre	esponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Article number
Base units					
160	Base unit 1 drawer with buffered closing 1 metal pull-out with buffered closing, 1 top cover 330 mm deep	300	600	508	U N A 3 4 6 A 7 M
320	Base unit 1 flap door, 1 top cover 260 mm deep	230	600	348	U M A 2 1 6 A 7 K
Shelves					
	functional shelf Edges are cut with a mitre veritcal and horizontal mounting possible please indicate colour version: no. 501 white matt lacquered no. 547 black matt lacquered	150	300	160	R G L 1 1 3 0 0 1
	functional shelf Edges are cut with a mitre veritcal and horizontal mounting possible please indicate colour version: no. 501 white matt lacquered no. 547 black matt lacquered	150	600	160	RGL 1 1 6 0 0 2
	functional shelf Edges are cut with a mitre veritcal and horizontal mounting possible please indicate colour version: no. 501 white matt lacquered no. 547 black matt lacquered	150	900	160	RGL 1 1 9 0 0 3
Laundryrolli					
640	Laundryrolli 1 flap door, with buffered closing 1 take-out laundry-bag, washable 4 roles Colour version corresponds to the carcass colour incl. height indication rolls (100 mm)	470	470	756	WRS 4 0 4 7

Depth indication corresponds to the carcass depth		Depth in mm	Width in mm	Height in mm	Article number	r Hinge	
Benches							
160	Bench 1 shelf 1 seat cushion in imitation leather Colour version corresponds to the carcass colour cushion in creamy-white cushion in black	450 450	600 600		SETBANK (
160 242	Bench 2 shelves 1 seat cushion in imitation leather Colour version corresponds to the carcass colour cushion in creamy-white cushion in black	450 450	900		SETBANK!		
Push- fit she	elf						
	Push-fit shelf with ABS thick edge all around incl. holders for push fit shelf						
	300 mm widh incl. 2 push-fit holder	150	300	28	S B G 6 0 3 0		
	400 mm wide incl. 2 push-fit holder	150	400	28	SBG 6 0 4 0		
	600 mm wide incl. 2 push-fit holder	150	600	28	SBG 6 0 6 0		
	900 mm wide incl. 3 push-fit holder	150	900	28	SBG 6 0 9 0		
	1200 mm wide incl. 3 push-fit holder	150	1200	28	SBG 6 0 1 2		
	1400 mm wide incl. 3 push-fit holder	150	1400	28	SBG 6 0 1 4		
	1600 mm wide incl. 4 push-fit holder	150	1600	28	S B G 6 0 1 6		


Glass shelfs				in mm	Article number		Hinge		
	Glass shelfs								
	ass shelf cl. metal holder								
	0 mm wide cl. 2 metal brackets	130	400	8	ABG	1 3 4 0	0 8		
	0 mm wide cl. 2 metal brackets	130	600	8	ABG	1 3 6 0	8 0		
	0 mm wide cl. 3 metal brackets	130	900	8	ABG	1390	8 0		
	1200 mm wide incl. 3 metal brackets		1200	8	ABG	1 3 1 2	8 0		
	.00 mm wide cl. 4 metal brackets	130	1400	8	ABG	1314	8 0		
Accessories									
	oot, chrome	460	40	342	PΖ	1 1 2 2	1		
Uni	washbasin base untis nits have to be extra wall-fixed, to avoid fall-overs ice per item								
	oot, chrome radditional cabinets	290	40	342	PΖ	1 1 2 3	1		
	nits have to be extra wall-fixed, to avoid fall-overs ice per item								
inc for Thi cy	ED lighting frame cl. sensor switcher at the side r units, width: uis product contains a light source with energy efficien- class: F LED converter 15 W								
	0 mm 16 watt / 734 lumens / 6500 Kelvin	485	890	16	PΖ	1061	9 0		
	00 mm 6 Watt / 864 lumens / 6500 Kelvin	485	1190	16	PΖ	1061	1 2		
	.00 mm ,6 Watt / 950 lumens / 6500 Kelvin	485	1390	16	PΖ	1061	1 4		
	00 mm ,52 watt / 1037 lumens / 6500 Kelvin	485	1590	16	PΖ	1061	1 6		
uni	be used between washbasin and base it t suitable for glass-washbasins								
not	t suitable with Emotion lighting								





glass washbasins without LED-lighting frame 900 mm wide

		STM-0190-3										
1 1 1 1	Mirror cabinet Washbasin base LED lighting fran STONEPLUS wa	******	S 2 W U P Z W M	Α	3	3	9	0	0	7		
ST	M E 1 9 0 7	SWM 929E 21 evermite									T	
ST	G82903	WGS 929E 82 glass optwhite	inst. ca	astı	mir	era	al					
ST	G92903	WGS 929E 92 glass optiwhite	matt ir	nst.	ca	st r	nin	era	al			






glass washbasins without LED-lighting frame 900 mm wide

	S1W-019	0-9	
Mirror cabinet Washbasin base LED lighting frai STONEPLUS w		S 2 A 4 3 9 0 7 8 W U A 3 3 9 0 0 7 P Z 1 0 6 1 9 0 W M E 9 1 9 E 6 1	
STME19010	SWM 929E 21 evermite		
STG82909	WGS 929E 82 glass optwl	ite inst. cast mineral	
STG92909	WGS 929E 92 glass optiw	nite matt inst. cast mineral	

STM 0100 0





glass washbasins without LED-lighting frame 900 mm wide

STM-0112-2 S 2 A 5 8 1 2 5 W U A 3 3 1 2 7 P Z 1 0 6 1 1 2 Mirror cabinet Washbasin base unit LED lighting frame 1 STONEPLUS double washbasin, 1200 mm, W M E 9 1 2 D 6 1 STME1126 SWM 922D 21 evermite 1200 mm wide STM-0112-2E S 2 A 5 8 1 2 Mirror cabinet WU A 3 3 1 2 0 7 P Z 1 0 6 1 1 2 Washbasin base unit LED lighting frame 1 STONEPLUS washbasin, 1.200 mm WM E 9 1 2 E 6 1 STME1126E SWM 922E 21 evermite STG82122E WGS 922E 82 glass optwhite inst. cast mineral glass washbasins without LED-lighting frame STG92122E WGS 922E 92 glass optiwhite matt inst. cast mineral 1200 mm wide

STM-0112-3	
Mirror cabinet S 2 A 4 3 1 2 1 5 Washbasin base unit W U A 3 3 1 2 7 LED lighting frame P Z 1 0 6 1 1 2 STONEPLUS double washbasin, 1200 mm, W M E 9 1 2 D 6 1	
STME1127 SWM 922D 21 evermite	1200 mm wide
STM-0112-3E	
1 Mirror cabinet S 2 A 4 3 1 2 1 6 1 Washbasin base unit W U A 3 3 1 2 0 7 1 LED lighting frame P Z 1 0 6 1 1 2 1 STONEPLUS washbasin, 1.200 mm W M E 9 1 2 E 6 1	
S T M E 1 1 2 7 E SWM 922E 21 evermite	
STG 8 2 1 2 3 E WGS 922E 82 glass optwhite inst. cast mineral	glass washbasins without LED-lighting frame
STG92123E WGS 922E 92 glass optiwhite matt inst. cast mineral	glass washbasins without LED-lighting frame


	STM-011	2-9E	
Mirror cabinet Washbasin bas LED lighting fra STONEPLUS w		S 2 A 4 3 1 2 7 8 W U A 3 3 1 2 0 7 P Z 1 0 6 1 1 2 W M E 9 1 2 E 6 1	
STME112E1	SWM 922E 21 evermite		
STG82129E	WGS 922E 82 glass optw	hite inst. cast mineral	glass washbasins without LED-lighting frame
STG92129E	WGS 922E 93 glass optiw	hite matt inst. cast mineral	glass washbasins without LED-lighting frame

	STM-0114-2	
Mirror cabinet Washbasin ba LED lighting f STONEPLUS	ase unit WUA3314 7	
T M E 1 1 4 6	SWM 924D 21 evermite	
STG82142	WGS 924D 82 glass optwhite inst. cast mineral	glass washbasins without LED-lighting frame
	WGS 924D 92 glass optiwhite matt inst. cast mineral	1400 mm wide

STM-0114-3 Mirror cabinet, 1400 mm Washbasin base unit LED lighting frame STONEPLUS double washbasin, 1400 mm glass washbasins without LED-lighting frame 1400 mm wide

	STM-0114-9	
Mirror cabinet Washbasin ba LED lighting f STONEPLUS	ase unit WUA33147	
	OVIVLOOD OF THE PROPERTY OF TH	
STME11410	SWM 924D 21 evermite	
STME11410 STG82149	WGS 924D 82 glass optwhite inst. cast mineral	glass washbasins without LED-lighting frame


	STM-0116	-2	
Mirror cabinet,Washbasin baLED lighting frSTONEPLUS	se unit	S 2 A 5 8 1 6 5 WU A 3 3 1 6 7 P Z 1 0 6 1 1 6 WM E 9 1 6 D 6 1	
STME1166	SWM 926D 21 evermite		
STG82162	WGS 926D 82 glass optwhit	te inst. cast mineral	glass washbasins without LED-lighting frame
STG92162	WGS 926D 92 glass optiwhi	te matt inst. cast mineral	1600 mm wide





glass washbasins without LED-lighting frame 1600 mm wide


STM-0116-9												
1 1 1	Mirror cabinet, 1 Washbasin base LED lighting fran STONEPLUS do	unit	S 2 W U P Z W M	Α	3	3	1	6	1	7		
ST	M E 1 1 6 1 0	SWM 926D 21 evermite										
ST	G82169	WGS 926D 82 glass optwhite	inst. ca	ast	mir	nera	al					
ST	G92169	WGS 926D 92 glass optiwhite	matt i	nst.	ca	st ı	mir	era	al			







glass washbasins without LED-lighting frame 1600 mm wide

Program 032 - dimensional drawings







For washing stands with fixing screws, the dimensions for boring must be drawn in on-site after the washing stand has been laid on the floor unit.

Washing stands without anchoring brackets have to be fixed on the wall and on the furniture-side with silicon! evermite / STONEPLUS:

The water temperature must not exceed 55° C / 131° F. Hair tinting lotions have to be removed in a few seconds, so that staining can be avoided.

Modifications:

Technical modifications (+/- 5mm) and flatness modifications (DIN 18202) are subject of the usual material-specific modifications for construction materials, based on DIN 18202.




Program 032 - dimensional drawings

SWM 929E SWM 922E SWM 922D 1 1206 Ф ⊕ **((** 495 495 495 822 822 260 8 900 8 260 260 600 170-300 1200 600 900

SWM 922D 1 **SWM 924E** 1406 **(** 495 **(** 80-150 82 82 909 260 ca. 530 700

1400



For washing stands with fixing screws, the dimensions for boring must be drawn in on-site after the washing stand has been laid on the

Washing stands without anchoring brackets have to be fixed on the wall and on the furniture-side with silicon! evermite / STONEPLUS:

The water temperature must not exceed 55° C / 131° F. Hair tinting lotions have to be removed in a few seconds, so that staining can be avoided.

Modifications:

1200


Technical modifications (+/- 5mm) and flatness modifications (DIN 18202) are subject of the usual material-specific modifications for construction materials, based on DIN 18202.




Program 032 - dimensional drawings

WGS 929E WGS 922E WGS 922D 1206 906 1206 Ф Φ \oplus ⊕ 495 **(** 495 115 115 8 822 822 80-150 80-150 260 260 යු 900 1200 1200

WGS 924D WGS 924D 1406 353 353 **(** 495 ⊕ ⊕ 5 115 822 715 260 ca. 530 342 350 젊 700 700 1400



electrical connections for mirror cabinets



OKFFB=Oberkante Fertigfußboden

For washing stands with fixing screws, the dimensions for boring must be drawn in on-site after the washing stand has been laid on the floor unit

Washing stands without anchoring brackets have to be fixed on the wall and on the furniture-side with silicon! evermite / STONEPLUS:

The water temperature must not exceed 55° C / 131° F. Hair tinting lotions have to be removed in a few seconds, so that staining can be avoided.

Modifications:

Technical modifications (+/- 5mm) and flatness modifications (DIN 18202) are subject of the usual material-specific modifications for construction materials, based on DIN 18202.