

next generation



ACE Program 052



Front colours



No. 677 cosmos grey matt



No. 672 polar white hgl.



No. 671 anthracite hgl.



no. 675 sand oak



Nr. 695 natural oak


F foiled front

carcass colours


* High gloss carcass for an additional price



No. 177
cosmos grey
matt



No. 111
white matt



*no. 161
white hgl.



*no. 121
anthracite hgl.



no. 194
sand oak



Nr. 185
natural oak

Washbasin colours

Cast mineral washbasins



no. 1
white

Ceramic washbasins



no. 1
white

Glass washbasin



no. 82
optiwhite

Handle version



handleless with recessed grip

Technique

door with integrated buffered closing

Pull outs and drawers






No. 556
Pull outs and drawers with soft close








No. 559
Pull outs and drawers with soft close







Program 052 - type list

Depth indication corresponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Article number	Hinge	Surcharge high-gloss carcass	Surcharge Premium equipment
Mirrors							
	59	700	720	F S A 4 3 7 0 7 2			
<p>Mirror LED lighting vertical 6,6 Watt / converter 15 Watt incl. toggle switch This product contains a light source with energy efficiency class: D</p>							
	59	1000	720	F S A 4 3 1 0 7 2			
<p>Mirror LED lighting vertical 9,3 watt / converter 15 watt incl. toggle switch This product contains a light source with energy efficiency class: D</p>							
	59	1200	720	F S A 4 3 1 2 7 2			
<p>Mirror LED lighting vertical 11,4 watt / converter 15 watt incl. toggle switch This product contains a light source with energy efficiency class: D</p>							
Mirror cabinets							
	150	700	720	S 2 A 4 3 7 S 7 2			
<p>mirror cabinet 1 mirror panel incl. LED lighting vertical 6,6 Watt / converter 15 Watt 3 mirror doors on wooden-plated 2 central partitions, 3 glass shelves 1 switch socket element Door width: 196 mm / 296 mm / 196 mm This product contains a light source with energy efficiency class: D</p>							
<p>Additional accessories LED washbasin lighting</p>				P Z 1 0 6 3 6 0			
	150	1000	720	S 2 A 4 3 1 S 7 2			
<p>mirror cabinet 1 mirror panel incl. LED lighting vertical 9,3 watt / converter 15 watt 3 mirror doors on wooden-plated 2 central partitions, 3 glass shelves 1 switch socket element Door width: 288 mm / 412 mm / 288 mm This product contains a light source with energy efficiency class: D</p>							
<p>Additional accessories LED washbasin lighting</p>				P Z 1 0 6 3 9 0			





Program 052 - type list

Depth indication corresponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Article number			Hinge	Surcharge high-gloss carcass	Surcharge Premium equipment	
Mirror cabinets										
	<p>mirror cabinet 1 mirror panel incl. LED lighting vertical 11,4 watt / converter 15 watt 3 mirror doors on wooden-plated 2 central partitions, 3 glass shelves 1 switch socket element Door width: 388 mm / 412 mm / 388 mm This product contains a light source with energy efficiency class: G</p> <p>Additional accessories LED washbasin lighting</p>	150	1200	720	S 2 A 4 3 2 S 7 2					
Sets - cast mineral washbasin										
	<p>Consisting of: washbasin, cast mineral, white, 720 mm Washbasin base unit 700 mm 1 pull-out with cushioned closure and syphon cutout 1 pull-out with buffered closing 1 middle panel white pre-milled</p> <p>without LED lighting</p> <p>with LED lighting 1 LED converter 12 V, 15 Watt incl. toggle switch This product contains a light source with energy efficiency class: F</p> <p>Additional accessories Space-saving drain stench trap DN 40 Space-saving drain stench trap DN 32 motion sensor for LED lighting</p>	505	720	515	S E T 7 0 1 2 1					
	<p>Consisting of: washbasin, cast mineral, white, 1020 mm Washbasin base unit, 1000 mm 1 pull-out with cushioned closure and syphon cutout 1 pull-out with buffered closing 1 middle panel white pre-milled</p> <p>without LED lighting</p> <p>with LED lighting 1 LED converter 12 V, 15 Watt incl. toggle switch This product contains a light source with energy efficiency class: F</p> <p>Additional accessories Space-saving drain stench trap DN 40 Space-saving drain stench trap DN 32 motion sensor for LED lighting</p>	505	1020	515	S E T 1 0 1 2 1					
	<p>without LED lighting</p> <p>with LED lighting 1 LED converter 12 V, 15 Watt incl. toggle switch This product contains a light source with energy efficiency class: F</p> <p>Additional accessories Space-saving drain stench trap DN 40 Space-saving drain stench trap DN 32 motion sensor for LED lighting</p>	505	1020	515	S E T 1 0 1 2 B 1					
	<p>Additional accessories Space-saving drain stench trap DN 40 Space-saving drain stench trap DN 32 motion sensor for LED lighting</p>				P Z 1 3 6 7 P Z 1 4 2 3 P Z 1 1 4 1					

Program 052 - type list





Depth indication corresponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Article number	Hinge	Surcharge high-gloss carcass	Surcharge Premium equipment		
Sets - cast mineral washbasin									
	Consisting of: washbasin, cast mineral, white, 1220 mm washbasin base unit 1200 mm 1 pull-out with cushioned closure and syphon cutout 1 pull-out with buffered closing 1 middle panel white pre-milled								
	505	1220	515	SET 1 2 1 2 1	1				
	505	1220	515	SET 1 2 1 2 B 1	1				
	without LED lighting with LED lighting 1 LED converter 12 V, 15 Watt incl. toggle switch This product contains a light source with energy efficiency class: F			Additional accessories Space-saving drain stench trap DN 40 Space-saving drain stench trap DN 32 motion sensor for LED lighting					
				P Z	1 3 6 7				
				P Z	1 4 2 3				
				P Z	1 1 4 1				
	Consisting of: Double washbasin white cast mineral, 1220 mm washbasin base unit 1200 mm 1 pull-out with cushioned closure and 2 syphon cutouts 1 pull-out with buffered closing 1 middle panel white pre-milled								
	505	1220	515	SET 1 2 2 D 1	1				
	505	1220	515	SET 1 2 2 DB 1	1				
	without LED lighting with LED lighting 1 LED converter 12 V, 15 Watt incl. toggle switch This product contains a light source with energy efficiency class: F			Additional accessories Space-saving drain stench trap DN 40 (order 2 pieces) Space-saving drain stench trap DN 32 (order 2 pieces) motion sensor for LED lighting					
				P Z	1 3 6 7				
				P Z	1 4 2 3				
				P Z	1 1 4 1				
Sets - glass washbasin									
	Consisting of: Washbasin, glass Optiwhite, 712 mm Washbasin base unit 700 mm 1 pull-out with cushioned closure and syphon cutout 1 pull-out with buffered closing 1 middle panel white pre-milled								
	500	712	505	SET 7 0 1 2 8 2					
	Additional accessories Space-saving drain stench trap DN 40 Space-saving drain stench trap DN 32 Neutrally bonding silicone for glass washbasins			P Z	1 3 6 7				
				P Z	1 4 2 3				
				P Z	1 2 3 5				

Program 052 - type list






Depth indication corresponds to the carcass depth		Depth in mm	Width in mm	Height in mm	Article number	Hinge	Surcharge high-gloss carcass	Surcharge Premium equipment
 <p>Consisting of: Washbasin, glass Optiwhite, 1012 mm Washbasin base unit, 1000 mm 1 pull-out with cushioned closure and syphon cutout 1 pull-out with buffered closing 1 middle panel white pre-milled</p> <p>Additional accessories Space-saving drain stretch trap DN 40 Space-saving drain stretch trap DN 32 Neutrally bonding silicone for glass washbasins</p>		500	1012	505	SET 1 0 1 2 8 2			
 <p>Consisting of: Washbasin, glass Optiwhite, 1212 mm washbasin base unit 1200 mm 1 pull-out with cushioned closure and syphon cutout 1 pull-out with buffered closing 1 middle panel white pre-milled</p> <p>Additional accessories Space-saving drain stretch trap DN 40 Space-saving drain stretch trap DN 32 Neutrally bonding silicone for glass washbasins</p>		500	1212	505	SET 1 2 1 2 8 2			
 <p>Consisting of: Double washbasin white cast mineral, 1220 mm washbasin base unit 1200 mm 1 pull-out with cushioned closure and 2 syphon cutouts 1 pull-out with buffered closing 1 middle panel white pre-milled</p> <p>Additional accessories Space-saving drain stretch trap DN 40 (order 2 pieces) Space-saving drain stretch trap DN 32 (order 2 pieces) Neutrally bonding silicone for glass washbasins</p>		500	1212	505	SET 1 2 2 D 8 2			
 <p>Consisting of: Washbasin, ceramic, white, 720 mm Washbasin base unit 700 mm 1 pull-out with cushioned closure and syphon cutout 1 pull-out with buffered closing 1 middle panel white pre-milled</p> <p>Additional accessories Space-saving drain stretch trap DN 40 Space-saving drain stretch trap DN 32</p>		500	720	510	SET 7 0 1 2 K 1			

Sets - ceramic washbasin








Program 052 - type list

	Depth in mm	Width in mm	Height in mm	Article number	Hinge	Surcharge high-gloss carcass	Surcharge Premium equipment
Depth indication corresponds to the carcass depth							
Sets - ceramic washbasin							
 <p>Consisting of: Washbasin, ceramic, white, 1020 mm Washbasin base unit, 1000 mm 1 pull-out with cushioned closure and syphon cutout 1 pull-out with buffered closing 1 middle panel white pre-milled</p> <p>Additional accessories Space-saving drain stench trap DN 40 Space-saving drain stench trap DN 32</p>	500	1020	510	SET 1 0 1 2 K 1			
 <p>Consisting of: Washbasin, ceramic, white, 1220 mm washbasin base unit 1200 mm 1 pull-out with cushioned closure and syphon cutout 1 pull-out with buffered closing 1 middle panel white pre-milled</p> <p>Additional accessories Space-saving drain stench trap DN 40 Space-saving drain stench trap DN 32</p>	500	1220	510	SET 1 2 1 2 K 1			
 <p>Consisting of: Double washbasin white ceramic, 1220 mm washbasin base unit 1200 mm 1 pull-out with cushioned closure and 2 syphon cutouts 1 pull-out with buffered closing 1 middle panel white pre-milled</p> <p>Additional accessories Space-saving drain stench trap DN 40 (order 2 pieces) Space-saving drain stench trap DN 32 (order 2 pieces)</p>	500	1220	510	SET 1 2 2 D K 1			
Tall units							
 <p>Tall unit 1 door 4 glass shelves 2 pull-outs with buffered closing</p>	300 300	300 400	1600 1600	HNA 0 8 3 0 HNA 0 8 4 0	4 L/R 4 L/R		







Program 052 - type list

Depth indication corresponds to the carcass depth		Depth in mm	Width in mm	Height in mm	Article number	Hinge	Surcharge high-gloss carcass	Surcharge Premium equipment
Tall units  <p>Tall unit 2 doors 4 glass shelves 2 pull-outs with buffered closing</p>		300	600	1600	HNA 0 8 6 0 4			
Tall unit-shelf  <p>Tall unit-shelf with open shelf space in carcass colour</p>		150	300	1600	RG 1 0 3 0 0 1			
 <p>Tall unit-shelf with mirror surface 4 shelves compartments in carcass colour</p>		150	300	1600	RG 1 0 3 0 0 2			
 <p>Tall unit-shelf 4 functional hooks 4 shelves compartments in carcass colour</p>		150	300	1600	RG 1 0 3 0 0 3			
Central units  <p>medium-high unit 1 door 1 glass shelf 2 pull-outs with buffered closing 1 top cover 325 mm deep</p>		300 300	300 400	1136 1136	MNA 7 7 3 A 0 1 MNA 7 7 4 A 0 1	L/R L/R		






Program 052 - type list

Depth indication corresponds to the carcass depth		Depth in mm	Width in mm	Height in mm	Article number	Hinge	Surchar-ge high-gloss carcass	Surchar-ge Premium equip-ment
Central units								
	medium-high unit 2 doors 1 glass shelf 2 pull-outs with buffered closing 1 top cover 325 mm deep	300	600	1136	M N A 7 7 6 A 0 1			
	medium-high unit 1 door 3 glass shelves 1 top cover 325 mm deep	300 300	300 400	1136 1136	M N A 7 1 3 A 0 1 M N A 7 1 4 A 0 1	L/R L/R		
	medium-high unit 2 doors 3 glass shelves 1 top cover 325 mm deep	300	600	1136	M N A 7 1 6 A 0 1			
Highboards								
	Highboard 1 door 1 glass shelf 1 top cover 325 mm deep	300 300	300 400	656 656	H B A 4 1 3 A 0 1 H B A 4 1 4 A 0 1	L/R L/R		
	Highboard 2 doors 1 glass shelf 1 top cover 325 mm deep	300	600	656	H B A 4 1 6 A 0 1			
	Highboard with laundry basket 1 laundry basket with wire basket 1 top cover 325 mm deep Volume of laundry basket: 25 liters Volume of laundry basket: 35 liters	300 300	300 400	656 656	H B A 4 1 3 W 0 1 H B A 4 1 4 W 0 1			
	Highboard with laundry basket 1 laundry basket with wire basket 1 top cover 325 mm deep Volume of laundry basket: 55 liters	300	600	656	H B A 4 1 6 W 0 1			





Program 052 - type list

Depth indication corresponds to the carcass depth		Depth in mm	Width in mm	Height in mm	Article number	Hinge	Surcharge high-gloss carcass	Surcharge Premium equipment
Highboards								
 <p>160 640</p>	Highboard 1 drawer with buffered closing 1 door 1 glass shelf 1 top cover 325 mm deep only premium- equipment possible	300	300	816	H B A 5 5 3 A 0 1	L/R		
		300	400	816	H B A 5 5 4 A 0 1	L/R		
 <p>160 640</p>	Highboard 1 drawer with buffered closing 2 doors 1 glass shelf 1 top cover 325 mm deep only premium- equipment possible	300	600	816	H B A 5 5 6 A 0 1			
 <p>160 640</p>	Highboard with laundry basket 1 drawer with buffered closing 1 laundry basket with wire basket 1 top cover 325 mm deep only premium- equipment possible Volume of laundry basket: 25 liters Volume of laundry basket: 35 liters	300	300	816	H B A 5 5 3 W 0 1			
		300	400	816	H B A 5 5 4 W 0 1			
 <p>160 640</p>	Highboard with laundry basket 1 drawer with buffered closing 1 laundry basket with wire basket 1 top cover 325 mm deep only premium- equipment possible Volume of laundry basket: 55 liters	300	600	816	H B A 5 5 6 W 0 1			
Wall units								
 <p>640</p>	Wall unit 1 door 1 glass shelf	150	300	640	O G A 4 1 3 0	L/R		
		150	400	640	O G A 4 1 4 0	L/R		
 <p>640</p>	Wall unit 2 doors 1 glass shelf	150	600	640	O G A 4 1 6 0			

Program 052 - type list

Depth indication corresponds to the carcass depth		Depth in mm	Width in mm	Height in mm	Article number	Hinge	Surchar- ge high- gloss carcass	Surchar- ge Premium equi- ment
Base units								
	Base unit 2 pull-outs with buffered closing 1 top cover 325 mm deep	300	300	496	U N A 3 6 3 A 0 1			
		300	400	496	U N A 3 6 4 A 0 1			
	Base unit 2 pull-outs with buffered closing 1 top cover 325 mm deep	300	600	496	U N A 3 6 6 A 0 1			
Shelves								
	functional shelf Edges are cut with a mitre vertical and horizontal mounting possible please indicate colour version: no. 501 white matt lacquered no. 547 black matt lacquered	150	300	160	R G L 1 1 3 0 0 1			
	functional shelf Edges are cut with a mitre vertical and horizontal mounting possible please indicate colour version: no. 501 white matt lacquered no. 547 black matt lacquered	150	600	160	R G L 1 1 6 0 0 2			
	functional shelf Edges are cut with a mitre vertical and horizontal mounting possible please indicate colour version: no. 501 white matt lacquered no. 547 black matt lacquered	150	900	160	R G L 1 1 9 0 0 3			




Program 052 - type list

Depth indication corresponds to the carcass depth		Depth in mm	Width in mm	Height in mm	Article number		Hinge	Surcharge high-gloss carcass	Surcharge Premium equipment	
Glass shelves										
	Glass shelf incl. metal holder 400 mm wide incl. 2 metal brackets 600 mm wide incl. 2 metal brackets 700 mm wide incl. 2 metal brackets 1000 mm wide incl. 3 metal brackets 1200 mm wide incl. 3 metal brackets	130	400	8	A B G 1 3 4 0 0 8					
		130	600	8	A B G 1 3 6 0 0 8					
		130	700	8	A B G 1 3 7 0 0 8					
		130	1000	8	A B G 1 3 1 0 0 8					
		130	1200	8	A B G 1 3 1 2 0 8					
Push- fit shelf										
	Push-fit shelf with ABS thick edge all around incl. holders for push fit shelf 300 mm wide incl. 2 push-fit holder 400 mm wide incl. 2 push-fit holder 600 mm wide incl. 2 push-fit holder 700 mm wide incl. 3 push-fit holder 1000 mm wide incl. 3 push-fit holder 1200 mm wide incl. 3 push-fit holder	150	300	28	S B G 6 0 3 0					
		150	400	28	S B G 6 0 4 0					
		150	600	28	S B G 6 0 6 0					
		150	700	28	S B G 6 0 7 0					
		150	1000	28	S B G 6 0 1 0					
		150	1200	28	S B G 6 0 1 2					
Accessories										
	Neutrally bonding silicone for glass washbasins 310 ml cartridge				P Z 1 2 3 5					
										




Program 052 - type list

Depth indication corresponds to the carcass depth		Depth in mm	Width in mm	Height in mm	Article number			Hinge	Surchar- ge high- gloss carcass	Surchar- ge Premium equi- ment
Accessories										
	Towel holder chrome gloss front opened to fit on carcass at side Please observe carcass depth and furniture height	380	50	10	P Z	1 1 2 7	4 5			
	Towel holder one-armed extendable Chrome hgl. wall-mounted	330-567	44	44	P Z	1 1 3 7	1			
	Towel holder two-armed extendable Chrome hgl. wall-mounted	322-562	87	47	P Z	1 1 3 7	2			
	Container transparent with single fixing option can be combined with mounting rails - PZ 1237 L	84	84	65	P Z	1 2 3 7	B 1			
	Container transparent with double fixing option can be combined with mounting rails - PZ 1237 L	168	84	65	P Z	1 2 3 7	B 2			
	Container transparent with triple fixing option can be combined with mounting rails - PZ 1237 L	251	84	65	P Z	1 2 3 7	B 3			
	Positioning strip white with single fixing option can be combined with storage boxes - PZ 1237 B	27	83	9	P Z	1 2 3 7	L 1			

Program 052 - type list


Depth indication corresponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Article number			Hinge	Surcharge high-gloss carcass	Surcharge Premium equipment
 <p>Positioning strip white with double fixing option</p> <p>can be combined with storage boxes - PZ 1237 B</p>	27	167	9	P Z	1 2 3 7	L 2			
 <p>Positioning strip white with triple fixing option</p> <p>can be combined with storage boxes - PZ 1237 B</p>	27	250	9	P Z	1 2 3 7	L 3			
 <p>Positioning strip white with sixfold fixing option</p> <p>can be combined with storage boxes - PZ 1237 B</p>	27	504	9	P Z	1 2 3 7	L 6			
 <p>Cosmetic mirror 2-times magnified vacuum cup and fixation metal fixing bracket chrome</p>	30	150	150	P Z	1 2 3 3				
 <p>Motion sensor for LED lighting of washbasins or washbasin base units Term and sensitivity of lighting are adjustable</p>				P Z	1 1 4 1				
 <p>LED washbasin lighting 2,4 Watt 1 switch element to fit underneath mirror cabinet This product contains a light source with energy efficiency class: G</p> <p>not suitable with Emotion lighting</p>	10	560	10	P Z	1 0 6 3	6 0			
 <p>LED washbasin lighting 3,9 Watt 1 switch element to fit underneath mirror cabinet This product contains a light source with energy efficiency class: G</p> <p>not suitable with Emotion lighting</p>	10	860	10	P Z	1 0 6 3	9 0			

Program 052 - type list


Depth indication corresponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Article number			Hinge	Surcharge high-gloss carcass	Surcharge Premium equipment
<p>Accessories</p>  <p>LED washbasin lighting 5,3 Watt 1 switch element to fit underneath mirror cabinet This product contains a light source with energy efficiency class: G not suitable with Emotion lighting</p>	10	1160	10	P Z	1 0 6 3 1 2				
 <p>Space-saving drain stretch trap from GEBERIT made of plastic, in white nominal diameter: 40</p>				P Z	1 3 6 7				
 <p>Space-saving drain stretch trap from GEBERIT made of plastic, in white nominal diameter: 32</p>				P Z	1 4 2 3				

Program 052 - dimensional drawings


SET 7012 1




SET 1012 1




SET 1212 1




SET 122D 1




SET 7012 82




SET 1012 82




SET 1212 82



SET 122D 82



SET 7012 K1



Cast mineral:
 The water temperature must not exceed 55° C / 131° F. Hair tinting lotions have to be removed immediately, so that staining can be avoided.




Modifications:
 Technical modifications (+/- 5mm) and flatness modifications (DIN 18202) are subject of the usual material-specific modifications for construction materials, based on DIN 18202.

Program 052 - dimensional drawings


SET 1012 K1

SET 1212 K1

SET 122D K1



electrical connections for mirror cabinets



Cast mineral:

The water temperature must not exceed 55° C / 131° F. Hair tinting lotions have to be removed immediately, so that staining can be avoided.

Modifications:

Technical modifications (+/- 5mm) and flatness modifications (DIN 18202) are subject of the usual material-specific modifications for construction materials, based on DIN 18202.