



# **Classic line**

#### Program 40





#### Front colours



No. 764 Stonegrey matt



No. 777 cosmos grey matt



No. 793 noble white matt



No. 891 quarz grey matt



No. 893 titanium grey matt



No. 686 anthracite hgl.



No. 722 polar white hgl.



no. 680 Charleston oak



Nr. 785 natural oak



no. 786 truffle oak



no. 794 sand oak



#### carcass colours

\* High gloss carcass for an additional price



No. 164 Stonegrey matt



No. 177 cosmos grey matt



No. 111 white matt



no. 191 quarz grey matt



No. 193 titanium grey matt



\*no. 121 anthracite hgl.



\*no. 161 white hgl.



no. 180 Charleston oak



Nr. 185 natural oak



no. 186 truffle oak



no. 194 sand oak

#### Washbasin colours

evermite - washbasins



No. 21 white



New, harder, easy-care surface.

#### Glass washbasin



no. 82 optiwhite



no. 83 quartzite gray

#### Technique

Pull outs and drawers No. 554

door with integrated buffered closing

#### Handle version

No. 290 bar handle chrome



handle-borehole distance for straight fronts: 96 mm / 384 mm

#### Mirror cabinets

Series A

Series B







Illustrations and specifications are without obligation. Technical modifications reserved.

Please note the instruction for warranty, mounting and care, and the quality agreements as well, at the beginning of the book.

•	esponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Artic	cle numbe	er	Hinge	Surchar- ge high- gloss carcass
III. = left incl. handle blocks	Mirror cabinet 2 double mirrored doors with bevelled edge rounded at top and buttom 1 LED surface-mounted lamp 8,5 watt / converter 15 watt 2 glass shelves 1 switch socket element Door width: 446 mm / 246 mm This product contains a light source with energy efficiency class: F  Additional accessories LED washbasin lighting	150	700	700	PΖ	<b>4 3 7 0</b> 1 0 6 3 1 1 5 0	60	L/R	
incl. handle blocks	Mirror cabinet 3 double mirrored doors with bevelled edge rounded at top and buttom 1 LED surface-mounted lamp 8,5 watt / converter 15 watt 2 central partitions, 6 glass shelves 1 switch socket element Door width: 238 mm / 412 mm / 238 mm This product contains a light source with energy efficiency class: F  Additional accessories LED washbasin lighting LED washbasin lighting emotion	150	900	700	P Z S 2 A	4 3 9 0 1 063 1 150	1 <b>S 9</b> 90		
incl. handle blocks	Mirror cabinet 3 double mirrored doors with bevelled edge rounded at top and buttom 1 LED surface-mounted lamp 13,2 watt / converter 30watt 2 central partitions, 6 glass shelves 1 switch socket element Door width: 388 mm / 412 mm / 388 mm This product contains a light source with energy efficiency class: F Additional accessories LED washbasin lighting LED washbasin lighting ED washbasin lighting Emotion lighting	150	1200	700	<b>S 2 A</b> P Z P Z	1 0 2 0 4 3 1 2 1 0 6 3 1 1 5 0 1 0 2 0	12		

·	esponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Artio	cle n	umb	er	Hinge	ge	urchar- e high- gloss arcass
incl. handle blocks	Mirror cabinet 3 double mirrored doors with bevelled edge rounded at top and buttom 1 LED surface-mounted lamp 13,2 watt / converter 30watt 2 central partitions, 6 glass shelves 1 switch socket element Door width: 438 mm / 512 mm / 438 mm This product contains a light source with energy efficiency class: F  Additional accessories LED washbasin lighting LED washbasin lighting Emotion lighting	150	1400	700	PZ PZ PZ PZ	1 0 1 1	6 3 5 0 2 0	12			
Mirror cabin Series B	ets										
incl. handle blocks	Mirror cabinet  2 mirror doors on wooden-plated rounded at top and buttom LED lighting  7,7 watt / converter 15 Watt  1 central partition  4 glass shelves  1 switch socket element Door width: 446 mm / 246 mm This product contains a light source with energy efficiency class: F  Additional accessories LED washbasin lighting	150	700	700	<b>S 2 A</b>		<b>7</b> L				
incl. handle blocks	Mirror cabinet  2 mirror doors on wooden-plated rounded at top and buttom LED lighting  7,7 watt / converter 15 Watt  1 central partition  4 glass shelves  1 switch socket element Door width: 246 mm / 446 mm This product contains a light source with energy efficiency class: F  Additional accessories	150	700	700	S 2 A						
	LED washbasin lighting				PΖ	1 0	63	60			

Depth indication corre	esponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Artio	cle numb	er	Hinge	Surchar- ge high- gloss carcass
Mirror cabin Series B	ets								
incl. handle blocks	Mirror cabinet 3 mirror doors on wooden-plated rounded at top and buttom LED lighting 9,6 watt / converter 30 watt 2 central partitions, 6 glass shelves 1 switch socket element Door width: 238 mm / 412 mm / 238 mm This product contains a light source with energy efficiency class: F  Additional accessories LED washbasin lighting	150	900	700	<b>S 2 A</b>	<b>4 3 9 0</b> 1 0 6 3			
incl. handle blocks	Mirror cabinet 3 mirror doors on wooden-plated rounded at top and buttom LED lighting 12,2 watt / converter 30 watt 2 central partitions, 6 glass shelves 1 switch socket element Door width: 388 mm / 412 mm / 388 mm This product contains a light source with energy efficiency class: F  Additional accessories LED washbasin lighting	150	1200	700	<b>S 2 A</b>	<b>4 3 1 2</b> 1 0 6 3			
incl. handle blocks	Mirror cabinet 3 mirror doors on wooden-plated rounded at top and buttom LED lighting 14,4 Watt / converter 30 Watt 2 central partitions, 6 glass shelves 1 switch socket element Door width: 438 mm / 512 mm / 438 mm This product contains a light source with energy efficiency class: F Additional accessories LED washbasin lighting	150	1400	700	<b>S 2 A</b>	1 0 6 3			

Depth indication corre	esponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Artio	cle	nu	mb	er		Hinge	Surchar- ge high- gloss carcass
	* 11 - 700											
	evermite washbasin, 700 mm colour white incl. CLOU drain and overflow system	508	712	40	SWM	8	2 (	0 7	2	1		
evermite	evermite washbasin, LED, 700 mm Description as above, though LED lighting 1 LED converter 12 V, 15 Watt integrated sensor switcher This product contains a light source with energy efficiency class: F	508	712	40	SWM	8	2 (	0 7	В	1		
	can be combined with WUA 3570 1M, WUA 3570 7M											
	Additional accessories motion sensor for LED lighting Surcharge for washbasins without tap-hole or with 3 hole	s (accord	ing to ske	tch)	PΖ	1	1 4	4 1				
	evermite washbasin, 900 mm								+			
evermite*	colour white incl. CLOU drain and overflow system	522	912	40	SWM	8	2	0 9	2	1		
everifice	evermite washbasin, LED, 900 mm  Description as above, though LED lighting 1 LED converter 12 V, 15 Watt integrated sensor switcher This product contains a light source with energy efficiency class: F	522	912	40	SWM	8	2	0 9	В	1		
	can be combined with WUA 3590 1M, WUA 3590 7M											
	Additional accessories motion sensor for LED lighting Surcharge for washbasins without tap-hole or with 3 hole	s (accord	ing to ske		PΖ	1	1 4	4 1				
	evermite washbasin, 1200 mm											
evermite*	colour white incl. CLOU drain and overflow system	495	1212	40	SWM	8	2 :	2 0	2	1		
	evermite washbasin, LED, 1200 mm Description as above, though LED lighting 1 LED converter 12 V, 15 Watt integrated sensor switcher This product contains a light source with energy efficiency class: F  can be combined with WUA 3512 1M, WUA 3512 7M Additional accessories motion sensor for LED lighting	495	1212	40	S W M			<b>2 0</b>	В	1		
	Surcharge for washbasins without tap-hole or with 3 hole	s (accord	ing to ske	tch)				7				

Depth indication corre	esponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Arti	cle	nu	mb	er	Hinge	ge gl	rchar- high- loss rcass
evermite*	evermite single washbasin, 1400 mm colour white incl. CLOU drain and overflow system	508	1412	40	SWM	8	2 4	4 0	2 1			
	evermite washbasin, LED, 1400 mm Description as above, though LED lighting 1 LED converter 12 V, 15 Watt integrated sensor switcher This product contains a light source with energy efficiency class: F	508	1412	40	SWM	8	2 4	4 0	B 1			
	can be combined with WUA 3514 1M, WUA 3514 7M  Additional accessories motion sensor for LED lighting Surcharge for washbasins without tap-hole or with 3 hole	s (accord	ing to ske	tch)	PΖ	1	1 4	11				
	⊋evermite double washbasin, 1400 mm											
evermite*	colour white incl. 2 CLOU drain and overflow systems	562	1412	40	SWM	8	2 4	4 D	2 1			
Glass washl		562	1412	40	PZ		1 4		B 1			
	glass washbasin, 700 mm incl. CLOU drain and overflow system in chrome Colour Optiwhite Colour quartzite gray can be combined with WUA 3570 1M, WUA 3570 5M Additional accessories Neutrally bonding silicone for glass washbasins Surcharge for washbasins without tap-hole or with 3 hole	482 482 es (accord	712 712 ing to ske	12 12 tch)	SWG SWG	8	0 7		8 3			
	neks. Price ner washhasin. Washhasin without tan hole											

<sup>\*</sup>Delivery time: 8 weeks. Price per washbasin. Washbasin without tap hole is incompatible with CLOU System. Please check your order confirmation for correctness.

Depth indication col	responds to the carcass depth	Depth in mm	Width in mm	Height in mm	Artio	cle	nu	ımb	er	Hinge	Surci ge hi glos carca
Glass wash	basin										
	Glass washbasin, 900 mm incl. CLOU drain and overflow system in chrome										
	Colour Optiwhite Colour quartzite gray	495 495	912 912	12 12	S W G						
	can be combined with WUA 3590 1M, WUA 3590 5M										
	Additional accessories Neutrally bonding silicone for glass washbasins Surcharge for washbasins without tap-hole or with 3 hole	es (accord	ing to ske	tch)	PΖ	1	2	3 5			
	⊘ Glass washbasin, 1200 mm										
	incl. CLOU drain and overflow system in chrome										
	Colour Optiwhite	468	1212	12	SWG						
	Colour quartzite gray	468	1212	12	SWG	8	1	2 0	8 3	3	
	can be combined with WUA 3512 1M, WUA 3512 5M										
	Additional accessories				ΡZ	4	0	2 -			
	Neutrally bonding silicone for glass washbasins Surcharge for washbasins without tap-hole or with 3 hole	es (accord	ing to ske		PZ	1	2 .	3 5			
	→ Glass washbasin, 1400 mm										
	incl. CLOU drain and overflow system in chrome										
	Colour Optiwhite	482	1412	12	SWG	8	1	4 0	8 2	2	
	Colour quartzite gray	482	1412	12	SWG	8	1	4 0	8 3	3	
	can be combined with WUA 3514 1M, WUA 3514 5M										
	Additional accessories  Neutrally bonding silicone for glass washbasins  Surcharge for washbasins without tap-hole or with 3 hole	es (accord	ing to ske	tch)	PΖ	1	2	3 5			
Washbasin	base units										
	Washbasin base unit front panel 1 metal pull-out with buffered closing incl. drawer rail sidewise carcass depth = 400 mm	450	700	480	WUA	3	5	7 0	1 N	1	
	for evermite and glass washbasins										
	Additional accessories Space-saving drain stench trap DN 40 Space-saving drain stench trap DN 32				P Z P Z			6723			

Depth indication corr	esponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Artio	cle numbe	er	Hinge	Surchar- ge high- gloss carcass
Washbasin	base units								
	Washbasin base unit 1 drawer with buffered closing 1 metal pull-out with buffered closing incl. drawer rail sidewise carcass depth = 400 mm	450	700	480	WUA	3 5 7 0	7 M		
	for evermite washstands								
	Additional accessories Space-saving drain stench trap DN 40 Space-saving drain stench trap DN 32				P Z P Z	1 3 6 7 1 4 2 3			
	Washbasin base unit 1 drawer with buffered closing 1 metal pull-out with buffered closing incl. drawer rail sidewise carcass depth = 400 mm	450	700	480	WUA	3 5 7 0	5 M		
	for glass washbasins  Additional accessories Space-saving drain stench trap DN 40 Space-saving drain stench trap DN 32				P Z P Z	1 3 6 7 1 4 2 3			
	Washbasin base unit front panel 1 metal pull-out with buffered closing incl. drawer rail sidewise carcass depth = 400 mm	463	900	480	WUA	3 5 9 0	1 M		
	for evermite and glass washbasins  Additional accessories Space-saving drain stench trap DN 40 Space-saving drain stench trap DN 32				P Z P Z	1 3 6 7 1 4 2 3			
	Washbasin base unit 1 drawer with buffered closing 1 metal pull-out with buffered closing incl. drawer rail sidewise carcass depth = 400 mm	463	900	480	WUA	3 5 9 0	7 M		
	for evermite washstands  Additional accessories Space-saving drain stench trap DN 40 Space-saving drain stench trap DN 32				P Z P Z	1 3 6 7 1 4 2 3			
	Washbasin base unit 1 drawer with buffered closing 1 metal pull-out with buffered closing incl. drawer rail sidewise carcass depth = 400 mm	463	900	480	WUA	3 5 9 0	5 M		
	for glass washbasins  Additional accessories Space-saving drain stench trap DN 40 Space-saving drain stench trap DN 32				P Z P Z	1 3 6 7 1 4 2 3			

Depth indication corre	esponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Artic	cle numbe	er	Hinge	Surchar- ge high- gloss carcass
Washbasin	base units								
	Washbasin base unit front panel 2 doors per 1 glass shelf 1 metal pull out unit with buffered closing and rail sidewise carcass depth = 280 mm	455	1200	480	WUA	3 5 1 2	1 M		
	for evermite and glass washbasins								
	Additional accessories Space-saving drain stench trap DN 40 Space-saving drain stench trap DN 32				P Z P Z	1 3 6 7 1 4 2 3			
	Washbasin base unit 1 drawer with buffered closing 1 metal pull out unit with buffered closing and rail 2 doors per 1 glass shelf sidewise carcass depth = 280 mm	455	1200	480	WUA	3 5 1 2	7 M		
	for evermite washstands								
	Additional accessories Space-saving drain stench trap DN 40 Space-saving drain stench trap DN 32				P Z P Z	1 3 6 7 1 4 2 3			
	Washbasin base unit  1 drawer with buffered closing  1 metal pull-out with buffered closing incl. drawer rail  2 doors per 1 glass shelf sidewise carcass depth = 280 mm	455	1200	480	WUA	3 5 1 2	5 M		
	for glass washbasins								
	Additional accessories Space-saving drain stench trap DN 40 Space-saving drain stench trap DN 32				P Z P Z	1 3 6 7 1 4 2 3			
	Washbasin base unit front panel 2 doors per 1 glass shelf 1 metal pull out unit with buffered closing and rail sidewise carcass depth = 230 mm	450	1400	480	WUA	3 5 1 4	1 M		
	for evermite and glass washbasins								
	Additional accessories Space-saving drain stench trap DN 40 Space-saving drain stench trap DN 32				P Z P Z	1 3 6 7 1 4 2 3			
Dlagge	hserve suitable accessories in the senarate index	1							

Depth indication corre	esponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Artic	ele numbe	er	Hinge	Surchar- ge high- gloss carcass
Washbasin I	base units								
	Washbasin base unit 1 drawer with buffered closing 1 metal pull out unit with buffered closing and rail 2 doors per 1 glass shelf sidewise carcass depth = 230 mm  for evermite washstands  Additional accessories	450	1400	480	WUA:	3 5 1 4	7 M		
	Space-saving drain stench trap DN 40 Space-saving drain stench trap DN 32				P Z P Z	1 3 6 7 1 4 2 3			
	Washbasin base unit  1 drawer with buffered closing  1 metal pull-out with buffered closing incl. drawer rail  2 doors per 1 glass shelf sidewise carcass depth = 230 mm  for glass washbasins  Additional accessories	450	1400	480	WUA	3 5 1 4	5 M		
	Space-saving drain stench trap DN 40 Space-saving drain stench trap DN 32				P Z P Z	1 3 6 7 1 4 2 3			
	Washbasin base unit 2 elements 2 front panels 2 metal pull-out units with buffered closing incl. drawer rail sidewise carcass depth = 400 mm	500	1400	480	WUA	3 5 1 4	3 M		
	for evermite washstands for double washbasin solutions  Additional accessories								
	Space-saving drain stench trap DN 40 (order 2 pieces) Space-saving drain stench trap DN 32 (order 2 pieces)				P Z P Z	1 3 6 7 1 4 2 3			
	Washbasin base unit 2 elements 2 metal pull-outs with buffered closing 2 metal pull-out units with buffered closing incl. drawer rail sidewise carcass depth = 400 mm for evermite washstands for double washbasin solutions	500	1400	480	WUA	3 5 1 4	6 M		
	Additional accessories Space-saving drain stench trap DN 40 (order 2 pieces) Space-saving drain stench trap DN 32 (order 2 pieces)				P Z P Z	1 367 1 423			

Depth indication corresponds to the carcass dep		epth Widt mm in mi	0	Article number	Hinge	Surchar- ge high- gloss carcass
Tall units						
Tall unit 1 door 2 glass shelves (top) 2 metal pull-outs with buff 1 drawer with buffered clo 1 top cover 330 mm deep	fered closing osing	300 300 300 400		H N A 0 9 3 A 7 M H N A 0 9 4 A 7 M		
Tall unit 2 doors 2 glass shelves (top) 2 metal pull-outs with buff 1 drawer with buffered clo 1 top cover 330 mm deep	fered closing osing	800 600	1628	H N A 0 9 6 A 7 M		
Tall unit  1 aluminium framed door 2 glass shelves (top) 2 metal pull-outs with buff 1 drawer with buffered clo 1 top cover 330 mm deep	with satined glass fered closing osing	300 300	1628	H N A 0 9 3 B 7 M	L/R	
Tall unit 2 aluminium framed doors 2 glass shelves (top) 2 metal pull-outs with buff 1 drawer with buffered clo 1 top cover 330 mm deep	s with satined glass fered closing osing	800 600	1628	H N A 0 9 6 B 7 M		
Tall unit 2 doors 2 glass shelves (top) 2 adjustable shelves (bot 1 top cover 330 mm deep	tom)	300 300 300 400			L/R L/R	
Variable in width: please quote the exact di Top cover will be adapted	mension of carcass depth.	0-299 300 0-299 400		H V A 0 3 3 0 H V A 0 3 4 0	L/R L/R	
Tall unit 4 doors 2 glass shelves (top) 2 adjustable shelves (bot 1 top cover 330 mm deep  Variable in width:	tom)	300 600 0-299 600		H N A 0 3 6 A 7		

Depth indication corre	esponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Article number	Hinge	Surchar- ge high- gloss carcass
Tall units							
800	Tall unit 1 aluminium framed door with satined glass 1 door 2 glass shelves (top) 2 adjustable shelves (bottom) 1 top cover 330 mm deep	300	300	1628	H N A 0 3 3 B 7	L/R	
800	Variable in width: please quote the exact dimension of carcass depth. Top cover will be adapted to the cupboard width.	150-299	300	1628	H V A 0 3 3 1	L/R	
800	Tall unit 2 aluminium framed doors with satined glass 2 doors 2 glass shelves (top) 2 adjustable shelves (bottom) 1 top cover 330 mm deep	300	600	1628	HNA 0 3 6 B 7		
800	Variable in width: please quote the exact dimension of carcass depth. Top cover will be adapted to the cupboard width.	150-299	600	1628	H V A 0 3 6 1		
800	Tall unit for brooms 2 strapped doors 5 glass shelves 1 top cover 330 mm deep	300	300	1628 1628	H N A 0 3 3 A 7 1 H N A 0 3 4 A 7 1		
800	Tall unit for brooms 2 strapped doors left 2 strapped doors right 5 continuously glass shelves 1 top cover 330 mm deep	300	600	1628	H N A 0 3 6 A 7 1		
· [ ]	Tall unit 1 door	300	300	1628	H N A 0 2 3 A 7 1	L/R	
320	1 glass shelf (top) 1 open compartment 1 drawer with buffered closing 1 door 1 glass shelf 1 top cover 330 mm deep	300	400	1628	H N A 0 2 4 A 7 1	L/R	
320 160 480	Tall unit 2 doors 1 glass shelf (top) 1 open compartment 1 drawer with buffered closing 2 doors 1 glass shelf 1 top cover 330 mm deep	300	600	1628	H N A 0 2 6 A 7 1		

Depth indication corre	esponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Article number of glo	igh- ss
Tall units						
320 640	Tall unit 1 door 1 glass shelf (top) 1 open compartment 1 door 1 glass shelf 1 top cover 330 mm deep	300 300	300 400	1628 1628	H N A 0 2 3 A 7 2 L/R H N A 0 2 4 A 7 2 L/R	
640 320 640	Tall unit 2 doors 1 glass shelf (top) 1 open compartment 2 doors 1 glass shelf 1 top cover 330 mm deep	300	600	1628	H N A 0 2 6 A 7 2	
640 160 160 640	Tall unit 1 door 1 glass shelf (top) 2 metal pull-outs with buffered closing, 1 door 1 glass shelf 1 top cover 330 mm deep	300 300	300 400	1628 1628	H N A 0 4 3 A 7 1 L/R H N A 0 4 4 A 7 1 L/R	
640 160 160 640	Tall unit 2 doors 1 glass shelf (top) 2 metal pull-outs with buffered closing, 2 doors 1 glass shelf 1 top cover 330 mm deep	300	600	1628	H N A 0 4 6 A 7 1	
800 160 — 640	Tall unit 1 door 2 glass shelves (top) 1 drawer with buffered closing 1 door 1 glass shelf 1 top cover 330 mm deep	300 300	300 400		H N A 0 5 3 A 7 M L/R H N A 0 5 4 A 7 M L/R	
800	Tall unit 2 doors 2 glass shelves (top) 1 drawer with buffered closing 2 doors 1 glass shelf 1 top cover 330 mm deep	300	600	1628	H N A 0 5 6 A 7 M	



Depth indication corr	esponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Article number	Hinge	Surchar- ge high- gloss carcass
Tall units							
800 160 640	Tall unit  1 aluminium framed door with satined glass 2 glass shelves (top) 1 drawer with buffered closing 1 door 1 glass shelf 1 top cover 330 mm deep	300	300	1628	H N A 0 5 3 B 7 M	L/R	
160	Tall unit 2 aluminium framed doors with satined glass 2 glass shelves (top) 1 drawer with buffered closing 2 doors 1 glass shelf 1 top cover 330 mm deep	300	600	1628	H N A 0 5 6 B 7 M		
800 160 640	Tall unit with laundry basket  1 door 2 glass shelves 1 drawer with buffered closing 1 laundry basket with wire basket 1 top cover 330 mm deep  Volume of laundry basket: 25 liters	300	300	1628	H N A 0 5 3 A 7 W		
	Volume of laundry basket: 35 liters	300	400	1628	H N A 0 5 4 A 7 W	L/R	
800	Tall unit with laundry basket 2 doors 2 glass shelves 1 drawer with buffered closing 1 laundry basket with wire basket 1 top cover 330 mm deep Volume of laundry basket: 55 liters	300	600	1628	H N A 0 5 6 A 7 W		
800	Tall unit with laundry basket  1 aluminium framed door with satined glass 2 glass shelves 1 drawer with buffered closing 1 laundry basket with wire basket 1 top cover 330 mm deep  Volume of laundry basket: 25 liters	300	300	1628	H N A 0 5 3 B 7 W	L/R	
800 160 640	Tall unit with laundry basket 2 aluminium framed doors with satined glass 2 glass shelves 1 drawer with buffered closing 1 laundry basket with wire basket 1 top cover 330 mm deep Volume of laundry basket: 55 liters	300	600	1628	H N A 0 5 6 B 7 W		

Depth indication corre	esponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Article number	Hinge	Surchar- ge high- gloss carcass
Tall units							
160 160 640	Tall unit with laundry pull out 2 doors 2 glass shelves (top) 1 drawer with buffered closing 2 doors 1 laundry pull out with wire basket 1 top cover 330 mm deep Volume of laundry pull out: 40 liters	300	600	1628	H N A 0 5 6 A 1 V	,	
Tall unit-she	elf						
238 238 238 238 238 238 238 238 238 238	Tall unit-shelf with open shelf space in carcass colour	150	300	1600	RG 103001		
374	Tall unit-shelf with mirror surface 4 shelves compartments in carcass colour	150	300	1600	RG 103002		
374 1 1 1 366 1 366 1 374 1 1 1 374 1 1 1 1 3 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Tall unit-shelf 4 functional hooks 4 shelves compartments in carcass colour	150	300	1600	RG 103003		

Depth indication corre	esponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Article number	Surchar- ge high- bb gloss E carcass
Central unit	S					
· 🗐	medium-high unit	300	300	1308	M N A 8 8 3 A 7 M	L/R
160 320	1 door 2 glass shelves (top) 1 metal pull-out with buffered closing, 1 drawer with buffered closing 1 top cover 330 mm deep	300	400	1308	M N A 8 8 4 A 7 M	L/R
160	medium-high unit 2 doors 2 glass shelves (top) 1 metal pull-out with buffered closing, 1 drawer with buffered closing 1 top cover 330 mm deep	300	600	1308	M N A 8 8 6 A 7 M	
160	medium-high unit 1 aluminium framed door with satined glass 2 glass shelves (top) 1 metal pull-out with buffered closing, 1 drawer with buffered closing 1 top cover 330 mm deep	300	300	1308	M N A 8 8 3 B 7 M	L/R
160	medium-high unit 2 aluminium framed doors with satined glass 2 glass shelves (top) 1 metal pull-out with buffered closing, 1 drawer with buffered closing 1 top cover 330 mm deep	300	600	1308	M N A 8 8 6 B 7 M	
	medium-high unit	300	300	1308	MNA813A 7	L/R
1280	1 door 4 glass shelves 1 top cover 330 mm deep	300	400	1308	M N A 8 1 4 A 7	L/R
	Variable in width: please quote the exact dimension of carcass depth.	150-299	300	1308	M V A 8 1 3 0	L/R
ţJ	Top cover will be adapted to the cupboard width.	150-299	400	1308	M V A 8 1 4 0	L/R
1280	medium-high unit 2 doors 4 glass shelves 1 top cover 330 mm deep	300	600	1308	M N A 8 1 6 A 7	
+	Variable in width: please quote the exact dimension of carcass depth. Top cover will be adapted to the cupboard width.	150-299	600	1308	M V A 8 1 6 0	
	medium-high unit with inside drawers	300	300	1308	M N A 8 4 3 A 7	L/R
1280	1 door 2 inside metal-drawer with buffered closing 1 glass shelf 1 top cover 330 mm deep	300	400	1308	MNA 8 4 4 A 7	L/R

Depth indication corre	esponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Arti	cle r	numb	er	Hinge	Surchar- ge high- gloss carcass
Central unit	S									
1280	medium-high unit with inside drawers 2 doors 2 continuously inside metal-drawer with buffered closing 1 continuous glass shelf 1 top cover 330 mm deep	300	600	1308	MNA	8 4	6 A	7		
640	medium-high unit with laundry pull out 2 doors 1 glass shelf (top) 2 doors 1 laundry pull out with wire basket Volume of laundry pull out: 40 liters 1 top cover 330 mm deep	300	600	1308	MNA	8 3	6 A	1 W		
Highboards										
800	Highboard 1 door 2 glass shelves 1 top cover 330 mm deep	300 300	300 400	828 828	H B A				L/R L/R	
÷V	Variable in width: please quote the exact dimension of carcass depth. Top cover will be adapted to the cupboard width.	150-299 150-299	300 400		нвv				L/R L/R	
800	Highboard 2 doors 2 glass shelves 1 top cover 330 mm deep	300	600	828	НВА	5 1	6 A	7		
;	Variable in width: please quote the exact dimension of carcass depth. Top cover will be adapted to the cupboard width.	150-299	600	828	нву	A 5	1 6			
800	Highboard 1 aluminium framed door with satined glass 2 glass shelves 1 top cover 330 mm deep	300	300	828	НВА	5 1	3 B	7	L/R	
• 🖳	Variable in width: please quote the exact dimension of carcass depth. Top cover will be adapted to the cupboard width.	150-299	300	828	нвv	A 5	13	1	L/R	



Depth indication corre	esponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Article number	Surchar- ge high- gloss El carcass
Highboards						
800	Highboard 2 aluminium framed doors with satined glass 2 glass shelves 1 top cover 330 mm deep	300	600	828	HBA516B 7	
	Variable in width: please quote the exact dimension of carcass depth. Top cover will be adapted to the cupboard width.	150-299	600	828	HBVA516 1	
800 000000 000000 0000000 0000000 000000	Highboard with laundry pull out 2 doors 1 laundry pull out with wire basket 1 top cover 330 mm deep					
000000	Volume of laundry pull out: 40 liters	300	600	828	HBA516A1W	
	Highboard	300	300	828	HBA563A7M	
320	1 drawer with buffered closing 2 metal pull-outs with buffered closing 1 top cover 330 mm deep	300	400	828	HBA 5 6 4 A 7 M	
320	Highboard 1 drawer with buffered closing 2 metal pull-outs with buffered closing 1 top cover 330 mm deep	300	600	828	HBA566A7M	
	Highboard	300	300	828	HBA553A7ML	_/R
640	1 drawer with buffered closing 1 door 1 glass shelf 1 top cover 330 mm deep	300	400	828	H B A 5 5 4 A 7 M L	/R
640	Highboard 1 drawer with buffered closing 2 doors 1 glass shelf 1 top cover 330 mm deep	300	600	828	HBA556A7M	
160	Highboard with laundry basket  1 drawer with buffered closing  1 laundry basket with wire basket  1 top cover 330 mm deep					
* L	Volume of laundry basket: 25 liters	300	300	828	H B A 5 5 3 A 7 W	
	Volume of laundry basket: 35 liters	300	400	828	HBA554A7W	

Depth indication corr	esponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Article i	number	Hinge	Surchar- ge high- gloss carcass
Highboards							_	Carcass
640	Highboard with laundry basket  1 drawer with buffered closing  1 laundry basket with wire basket  1 top cover 330 mm deep  Volume of laundry basket: 55 liters	300	600	828	HBA5	5 6 A 7 W		
160 000000 0000000000000000000000000000	Highboard with laundry pull out 1 drawer with buffered closing 2 doors 1 laundry pull out with wire basket 1 top cover 325 mm deep Volume of laundry pull out: 40 liters	300	600	828	НВА5 5	5 6 A 1 W		
Wall units								
640	Wall unit 1 door 1 glass shelf 1 top cover 180 mm deep	150 150	300 400		O G A 4 1		L/R L/R	
	Variable in width: please quote the exact dimension of carcass depth. Top cover will be adapted to the cupboard width.	151-300 151-300	300 400		O V A 4 1		L/R L/R	
640	Wall unit 2 doors 1 glass shelf 1 top cover 180 mm deep	150	600	668	O G A 4 1	16A 7		
,	Variable in width: please quote the exact dimension of carcass depth. Top cover will be adapted to the cupboard width.	151-300	600	668	O V A 4 1	160		
320	Wall unit 1 flap door, 1 top cover 260 mm deep	230	600	348	O M A 2 1	16A7K		
Base units								
320	Base unit 1 drawer with buffered closing 1 door 1 top cover 330 mm deep	300 300	300 400		U N A 3 2 U N A 3 2			



Depth indication corre	esponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Article number	Hinge	Surchar- ge high- gloss carcass
Base units							
320	Base unit 1 drawer with buffered closing 2 doors 1 top cover 330 mm deep	300	600	508	U N A 3 2 6 A 7 M		
160	Base unit 1 drawer with buffered closing 1 metal pull-out with buffered closing, 1 top cover 330 mm deep	300	300 400	508 508	U N A 3 4 3 A 7 M U N A 3 4 4 A 7 M		
160	Base unit 1 drawer with buffered closing 1 metal pull-out with buffered closing, 1 top cover 330 mm deep	300	600	508	U N A 3 4 6 A 7 M		
320	Base unit 1 flap door, 1 top cover 260 mm deep	230	600	348	UMA 216A7K		
Shelves							
	functional shelf Edges are cut with a mitre veritcal and horizontal mounting possible  please indicate colour version: no. 501 white matt lacquered no. 547 black matt lacquered	150	300	160	RGL113001		
	functional shelf Edges are cut with a mitre veritcal and horizontal mounting possible please indicate colour version: no. 501 white matt lacquered no. 547 black matt lacquered	150	600	160	RGL 1 1 6 0 0 2		
	functional shelf Edges are cut with a mitre veritcal and horizontal mounting possible  please indicate colour version: no. 501 white matt lacquered no. 547 black matt lacquered	150	900	160	RGL 119003		

Depth indication corre	esponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Arti	cle numbe	r	Hinge	ge high- gloss carcass
Laundryrolli									
640	Laundryrolli 1 flap door, with buffered closing 1 take-out laundry-bag, washable 4 roles Colour version corresponds to the carcass colour incl. height indication rolls (100 mm)	470	470	756	WRS	4 0 4 7			
Benches									
160	Bench 1 shelf 1 seat cushion in imitation leather cream-white Colour version corresponds to the carcass colour	450	600	508	SET	BANK	6		
160 242	Bench 2 shelves 1 seat cushion in imitation leather cream-white Colour version corresponds to the carcass colour	450	900	508	SET	BANK	9		
Glass shelfs									
	Glass shelf								
	400 mm wide incl. 2 metal brackets	130	400	8	A B G	1 3 4 0	0 8		
	600 mm wide incl. 2 metal brackets	130	600	8	A B G	1 3 6 0	8 0		
	700 mm wide incl. 2 metal brackets	130	700	8	A B G	1 3 7 0	8 0		
	900 mm wide incl. 3 metal brackets	130	900	8	A B G	1 3 9 0	8 0		
	1000 mm wide incl. 3 metal brackets	130	1000	8	A B G	1 3 1 0	8 0		
	1200 mm wide incl. 3 metal brackets	130	1200	8	A B G	1 3 1 2	8 0		
	<b>1400 mm wide</b> incl. 4 metal brackets	130	1400	8	A B G	1314	8 0		



Depth indication corr	esponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Arti	cle numb	er	Hinge	Surchar- ge high- gloss carcass
Push- III shi	Push-fit shelf with ABS thick edge all around								
	incl. holders for push fit shelf  300 mm widh incl. 2 push-fit holder	150	300	28	SBG	6030			
	400 mm wide incl. 2 push-fit holder	150	400	28	SBG	6 0 4 0			
	600 mm wide incl. 2 push-fit holder	150	600	28	SBG	6060			
	<b>700 mm wide</b> incl. 3 push-fit holder	150	700	28	SBG	6070			
	900 mm wide incl. 3 push-fit holder	150	900	28	SBG	6090			
	1200 mm wide incl. 3 push-fit holder	150	1200	28	SBG	6012			
	1400 mm wide incl. 3 push-fit holder	150	1400	28	SBG	6014			
Accessories	LED lighting element Width 600 mm 8,5 watt This product contains a light source with energy efficiency class: F								
	LED lighting element Width 900 mm 13,2 watt This product contains a light source with energy efficiency class: F								

# Programm 040 - examples

70-2		
S 2 A 4 3 7 0 S 9 W U A 3 5 7 0 7 M S W M 8 2 0 7 B 1		
Curre		
Suili		
Surcharge high-gloss carcass		700 mm wide
70-3		
S 2 A 4 3 7 R 3 9 W U A 3 5 7 0 7 M S W M 8 2 0 7 B 1		
Sum		
Julii		
Surcharge high-gloss carcass		700 mm wide
90-2		
S 2 A 4 3 9 0 S 9 W U A 3 5 9 0 7 M S W M 8 2 0 9 B 1		
Sum		
Surcharge high-gloss carcass	-	900 mm wide
90-3		
S 2 A 4 3 9 0 3 9 W U A 3 5 9 0 7 M S W M 8 2 0 9 B 1		
Sum		
Surcharge high-gloss carcass	_	900 mm wide
	S 2 A 4 3 7 0 S 9 W U A 3 5 7 0 7 M S W M 8 2 0 7 B 1  Sum  Surcharge high-gloss carcass  70-3  S 2 A 4 3 7 R 3 9 W U A 3 5 7 0 7 M S W M 8 2 0 7 B 1  Sum  Sum  Sum  Sum  Sum  Sum  Sum  Su	S 2 A 4 3 7 0 S 9 WU A 3 5 7 0 7 M S W M 8 2 0 7 B 1  Sum  Surcharge high-gloss carcass  70-3  S 2 A 4 3 7 R 3 9 WU A 3 5 7 0 7 M S W M 8 2 0 7 B 1  Sum  Surcharge high-gloss carcass  90-2  S 2 A 4 3 9 0 S 9 WU A 3 5 9 0 7 M S W M 8 2 0 9 B 1  Sum  Surcharge high-gloss carcass


# Programm 040 - examples


Mirror cabinet, 1200 mm	
Surcharge high-gloss carcass  CLE-2112-3  1 Mirror cabinet 1200 mm	
CLE-2112-3  1 Mirror cabinet 1200 mm	
CLE-2112-3  1 Mirror cabinet 1200 mm	
Mirror cabinet 1200 mm	
1 Washbasin base unit 1 evermite washbasin, LED, 1200 mm  Sum  Sum  Surcharge high-gloss carcass  1200 mm wide  CLE-2114-2  1 Mirror cabinet, 1400 mm	
Surcharge high-gloss carcass  1200 mm wide  CLE-2114-2  1 Mirror cabinet, 1400 mm S 2 A 4 3 1 4 S 9 1 Washbasin base unit W U A 3 5 1 4 7 M	
Surcharge high-gloss carcass  1200 mm wide  CLE-2114-2  1 Mirror cabinet, 1400 mm S 2 A 4 3 1 4 S 9 1 Washbasin base unit W U A 3 5 1 4 7 M	
1200 mm wide  CLE-2114-2  1 Mirror cabinet, 1400 mm	
1 Mirror cabinet, 1400 mm S 2 A 4 3 1 4 S 9 W U A 3 5 1 4 7 M	
1 Washbasin base unit WUA35147 M	
Sum	
Surcharge high-gloss carcass 1400 mm wide	
CLE-2114-3	
1 Mirror cabinet, 1400 mm S 2 A 4 3 1 4 3 9 1 Washbasin base unit W U A 3 5 1 4 7 M 1 evermite washbasin, LED, 1400 mm S W M 8 2 4 0 B 1	
Sum	
Surcharge high-gloss carcass 1400 mm wide	


# Programm 040 - examples

	CLE-2114	l-2D	
1 1 1	Mirror cabinet, 1400 mm Washbasin base unit evermite washbasin, LED, 1400 mm Double washbasin	S 2 A 4 3 1 4 S 9 W U A 3 5 1 4 6 M S W M 8 2 4 D B 1	
		Sum	
		Surcharge high-gloss carcass	1400 mm wide
	CLE-2114	I-3D	
1 1 1	Mirror cabinet, 1400 mm Washbasin base unit evermite washbasin, LED, 1400 mm Double washbasin	S 2 A 4 3 1 4 3 9 W U A 3 5 1 4 6 M S W M 8 2 4 D B 1	
		Sum	
		Surcharge high-gloss carcass	1400 mm wide

#### Program 040 - dimensional drawings







For washing stands with fixing screws, the dimensions for boring must be drawn in on-site after the washing stand has been laid on the floor unit

Washing stands without anchoring brackets have to be fixed on the wall and on the furniture-side with silicon! Cast mineral:

The water temperature must not exceed 55° C / 131° F. Hair tinting lotions have to be removed immediately, so that staining can be avoided.


Modifications:

Technical modifications (+/- 5mm) and flatness modifications (DIN 18202) are subject of the usual material-specific modifications for construction materials, based on DIN 18202.

#### Program 040 - dimensional drawings

#### SWG 8140

electrical connections for mirror cabinets



For washing stands with fixing screws, the dimensions for boring must be drawn in on-site after the washing stand has been laid on the floor unit.

Washing stands without anchoring brackets have to be fixed on the wall and on the furniture-side with silicon!

Cast mineral:

The water temperature must not exceed 55° C / 131° F. Hair tinting lotions have to be removed immediately, so that staining can be avoided.

Modifications:

Technical modifications (+/- 5mm) and flatness modifications (DIN 18202) are subject of the usual material-specific modifications for construction materials, based on DIN 18202.