



# **Cool line**

#### Program 17





#### Front colours



No. 764 Stonegrey matt



No. 777 cosmos grey matt



No. 793 noble white matt



No. 891 quarz grey matt



No. 893 titanium grey matt



No. 686 anthracite hgl.



No. 722 polar white hgl.



No. 755 hacienda black



No. 769 hacienda grey



no. 670 Halifax oak



no. 680 Charleston oak



No. 750 cardiff oak



no. 784 light oak



Nr. 785 natural oak



no. 786 truffle oak



no. 794 sand oak



Melamine coated front with ABS-edge

#### carcass colours

\* High gloss carcass for an additional price



No. 164 Stonegrey matt



No. 177 cosmos grey



No. 111 white matt



no. 191 quarz grey matt



No. 193 titanium grey



\*no. 121 anthracite hgl.



\*no. 161 white hgl.



no. 155 hacienda black



no. 169 hacienda grey



no. 170 Halifax oak



no. 180 Charleston oak



no. 150 cardiff oak



no. 184 light oak



Nr. 185 natural oak



no. 186 truffle oak



no. 194 sand oak

#### Dekorline intermediate panels



No. 164 Stonegrey matt




cosmos grey matt



white matt

no. 169







matt

No. 193



titanium grey









cardiff oak





no. 184 light oak



hacienda black

Nr. 185 natural oak

no. 155



hacienda grey

no. 186 truffle oak



no. 194 sand oak

no. 170

Halifax oak

No. 129 chrom

#### Technique

Pull outs and drawers

door with integrated buffered closing



No. 554

#### Washbasin colours

STONEPLUS washbasins



No. 61 white



Ceramic washbasins

no. 1 white

#### **STONE-PLUS**

Glass washbasin



no. 82 optiwhite



no. 83 quartzite gray



no. 92 optiwhite matt

#### Handle versions

No. 295 bar handle chrome



handle bore 96 mm / 384 mm

No. 292 bar handle chrome



handle bore 96 mm / 384 mm

•



handle bore 96 mm / 384 mm

chrome

No. 340 bar handle chrome No. 359 bar handle black matt

handle bore 96 mm / 384 mm



handle bore 96 mm / 384 mm

#### Mirror cabinets

Series A



Series B



Series C



·	esponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Artio	cle numb	er	Hinge	Surchar- ge high- gloss carcass
Mirror cabin	ets Series A								
III. = left incl. handle pads	mirror cabinet  2 double mirror doors  2 glass shelves  1 switch socket element  1 flyover shelf with LED lighting  2 X 2,7 Watt / converter 15 Watt  1 decor panel (please indicate colour version)  Door width: 396 mm / 196 mm  This product contains a light source with energy efficiency class: E	150	600	680	S 2 A	4 3 6 A	20	L/R	
	Additional accessories LED washbasin lighting LED washbasin lighting emotion Emotion lighting				P Z P Z P Z	1 0 6 3 1 1 5 0 1 0 2 0	60		
incl. handle pads	Mirror cabinet 3 double mirror doors 2 central partitions, 6 glass shelves 1 switch socket element 1 flyover shelf with LED lighting 2 X 5,1 watt / Converter 15 watt 1 decor panel (please indicate colour version) Door width: 238 mm / 412 mm / 238 mm This product contains a light source with energy efficiency class: E	150	900	680	S 2 A	4 3 9 A	20		
	Additional accessories LED washbasin lighting LED washbasin lighting emotion Emotion lighting				PZ PZ PZ	1 0 6 3 1 1 5 0 1 0 2 0	90		
incl. handle pads	Mirror cabinet 3 double mirror doors 2 central partitions, 6 glass shelves 1 switch socket element 1 flyover shelf with LED lighting 2 X 7,44 watt / converter 30 watt 1 decor panel (please indicate colour version) Door width: 388 mm / 412 mm / 388 mm This product contains a light source with energy efficiency class: E	150	1200	680	S 2 A	4 3 1 A	20		
	Additional accessories LED washbasin lighting LED washbasin lighting emotion Emotion lighting				PΖ	1 0 6 3 1 1 5 0 1 0 2 0	12		


•	esponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Artic	le numbe	er	Hinge	Surchar- ge high- gloss carcass
III. = left incl. handle blocks	ets Series B  Mirror cabinet 2 double mirror doors 2 glass shelves 1 switch socket element 1 flyover shelf with LED panel light 11,0 watt / Converter 15 watt 1 decor panel (please indicate colour version) Door width: 396 mm / 196 mm This product contains a light source with energy efficiency class: F  Additional accessories LED washbasin lighting	150	600	680		<b>4 3 6 A</b>		L/R	
incl. handle blocks	Mirror cabinet 3 double mirror doors 2 central partitions, 6 glass shelves 1 switch socket element 1 flyover shelf with LED panel light 16 watt / converter 30 watt 1 decor panel (please indicate colour version) Door width: 238 mm / 412 mm / 238 mm This product contains a light source with energy efficiency class: F  Additional accessories LED washbasin lighting	150	900	680		<b>4 3 9 A</b>			
incl. handle blocks	Mirror cabinet 3 double mirror doors 6 glass shelves 2 central partitions, 1 switch socket element 1 flyover shelf with LED panel light 22 watt / converter 30 watt 1 decor panel (please indicate colour version) Door width: 388 mm / 412 mm / 388 mm This product contains a light source with energy efficiency class: F Additional accessories LED washbasin lighting	150	1200	680		<b>4 3 1 A</b>			

Depth indication corre	esponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Artio	cle numb	er	Hinge	ge	urchar- e high- gloss arcass
Mirror cabin	ets Series C									
III. = left incl. handle blocks	mirror cabinet  2 double mirror doors with 2 side panel lights 9,7 watt each left and right  2 glass shelves 1 LED converter 60 W with sensor for emotion lighting 1 switch-socket element Door width: 396 mm / 196 mm This product contains a light source with energy efficiency class: F									
	wider door left	150	620	640		4 4 6 L				
	wider door right	150	620	640	S 2 A	4 4 6 R	0 7			
	Additional accessories LED washbasin lighting LED washbasin lighting emotion LED lighting element 634 mm wide in alu LED lighting element 634 mm wide in black matt				PZ PZ PZ PZ	1 0 6 3 1 1 5 0 1 1 4 0 1 1 6 0	6 0 6 0			
incl. handle blocks	mirror cabinet 3 double mirror doors with 2 side panel lights 9,7 watt each left and right 2 central partitions, 6 glass shelves 1 LED converter 60 W with sensor for emotion lighting 1 switch-socket element Door width: 238 mm / 412 mm / 238 mm This product contains a light source with energy efficiency class: F	150	920	640	S 2 A	4 4 9 0	0 7			
	Additional accessories LED washbasin lighting LED washbasin lighting emotion LED lighting element 934 mm wide in alu LED lighting element 934 mm wide in black matt				PZ PZ PZ PZ	1 0 6 3 1 1 5 0 1 1 4 0 1 1 6 0	9 0 9 0			
incl. handle blocks	mirror cabinet 3 double mirror doors with 2 side panel lights 9,7 watt each left and right 2 central partitions, 6 glass shelves 1 LED converter 60 W with sensor for emotion lighting 1 switch-socket element Door width: 388 mm / 412 mm / 388 mm This product contains a light source with energy efficiency class: F  Additional accessories LED washbasin lighting LED washbasin lighting emotion LED lighting element 1234 mm wide in alu LED lighting element 1234 mm wide in black matt	150	1220		PZ PZ PZ PZ PZ	1 0 6 3 1 1 5 0 1 1 4 0 1 1 6 0	12 12 12			

Depth indication corre	esponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Article	number	Hinge	Surchar- ge high- gloss carcass
STONEPLUS	S washbasins							
STONE-PLUS <sup>®</sup>	STONEPLUS washbasin, 600 mm colour white inkl. concealed overflow system chrome finish	500	620	15	WMS5	0 6 0 6	1	
SIUNLFLUS	can be combined with WUA 386C 1M, WUA 386D 1M							
	Additional accessories Additional price for Washbasin without tap hole / with 3 holes (acc. to sketch).							
STONE-PLUS <sup>®</sup>	STONEPLUS washbasin, 900 mm colour white inkl. concealed overflow system chrome finish	500	920	15	WMS5	0906	1	
	can be combined with WUA 389C 1M, WUA 389D 1M							
	Additional accessories Additional price for Washbasin without tap hole / with 3 holes (acc. to sketch).							
STONE DI LIS	STONEPLUS washbasin, 1.200 mm colour white inkl. concealed overflow system chrome finish	500	1220	15	WMS5	1 2 0 6	1	
SINISETENS	can combined with WUA 381C 1M, WUA 381D 1M							
	Additional accessories Additional price for Washbasin without tap hole / with 3 holes (acc. to sketch).							
	STONEPLUS double washbasin, 1200 mm, colour white	500	1220	15	WMS7	1 2 0 6	1	
STONEPLUS	inkl. 2 concealed overflow systems chrome finish							
	can be combined with WUA 381C/D 3M, WUA 341C/D 3M							
	Additional accessories Additional price for Washbasin without tap hole / with 3 holes (acc. to sketch).							
Glass washl	basin							
	Glass washbasin, 600 mm inkl. concealed overflow system chrome finish							
	Colour Optiwhite Colour quarz grey	500 500	620 620	13 13	SWG 5			
	Colour Optiwhite matt	500	620	13	SWG 5		-	
	can be combined with WUA 386C 1M, WUA 386D 1M							
	Additional accessories  Neutrally bonding silicone for glass washbasins  Surcharge for washbasins without tap-hole or with 3 hole	s (accord	ing to ske	tch)	PZ 1	2 3 5		
	neka Driga nar washbasin Washbasin without ton hala							

<sup>\*</sup>Delivery time: 8 weeks. Price per washbasin. Washbasin without tap hole is incompatible with CLOU System. Please check your order confirmation for correctness.


Depth indication corres	ponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Arti	cle	nu	mb	er	Hinge	Surchar- ge high- gloss carcass
Glass washb	asin										
	Glass washbasin, 900 mm inkl. concealed overflow system chrome finish										
	Colour Optiwhite Colour quarz grey	500 500	920 920		S W G S W G	5	0 9	9 0	8 3	;	
	Colour Optiwhite matt can be combined with WUA 389C 1M, WUA 389D 1M	500	920	13	SWG	5	0 9	9 0	9 2	:	
	Additional accessories Neutrally bonding silicone for glass washbasins				ΡZ	1	23	3 5			
:	Surcharge for washbasins without tap-hole or with 3 hole	s (accord	ing to ske	tch)							
	Glass washbasin, 1200 mm inkl. concealed overflow system chrome finish										
	Colour Optiwhite	500 500	1220 1220	13 13	S W G S W G						
	Colour quarz grey Colour Optiwhite matt	500	1220	13	SWG				-		
	can combined with WUA 381C 1M, WUA 381D 1M										
1	Additional accessories Neutrally bonding silicone for glass washbasins Surcharge for washbasins without tap-hole or with 3 hole	es (accord	ing to ske	tch)	PΖ	1	23	3 5			
	Glass double washbasin, 1200 mm										
	inkl. 2 concealed overflow systems chrome finish										
<del></del>	Colour Optiwhite Colour quarz grey	500 500	1220 1220	13 13	S W G S W G				1		
	Colour Optiwhite matt	500	1220	13	SWG						
	can be combined with WUA 381C/D 3M, WUA 341C/D 3M										
	Additional accessories Neutrally bonding silicone for glass washbasins Surcharge for washbasins without tap-hole or with 3 hole	es (accord	ing to ske	tch)	PΖ	1	23	3 5			
		,	J	,							
Washbasin b	ase units										
	Washbasin base unit										
	1 metal pull out unit with buffered closing 1 metal pull-out with buffered closing incl. drawer rail 1 top cover 1 decor panel (please indicate colour version) shelf with milled edge	470	600	524	WUA	3	8 (	6 D	1 N	1	
	Additional accessories										
	Space-saving drain stench trap DN 40 Space-saving drain stench trap DN 32				P Z P Z			6 7 2 3			





Depth indication corre	esponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Artio	cle numbe	er	Hinge	Surchar- ge high- gloss carcass
Washbasin I	oase units								
	Washbasin base unit LED  1 metal pull out unit with buffered closing  1 metal pull-out with buffered closing incl. drawer rail LED lighting frame 6,72 watt / converter 15 Watt  1 top cover shelf with milled edge This product contains a light source with energy efficiency class: F	470	600	524	WUA	3 8 6 C	1 M		
	Additional accessories								
	Space-saving drain stench trap DN 40 Space-saving drain stench trap DN 32 motion sensor for LED lighting				PZ PZ PZ	1 3 6 7 1 4 2 3 1 1 4 1			
	Washbasin base unit  1 metal pull out unit with buffered closing  1 metal pull-out with buffered closing incl. drawer rail  1 top cover  1 decor panel (please indicate colour version)  shelf with milled edge	470	900	524	WUA	3 8 9 D	1 M		
	Additional accessories								
	Space-saving drain stench trap DN 40 Space-saving drain stench trap DN 32				P Z P Z	1 3 6 7 1 4 2 3			
	Washbasin base unit LED  1 metal pull out unit with buffered closing 1 metal pull-out with buffered closing incl. drawer rail LED lighting frame 8,16 watt / converter 15 watt 1 top cover shelf with milled edge This product contains a light source with energy efficiency class: F	470	900	524	WUA	3 8 9 C	1 M		
	Additional accessories								
	Space-saving drain stench trap DN 40 Space-saving drain stench trap DN 32 motion sensor for LED lighting				PZ PZ PZ	1 3 6 7 1 4 2 3 1 1 4 1			
	Washbasin base unit  1 metal pull out unit with buffered closing  1 metal pull-out with buffered closing incl. drawer rail  1 top cover  1 decor panel (please indicate colour version) shelf with milled edge  Additional accessories	470	1200	524	WUA	3 8 1 D	1 M		
	Space-saving drain stench trap DN 40 Space-saving drain stench trap DN 32				P Z P Z	1 3 6 7 1 4 2 3			

Depth indication corre	esponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Artio	cle nu	ımbe	er	Hinge	ge I	char- high- oss cass
Washbasin k	oase units										
	Washbasin base unit LED  1 metal pull out unit with buffered closing  1 metal pull-out with buffered closing incl. drawer rail LED lighting frame  9,6 Watt / converter 15 Watt  1 top cover shelf with milled edge This product contains a light source with energy efficiency class: F	470	1200	524	WUA	3 8	1 C	1 M			
	Additional accessories										
	Space-saving drain stench trap DN 40 Space-saving drain stench trap DN 32 motion sensor for LED lighting				PZ PZ PZ	1 3 1 4 1 1	2 3				
	washbasin base unit for double washbasins  1 metal pull out unit with buffered closing  1 metal pull-out with buffered closing incl. drawer rail  1 top cover  1 decor panel (please indicate colour version)  shelf with milled edge	470	1200	524	WUA	3 8	1 D	3 M			
	Additional accessories										
	Space-saving drain stench trap DN 40 (order 2 pieces) Space-saving drain stench trap DN 32 (order 2 pieces)				P Z P Z	1 3 1 4					
	washbasin base unit LED  1 metal pull out unit with buffered closing  1 metal pull-out with buffered closing incl. drawer rail LED lighting frame  9,6 Watt / converter 15 Watt  1 top cover shelf with milled edge This product contains a light source with energy efficiency class: F	470	1200	524	WUA	3 8	1 C	3 M			
	Additional accessories										
	Space-saving drain stench trap DN 40 (order 2 pieces) Space-saving drain stench trap DN 32 (order 2 pieces) motion sensor for LED lighting				P Z P Z P Z	1 3 1 4 1 1	2 3				
	washbasin base unit for double washbasins  2 metal pull out units with buffered closing and syphon cut- out  2 metal pull outs with buffered closing and rail  1 top cover  1 decor panel (please indicate colour version) shelf with milled edge  Additional accessories  Space-saving drain stench trap DN 40 (order 2 pieces)  Space-saving drain stench trap DN 32 (order 2 pieces)	470	1200		WUA PZ PZ	<b>3 4</b> 1 3 1 4	6 7	3 M			
	oserve suitable accessories in the senarate index										






Depth indication corre	sponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Artic	cle num	ber	Hinge	 Surchar- ge high- gloss carcass
Washbasin k	oase units								
	washbasin base unit LED  2 metal pull out units with buffered closing and syphon cut- out  2 metal pull outs with buffered closing and rail LED lighting frame  9,6 Watt / converter 15 Watt  1 top cover shelf with milled edge This product contains a light source with energy efficiency class: F	470	1200	524	WUA	3 4 1	C 3 M		
	Additional accessories Space-saving drain stench trap DN 40 (order 2 pieces) Space-saving drain stench trap DN 32 (order 2 pieces) motion sensor for LED lighting				PZ PZ PZ	1 3 6 7 1 4 2 3 1 1 4 4	3		
Ceramic was	shbasins								
	Ceramic washbasin								
	white can be combined WUA 386C/D 1K	510	620	15	WTM	4 4 0	6 1		
	Ceramic washbasin white can be combined WUA 389C/D 1K	510	920	15	WTM	4 4 0	9 1		
	Ceramic washbasin								
	Single washbasin white	500	1220	15	WTM	441	2 1		
	can be combined WUA 381C/D 1K								
	Ceramic washbasin  Double washbasin white  can be combined WUA 381C/D 3K, WUA 341C/D 3K	500	1220	15	WTM	4 4 2	D 1		

Depth indication corre	esponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Artio	cle numbe	er	Hinge	Surchar- ge high- gloss carcass
Washbasin k	oase units								
	Washbasin base unit  1 metal pull out unit with buffered closing  1 metal pull-out with buffered closing incl. drawer rail  1 top cover  1 decor panel (please indicate colour version) shelf with milled edge	470	600	524	WU A	3 8 6 D	1 K		
	for ceramic washbasins								
	Additional accessories								
	Space-saving drain stench trap DN 40 Space-saving drain stench trap DN 32				P Z P Z	1 3 6 7 1 4 2 3			
	Washbasin base unit LED  1 metal pull out unit with buffered closing  1 metal pull-out with buffered closing incl. drawer rail LED lighting frame 6,72 watt / converter 15 Watt  1 top cover shelf with milled edge This product contains a light source with energy efficiency class: F  for ceramic washbasins  Additional accessories  Space-saving drain stench trap DN 40 Space-saving drain stench trap DN 32 motion sensor for LED lighting	470	600		PZ PZ PZ	1 3 6 7 1 4 2 3 1 1 4 1	1 K		
	Washbasin base unit  1 metal pull out unit with buffered closing  1 metal pull-out with buffered closing incl. drawer rail  1 top cover  1 decor panel (please indicate colour version) shelf with milled edge  for ceramic washbasins  Additional accessories  Space-saving drain stench trap DN 40 Space-saving drain stench trap DN 32	470	900		WUA PZ PZ	3 8 9 D	1 K		

Depth indication corre	sponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Arti	cle numbe	er	Hinge	Surchar- ge high- gloss carcass
Washbasin k	pase units								
	Washbasin base unit LED  1 metal pull out unit with buffered closing  1 metal pull-out with buffered closing incl. drawer rail LED lighting frame  8,16 watt / converter 15 watt  1 top cover shelf with milled edge This product contains a light source with energy efficiency class: F	470	900	524	WUA	3 8 9 C	1 K		
	for ceramic washbasins								
	Additional accessories								
	Space-saving drain stench trap DN 40 Space-saving drain stench trap DN 32 motion sensor for LED lighting				PZ PZ PZ	1 3 6 7 1 4 2 3 1 1 4 1			
	Washbasin base unit  1 metal pull out unit with buffered closing  1 metal pull-out with buffered closing incl. drawer rail  1 top cover  1 decor panel (please indicate colour version) shelf with milled edge  for ceramic washbasins	470	1200	524	WUA	3 8 1 D	1 K		
	Additional accessories								
	Space-saving drain stench trap DN 40 Space-saving drain stench trap DN 32				P Z P Z	1 3 6 7 1 4 2 3			
	Mashbasin base unit LED  1 metal pull out unit with buffered closing 1 metal pull-out with buffered closing incl. drawer rail LED lighting frame 9,6 Watt / converter 15 Watt 1 top cover shelf with milled edge This product contains a light source with energy efficiency class: F for ceramic washbasins Additional accessories  Space-saving drain stench trap DN 40 Space-saving drain stench trap DN 32 motion sensor for LED lighting	470	1200	524	PZ PZ PZ	1 3 6 7 1 4 2 3 1 1 4 1	1 K		

Depth indication corre	esponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Artio	cle numbe	er	Hinge	Surchar- ge high- gloss carcass
Washbasin k	pase units								
	washbasin base unit for double washbasins  1 metal pull out unit with buffered closing  1 metal pull-out with buffered closing incl. drawer rail  1 top cover  1 decor panel (please indicate colour version) shelf with milled edge	470	1200	524	WUA	3 8 1 D	3 K		
	for ceramic washbasins  Additional accessories								
	Space-saving drain stench trap DN 40 (order 2 pieces) Space-saving drain stench trap DN 32 (order 2 pieces)				P Z P Z	1 3 6 7 1 4 2 3			
	washbasin base unit LED  1 metal pull out unit with buffered closing  1 metal pull-out with buffered closing incl. drawer rail LED lighting frame  9,6 Watt / converter 15 Watt  1 top cover shelf with milled edge This product contains a light source with energy efficiency class: F	470	1200	524	WUA	3 8 1 C	3 K		
	for ceramic washbasins								
	Additional accessories								
	Space-saving drain stench trap DN 40 (order 2 pieces) Space-saving drain stench trap DN 32 (order 2 pieces) motion sensor for LED lighting				PZ PZ PZ	1 3 6 7 1 4 2 3 1 1 4 1			
	washbasin base unit for double washbasins  2 metal pull out units with buffered closing and syphon cut- out  2 metal pull outs with buffered closing and rail  1 top cover  1 decor panel (please indicate colour version) shelf with milled edge  for ceramic washbasins  Additional accessories  Space-saving drain stench trap DN 40 (order 2 pieces)  Space-saving drain stench trap DN 32 (order 2 pieces)	470	1200		WUA PZ PZ	3 4 1 D	3 K		





Depth indication corre	esponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Artic	cle numbe	er	Hinge	Surchar- ge high- gloss carcass
Washbasin k	oase units								
	washbasin base unit LED  2 metal pull out units with buffered closing and syphon cut- out  2 metal pull outs with buffered closing and rail  LED lighting frame  9,6 Watt / converter 15 Watt  1 top cover  shelf with milled edge  This product contains a light source with energy efficiency class: F  for ceramic washbasins  Additional accessories  Space-saving drain stench trap DN 40 (order 2 pieces)  Space-saving drain stench trap DN 32 (order 2 pieces)  motion sensor for LED lighting	470	1200		WUA PZ PZ PZ	1 3 6 7 1 4 2 3 1 1 4 1	3 K		
Tall units									
160 320 320	Tall unit  1 door  2 glass shelves (top)  2 metal pull-outs with buffered closing  1 drawer with buffered closing  1 decor panel (please indicate colour version)  1 top cover 330 mm deep	300 300	300 400			0 9 3 A 0 9 4 A		- 1	
800 160 320 320	Tall unit 2 doors 2 glass shelves (top) 2 metal pull-outs with buffered closing 1 drawer with buffered closing 1 decor panel (please indicate colour version) 1 top cover 330 mm deep	300	600	1640	HNA	0 9 6 A	5 M		
800   160	Tall unit  1 aluminium framed door with satined glass 2 glass shelves (top) 2 metal pull-outs with buffered closing 1 drawer with buffered closing 1 decor panel (please indicate colour version) 1 top cover 330 mm deep	300	300	1640	HNA	0 9 3 B	5 M	L/R	
Diagon abanno quital	ole accessories in the senarate index								

Depth indication corr	esponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Arti	cle ı	num	ber	r	Hinge	Surcha ge high gloss carcas
Tall units											
800 160 320 320	Tall unit 2 aluminium framed doors with satined glass 2 glass shelves (top) 2 metal pull-outs with buffered closing 1 drawer with buffered closing 1 decor panel (please indicate colour version) 1 top cover 330 mm deep	300	600	1640	HNA	0 9	9 6	B 5	5 M		
800	Tall unit 2 doors 2 glass shelves (top) 2 adjustable shelves (bottom) 1 decor panel (please indicate colour version) 1 top cover 330 mm deep	300 300	300 400	1640 1640	H N A H N A					L/R L/R	
; <u>"</u>	Variable in width: please quote the exact dimension of carcass depth. Top cover will be adapted to the cupboard width.	150-299 150-299	300 400	1640 1640	H V A H V A	-		-		L/R L/R	
800	Tall unit 4 doors 2 glass shelves (top) 2 adjustable shelves (bottom) 1 decor panel (please indicate colour version) 1 top cover 330 mm deep	300	600	1640	H N A	0 3	3 6	A	5		
;	Variable in width: please quote the exact dimension of carcass depth. Top cover will be adapted to the cupboard width.	150-299	600	1640	HVA	0 3	3 6	0			
800	Tall unit 1 aluminium framed door with satined glass 1 door 2 glass shelves (top) 2 adjustable shelves (bottom) 1 decor panel (please indicate colour version) 1 top cover 330 mm deep	300	300	1640	HNA	0 3	3 3	В	5	L/R	
	Variable in width: please quote the exact dimension of carcass depth. Top cover will be adapted to the cupboard width.	150-299	300	1640	HVA	0 3	3 3	1		L/R	
800	Tall unit 2 aluminium framed doors with satined glass 2 doors 2 glass shelves (top) 2 adjustable shelves (bottom) 1 decor panel (please indicate colour version) 1 top cover 330 mm deep	300	600	1640	HNA	0 3	3 6	В	5		
÷	Variable in width: please quote the exact dimension of carcass depth. Top cover will be adapted to the cupboard width.	150-299	600	1640	HVA	0 3	3 6	1			

Please observe suitable accessories in the separate index.



Depth indication corr	esponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Article nu	ımber	Hinge	Surchar- ge high- gloss carcass
Tall units								
800	Tall unit for brooms 2 strapped doors 5 glass shelves 1 decor panel (please indicate colour version) 1 top cover 330 mm deep	300 300	300 400		H N A 0 3 H N A 0 3			
800	Tall unit for brooms 2 strapped doors left 2 strapped doors right 5 continuously glass shelves 1 decor panel (please indicate colour version) 1 top cover 330 mm deep	300	600	1640	H N A 0 3	6 A 5 1		
320 160 480	Tall unit  1 door  1 glass shelf (top)  1 open compartment  1 drawer with buffered closing  1 door  1 glass shelf  1 decor panel (please indicate colour version)  1 top cover 330 mm deep	300 300	300 400		H N A 0 2 H N A 0 2			
640 320 160 480	Tall unit 2 doors 1 glass shelf (top) 1 open compartment 1 drawer with buffered closing 2 doors 1 glass shelf 1 decor panel (please indicate colour version) 1 top cover 330 mm deep	300	600	1640	H N A 0 2	6 A 5 1		
640 320 640	Tall unit 1 door 1 glass shelf (top) 1 open compartment 1 door 1 glass shelf 1 decor panel (please indicate colour version) 1 top cover 330 mm deep	300 300	300 400		H N A 0 2 H N A 0 2			

Depth indication corr	esponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Artic	le numb	er	Hinge	Surchar- ge high- gloss carcass
Tall units									
640 320 640	Tall unit 2 doors 1 glass shelf (top) 1 open compartment 2 doors 1 glass shelf 1 decor panel (please indicate colour version) 1 top cover 330 mm deep	300	600	1640	HNA	0 2 6 A	5 2		
640 160 160 640	Tall unit 1 door 1 glass shelf (top) 2 metal pull-outs with buffered closing, 1 door 1 glass shelf 1 decor panel (please indicate colour version) 1 top cover 330 mm deep	300 300	300 400		HNA				
640 160 160 640	Tall unit 2 doors 1 glass shelf (top) 2 metal pull-outs with buffered closing, 2 doors 1 glass shelf 1 decor panel (please indicate colour version) 1 top cover 330 mm deep	300	600	1640	HNA	0 4 6 A	5 1		
800	Tall unit  1 door  2 glass shelves (top)  1 drawer with buffered closing  1 door  1 glass shelf  1 decor panel (please indicate colour version)  1 top cover 330 mm deep	300 300	300 400		HNA				
160	Tall unit 2 doors 2 glass shelves (top) 1 drawer with buffered closing 2 doors 1 glass shelf 1 decor panel (please indicate colour version) 1 top cover 330 mm deep	300	600	1640	HNA	D 5 6 A	5 M		





Depth indication corr	esponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Article number	Hinge	Surchar- ge high- gloss carcass
Tall units							
160	Tall unit  1 aluminium framed door with satined glass 2 glass shelves (top) 1 drawer with buffered closing 1 door 1 glass shelf 1 decor panel (please indicate colour version) 1 top cover 330 mm deep	300	300	1640	H N A 0 5 3 B 5 M	L/R	
160	Tall unit 2 aluminium framed doors with satined glass 2 glass shelves (top) 1 drawer with buffered closing 2 doors 1 glass shelf 1 decor panel (please indicate colour version) 1 top cover 330 mm deep	300	600	1640	H N A 0 5 6 B 5 M		
160	Tall unit with laundry basket  1 door  2 glass shelves  1 drawer with buffered closing  1 laundry basket with wire basket  1 decor panel (please indicate colour version)  1 top cover 330 mm deep  Volume of laundry basket: 25 liters  Volume of laundry basket: 35 liters	300 300	300 400	1640 1640	H N A O 5 3 A 5 W H N A O 5 4 A 5 W		
160	Tall unit with laundry basket 2 doors 2 glass shelves 1 metal pull-out with buffered closing 1 laundry basket with wire basket 1 decor panel (please indicate colour version) 1 top cover 330 mm deep Volume of laundry basket: 55 liters	300	600	1640	H N A 0 5 6 A 5 W		
160	Tall unit with laundry basket  1 aluminium framed door with satined glass 2 glass shelves 1 drawer with buffered closing 1 laundry basket with wire basket 1 decor panel (please indicate colour version) 1 top cover 330 mm deep  Volume of laundry basket: 25 liters	300	300	1640	H N A 0 5 3 B 5 W	L/R	

Depth indication cor	responds to the carcass depth	Depth in mm	Width in mm	Height in mm	Article number	Hinge	Surchar- ge high- gloss carcass
Tall units							
160	Tall unit with laundry basket 2 aluminium framed doors with satined glass 2 glass shelves 1 drawer with buffered closing 1 laundry basket with wire basket 1 decor panel (please indicate colour version) 1 top cover 330 mm deep Volume of laundry basket: 55 liters	300	600	1640	H N A 0 5 6 B 5 W		
800	Tall unit with laundry pull out 2 doors 2 glass shelves (top) 1 drawer with buffered closing 2 doors 1 laundry pull out with wire basket 1 decor panel (please indicate colour version) 1 top cover 330 mm deep Volume of laundry pull out: 40 liters	300	600	1640	H N A 0 5 6 W A 5		
Tall unit-sh	elf						
238 238 238	Tall unit-shelf with open shelf space in carcass colour	150	300	1600	R G 1 0 3 0 0 1		
374 366 366	Tall unit-shelf with mirror surface 4 shelves compartments in carcass colour	150	300	1600	R G 1 0 3 0 0 2		
374 1 1 1 366 1 1 1 374 1 1 1 1 3 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Tall unit-shelf 4 functional hooks 4 shelves compartments in carcass colour	150	300	1600	R G 1 0 3 0 0 3		

Please observe suitable accessories in the separate index.



•	responds to the carcass depth	Depth in mm	Width in mm	Height in mm	Article number	Hinge	Surchar- ge high- gloss carcass
Central unit	ls						
800	medium-high unit 1 door 2 glass shelves (top) 1 metal pull-out with buffered closing, 1 drawer with buffered closing 1 decor panel (please indicate colour version) 1 top cover 330 mm deep	300	300 400	1320 1320	M N A 8 8 3 A 5 M M N A 8 8 4 A 5 M		
800	medium-high unit 2 doors 2 glass shelves (top) 1 metal pull-out with buffered closing, 1 drawer with buffered closing 1 decor panel (please indicate colour version) 1 top cover 330 mm deep	300	600	1320	M N A 8 8 6 A 5 M		
800	medium-high unit  1 aluminium framed door with satined glass  2 glass shelves (top)  1 metal pull-out with buffered closing,  1 drawer with buffered closing  1 decor panel (please indicate colour version)  1 top cover 330 mm deep	300	300	1320	M N A 8 8 3 B 5 M	L/R	
800	medium-high unit 2 aluminium framed doors with satined glass 2 glass shelves (top) 1 metal pull-out with buffered closing, 1 drawer with buffered closing 1 decor panel (please indicate colour version) 1 top cover 330 mm deep	300	600	1320	M N A 8 8 6 B 5 M		
1280	medium-high unit 1 door 4 glass shelves 1 decor panel (please indicate colour version) 1 top cover 330 mm deep	300 300	300 400	1320 1320		L/R L/R	
•	Variable in width: please quote the exact dimension of carcass depth. Top cover will be adapted to the cupboard width.	150-299 150-299	300 400		M V A 8 1 3 0 M V A 8 1 4 0	L/R L/R	
1280	medium-high unit 2 doors 4 glass shelves 1 decor panel (please indicate colour version) 1 top cover 330 mm deep	300	600	1320	MNA 8 1 6 A 5		
	Variable in width: please quote the exact dimension of carcass depth. Top cover will be adapted to the cupboard width.	150-299	600	1320	M V A 8 1 6 0		

Depth indication corre	esponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Artio	cle ı	num	ber		Hinge	Surchar- ge high- gloss carcass
Central unit	S										
1280	medium-high unit with inside drawers 1 door 2 inside metal-drawer with buffered closing 1 glass shelf 1 decor panel (please indicate colour version) 1 top cover 330 mm deep	300 300	300 400		M N A					L/R L/R	
1280	medium-high unit with inside drawers 2 doors 1 continuous glass shelf 2 continuously inside metal-drawer with buffered closing 1 decor panel (please indicate colour version) 1 top cover 330 mm deep	300	600	1320	MNA	8 4	16	A	5		
640	medium-high unit with laundry pull out 2 doors 1 glass shelf (top) 2 doors 1 laundry pull out with wire basket Volume of laundry pull out: 40 liters 1 decor panel (please indicate colour version) 1 top cover 330 mm deep	300	600	1320	MNA	8 3	3 6	A 5	i W		
Highboards											
800	Highboard 1 door 2 glass shelves 1 decor panel (please indicate colour version) 1 top cover 330 mm deep	300 300	300 400	840 840	HBA HBA					L/R L/R	
	Variable in width: please quote the exact dimension of carcass depth. Top cover will be adapted to the cupboard width.	150-299 150-299	300 400	840 840	HBV HBV					L/R L/R	
800	Highboard 2 doors 2 glass shelves 1 decor panel (please indicate colour version) 1 top cover 330 mm deep	300	600	840	НВА	5 1	1 6	A	5		
	Variable in width: please quote the exact dimension of carcass depth. Top cover will be adapted to the cupboard width.	150-299	600	840	нву	Α 5	5 1	6			

Please observe suitable accessories in the separate index.



Depth indication corre	esponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Article number	Hinge	Surchar- ge high- gloss carcass
Highboards							
800	Highboard 1 aluminium framed door with satined glass 2 glass shelves 1 decor panel (please indicate colour version) 1 top cover 330 mm deep	300	300	840	HBA513B 5	L/R	
	Variable in width: please quote the exact dimension of carcass depth. Top cover will be adapted to the cupboard width.	150-299	300	840	HBV A 5 1 3 1	L/R	
800	Highboard 2 aluminium framed doors with satined glass 2 glass shelves 1 decor panel (please indicate colour version) 1 top cover 330 mm deep	300	600	840	HBA 5 1 6 B 5		
	Variable in width: please quote the exact dimension of carcass depth. Top cover will be adapted to the cupboard width.	150-299	600	840	HBVA516 1		
800	Highboard with laundry pull out 2 doors 1 laundry pull out with wire basket 1 decor panel (please indicate colour version) 1 top cover 330 mm deep						
	Volume of laundry pull out: 40 liters	300	600	840	HBA 5 1 6 A 5 W	/	
320	Highboard 1 drawer with buffered closing 2 metal pull-outs with buffered closing 1 decor panel (please indicate colour version) 1 top cover 330 mm deep	300 300	300 400	840 840	HBA563A5M HBA564A5M		
320	Highboard 1 drawer with buffered closing 2 metal pull-outs with buffered closing 1 decor panel (please indicate colour version) 1 top cover 330 mm deep	300	600	840	HBA566A5M		
160 1640	Highboard 1 drawer with buffered closing 1 door 1 glass shelf 1 decor panel (please indicate colour version) 1 top cover 330 mm deep	300 300	300 400	840 840	HBA553A5M HBA554A5M		
640	Highboard 1 drawer with buffered closing 2 doors 1 glass shelf 1 decor panel (please indicate colour version) 1 top cover 330 mm deep	300	600	840	HBA 5 5 6 A 5 M		


Depth indication corr	esponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Arti	cle n	iumb	er	Hinge	Surchar- ge high- gloss carcass
Highboards										
. =	Highboard with laundry basket									
640	drawer with buffered closing     laundry basket with wire basket     decor panel (please indicate colour version)     top cover 330 mm deep									
	Volume of laundry basket: 25 liters Volume of laundry basket: 35 liters	300 300	300 400		H B A H B A					
	Highboard with laundry basket									
640	drawer with buffered closing     laundry basket with wire basket     decor panel (please indicate colour version)     top cover 330 mm deep									
	Volume of laundry basket: 55 liters	300	600	840	НВА	5 5	6 A	5 W		
640 000000 0000000000000000000000000000	Highboard with laundry pull out  1 drawer with buffered closing 2 doors 1 laundry pull out with wire basket 1 decor panel (please indicate colour version) 1 top cover 330 mm deep									
	Volume of laundry pull out: 40 liters	300	600	840	НВА	5 5	6 W	/ A 5		
Wall units										
640	Wall unit 1 door 1 glass shelf 1 decor panel (please indicate colour version) 1 top cover 180 mm deep	150 150	300 400	680 680	O G A				L/R L/R	
	Variable in width: please quote the exact dimension of carcass depth. Top cover will be adapted to the cupboard width.	151-300 151-300	300 400	680 680	0 V A 0 V A				L/R L/R	
640	Wall unit 2 doors 1 glass shelf 1 decor panel (please indicate colour version) 1 top cover 180 mm deep	150	600	680	OGA	4 1	6 A	5		
	Variable in width: please quote the exact dimension of carcass depth. Top cover will be adapted to the cupboard width.	151-300	600	680	O V A	4 1	6 0			
320	Wall unit 1 flap door, 1 decor panel (please indicate colour version) 1 top cover 260 mm deep	230	600	360	ОМА	2 1	6 A	5 K		

Please observe suitable accessories in the separate index.



Depth indication corre	esponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Article number	eg ge	rchar- high- gloss arcass
Base units							
320	Base unit 1 drawer with buffered closing 1 door 1 decor panel (please indicate colour version) 1 top cover 330 mm deep	300 300	300 400	520 520	U N A 3 2 3 A 5 M U N A 3 2 4 A 5 M		
320	Base unit 1 drawer with buffered closing 2 doors 1 decor panel (please indicate colour version) 1 top cover 330 mm deep	300	600	520	U N A 3 2 6 A 5 M		
320	Base unit 1 drawer with buffered closing 1 metal pull-out with buffered closing, 1 decor panel (please indicate colour version) 1 top cover 330 mm deep	300 300	300 400	520 520	U N A 3 4 3 A 5 M U N A 3 4 4 A 5 M		
320	Base unit 1 drawer with buffered closing 1 metal pull-out with buffered closing, 1 decor panel (please indicate colour version) 1 top cover 330 mm deep	300	600	520	U N A 3 4 6 A 5 M		
320	Base unit 1 flap door, 1 decor panel (please indicate colour version) 1 top cover 260 mm deep	230	600	360	U M A 2 1 6 A 5 K		
Shelves							
	functional shelf Edges are cut with a mitre veritcal and horizontal mounting possible  please indicate colour version: no. 501 white matt lacquered no. 547 black matt lacquered	150	300	160	RGL 113001		
	functional shelf Edges are cut with a mitre veritcal and horizontal mounting possible  please indicate colour version: no. 501 white matt lacquered no. 547 black matt lacquered	150	600	160	RGL 116002		
	functional shelf Edges are cut with a mitre veritcal and horizontal mounting possible please indicate colour version: no. 501 white matt lacquered no. 547 black matt lacquered	150	900	160	RGL 119003		

Depth indication corre	esponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Article numb	per linge	Surchar- ge high- gloss carcass
Laundryrolli							
640	Laundryrolli 1 flap door, with buffered closing 1 take-out laundry-bag, washable 4 roles Colour version corresponds to the carcass colour incl. height indication rolls (100 mm)	470	470	756	WRS 4 0 4 7	7	
Benches							
160	Bench 1 shelf 1 seat cushion in imitation leather cream-white Colour version corresponds to the carcass colour	450	600	508	SETBAN	6	
160	Bench 2 shelves 1 seat cushion in imitation leather cream-white  Colour version corresponds to the carcass colour	450	900	508	SETBANF	( 9	
Glass shelfs							
	Glass shelf						
	incl. metal holder  400 mm wide incl. 2 metal brackets	130	400	8	A B G 1 3 4 (	0 0 8	
	600 mm wide incl. 2 metal brackets	130	600	8	A B G 1 3 6 0	0 8	
	900 mm wide incl. 3 metal brackets	130	900	8	A B G 1 3 9 (	0 8	
	1200 mm wide incl. 3 metal brackets	130	1200	8	A B G 1 3 1 2	2 0 8	





Depth indication co	rresponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Arti	cle n	umb	er	Hinge	Surchar- ge high- gloss carcass
Push- fit sh	nelf									
	Push-fit shelf with ABS thick edge all around incl. holders for push fit shelf									
	300 mm widh incl. 2 push-fit holder	150	300	28	SBG	6 0	3 0			
	<b>400 mm wide</b> incl. 2 push-fit holder	150	400	28	SBG	6 0	4 0			
	600 mm wide incl. 2 push-fit holder	150	600	28	SBG	6 0	6 0			
	900 mm wide incl. 3 push-fit holder	150	900	28	SBG	6 0	9 0			
	<b>1200 mm wide</b> incl. 3 push-fit holder	150	1200	28	SBG	6 0	1 2	2		
Accessorie	es ·									
	LED lighting element in alu									
	This product contains a light source with energy efficiency class: G									
EMOTION	634 mm wide 9,28 watt	123	634	28	PΖ	1 1	4 0	6 0		
EMOTION	934 mm wide 14,08 Watt	123	934	28	PΖ	1 1	4 0	9 0		
	1234 mm wide 18,88 watt	123	1234	28	PΖ	1 1	4 0	1 2		
	LED lighting element in black matt  This product contains a light source with energy efficiency class: G									
EMOTION	634 mm wide 9,28 watt	127	634	24	PΖ	1 1	6 0	6 0		
EMOTION	934 mm wide 14,08 Watt	127	934	24	PΖ	1 1	6 0	9 0		
	1234 mm wide 18,88 watt	127	1234	24	PΖ	1 1	6 0	1 2		
	table accessories in the senarate index									

# Program 017 - examples

	COM-01	60-5		
Mirror cabinet,     washbasin bas     STONEPLUS		S 2 A 4 3 6 A WU A 3 8 6 C WM S 5 0 6 0	1 M	
			Sum	
COG82605	SWG 5060 82 glass optiv	hte inst. Stoneplus	Sum	
COG83605	SWG 5060 83 glass quar	tzite grey inst. Stoneplus	Sum	
COG92605	SWG 5060 92 glass optiv	hte matt inst. Stoneplus	Sum	
COK01605	WTM 4406 1 ceramic inst	. Stoneplus	Sum	
		Surcharge high-glo	oss carcass	






600 mm wide

#### COM-0190-5

Mirror cabinet, 900 mm	S 2	Α	4	3	9	Α	2	0
washbasin base unit, LED	WU	Α	3	8	9	С	1	Μ
STONEDLUS washbasin, 000 mm	\/\ \/\	S	5	Λ	a	Λ	6	1

		Sum	
C O G 8 2 9 0 5	SWG 5090 82 glass optwhite inst. Stoneplus	Sum	
C O G 8 3 9 0 5	SWG 5090 83 glass quartzite grey inst. Stoneplus	Sum	
C O G 9 2 9 0 5	SWG 5090 92 glass optwhite matt inst. Stoneplus	Sum	
COK01905	WTM 4409 1 ceramic inst. Stoneplus	Sum	
	Surcharge high-gloss	s carcass	






900 mm wide

#### COM-0112-5

1	Mirror cabinet, 1200 mm	S	2	Α	4	3	1	Α	2	0
1	washbasin base unit, LED	W	U	Α	3	8	1	С	1	M
1	STONEPLUS washbasin, 1.200 mm	W	M	S	5	1	2	0	6	1

		Sum	
C O G 8 2 1 2 5	SWG 5120 82 glass optiwhite inst. Stoneplus	Sum	
C O G 8 3 1 2 5	SWG 5120 83 glass quartzite grey inst. Stoneplus	Sum	
C O G 9 2 1 2 5	SWG 5120 92 glass optiwhite matt inst. Stoneplus	Sum	
C O K 0 1 1 2 5	WTM 4412 1 ceramic inst. Stoneplus	Sum	
	Surcharge high-gloss	s carcass	





1200 mm wide

#### Program 017 - examples


#### COM-0112-5D S 2 A 4 3 1 A 2 0 W U A 3 8 1 C 3 M W M S 7 1 2 0 6 1 Mirror cabinet, 1200 mm washbasin base unit, LED STONEPLUS washbasin, 1.200 mm Double washbasin Sum COG82125D SWG 7120 8 glass optwhite inst. Stoneplus Sum COG83125D SWG 7120 83 glass quartzite grey inst. Stoneplus Sum COG92125D SWG 7120 92 glass optwhite matt inst. Stoneplus Sum COK01125D WTM 442D 1 ceramic inst. cast mineral Sum 1200 mm wide Surcharge high-gloss carcass COM-0160-6 Mirror cabinet, 600 mm S 2 A 4 3 6 A 6 9 washbasin base unit, LED WU A 3 8 6 C 1 M STONEPLUS washbasin, 600 mm WM S 5 0 6 0 6 1 Sum COG82606 SWG 5060 82 glass optiwhte inst. Stoneplus Sum COG83606 SWG 5060 83 glass quartzite grey inst. Stoneplus Sum COG92606 SWG 5060 92 glass optiwhte matt inst. Stoneplus Sum COK01606 WTM 4406 1 ceramic inst. Stoneplus Sum 600 mm wide Surcharge high-gloss carcass COM-0190-6 Mirror cabinet, 900 mm S 2 A 4 3 9 A 6 9 washbasin base unit, LED WU A 3 8 9 C 1 M STONEPLUS washbasin, 900 mm WM S 5 0 9 0 6 1 Sum COG82906 SWG 5090 82 glass optwhite inst. Stoneplus Sum COG83906 SWG 5090 83 glass quartzite grey inst. Stoneplus Sum COG92906 SWG 5090 92 glass optwhite matt inst. Stoneplus Sum COK01906 WTM 4409 1 ceramic inst. Stoneplus Sum

Surcharge high-gloss carcass

900 mm wide

# **Program 017 - examples**

		COM-011	2-6	
1 1 1	Mirror cabinet washbasin bas STONEPLUS		S 2 A 4 3 1 A 6 9 W U A 3 8 1 C 1 M W M S 5 1 2 0 6 1	
				Sum
СС	G 8 2 1 2 6	SWG 5120 82 glass optiwh	nite inst. Stoneplus	Sum
СС	G 8 3 1 2 6	SWG 5120 83 glass quartz	ite grey inst. Stoneplus	Sum
СС	G 9 2 1 2 6	SWG 5120 92 glass optiwh	nite matt inst. Stoneplus	Sum
СС	) K 0 1 1 2 6	WTM 4412 1 ceramic inst.	Stoneplus	Sum
			Surcharge high-gloss	carcass




	Suicharge higi	i-gioss carcass	
Mirror cabinet     washbasin bas     STONEPLUS     Double washb	e unit, LED W U A 3 8 1 washbasin, 1.200 mm W M S 7 1 2	C 3 M	
		Sum	
COG82126D	SWG 7120 8 glass optwhite inst. Stoneplus	Sum	
COG83126D	SWG 7120 83 glass quartzite grey inst. Stonepl	us Sum	
C O G 9 2 1 2 6 D	SWG 7120 92 glass optwhite matt inst. Stonepl	us Sum	
COK01126D	WTM 442D 1 ceramic inst. Stoneplus	Sum	
	Surcharge high	n-gloss carcass	- 1200 mm wide

#### Program 017 - dimensional drawings

#### WMS / SWG 5060 WMS / SWG 5090 WMS / SWG 5120 920 - 310 460 610 0 320 0 0 320 200 200 500 75 770 75 230 760 230 88 881 881 (Q) >10 Q. 322 322 322 550 220 . 550 260 -260 260 > Ġ. -342 ß. 300 450 600

#### WMS / SWG 7120 WMS / SWG 7120 **←** 310 310 310 -310 320 320 0 0 0 0 60 👭 500 881 822 822 -ca. 550 -ca. 550 L- 260 J 260 > <del>-</del> 260 > L-260 J ىلە 300 -300 -ىلە 300 -300 🚽 600 600



For washing stands with fixing screws, the dimensions for boring must be drawn in on-site after the washing stand has been laid on the floor unit.

Washing stands without anchoring brackets have to be fixed on the wall and on the furniture-side with silicon! Cast mineral:

The water temperature must not exceed 55° C / 131° F. Hair tinting lotions have to be removed immediately, so that staining can be avoided.


Modifications:


Technical modifications (+/- 5mm) and flatness modifications (DIN 18202) are subject of the usual material-specific modifications for construction materials, based on DIN 18202.

#### Program 017 - dimensional drawings


#### WTM 442D 1

#### WTM 442D 1





#### electrical connections for mirror cabinets



For washing stands with fixing screws, the dimensions for boring must be drawn in on-site after the washing stand has been laid on the floor unit.

Washing stands without anchoring brackets have to be fixed on the wall and on the furniture-side with silicon!

Cast mineral:

The water temperature must not exceed 55° C / 131° F. Hair tinting lotions have to be removed immediately, so that staining can be avoided.

Modifications:

Technical modifications (+/- 5mm) and flatness modifications (DIN 18202) are subject of the usual material-specific modifications for construction materials, based on DIN 18202.

