
Duris



Crescendo

Program 33





Front colours



No. 764 Stonegrey matt



No. 777 cosmos grey matt



No. 793 noble white matt



No. 891 quarz grey matt



No. 893 titanium grey matt



No. 686 anthracite hgl.



No. 722 polar white hgl.



No. 755 hacienda black



No. 769 hacienda grey



no. 680 Charleston oak



no. 784 light oak



Nr. 785 natural oak



no. 786 truffle oak



no. 794 sand oak



carcass colours

* High gloss carcass for an additional price



No. 164 Stonegrey matt



No. 177 cosmos grey matt



No. 111 white matt



no. 191 quarz grey matt



No. 193 titanium grey matt



*no. 121 anthracite hgl.



*no. 161 no. 155 white hgl. hacienda black



no. 169 hacienda grey



no. 180 Charleston



no. 184 light oak



Nr. 185 natural oak



no. 186 truffle oak



no. 194 sand oak

Washbasin colours

evermite - washbasins



No. 21 white



New, harder, easy-care surface.

Glass washbasin



no. 82 optiwhite



no. 83 quartzite gray

Handle version



No. 290 bar handle chrome

handle-borehole distance for straight fronts: 96 mm / 384 mm

Mirror cabinets

Series A

Series B





Technique

Pull outs and drawers No. 554


door with integrated buffered closing



Illustrations and specifications are without obligation. Technical modifications reserved.

•	esponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Artio	cle numb	er	Hinge	Surchar- ge high- gloss carcass
Mirror cabin	Mirror cabinet 2 double mirror doors 2 glass shelves 1 switch socket element 1 shelf left 2 enlighted glass shelves 2 X 1 Watt 1 flyover shelf with LED lighting 2 X 5,1 watt / Converter 15 watt Door width: 296 mm / 396 mm This product contains a light source with energy efficiency class: F Additional accessories LED washbasin lighting LED washbasin lighting emotion Emotion lighting	150	900	668	P Z P Z P Z	1 0 6 3 1 1 5 0 1 0 2 0	60		
incl. handle pads	Mirror cabinet 2 double mirror doors 2 glass shelves 1 switch socket element 1 shelf right 2 enlighted glass shelves 2 X 1 Watt 1 flyover shelf with LED lighting 2 X 5,1 watt / Converter 15 watt Door width: 396 mm / 296 mm This product contains a light source with energy efficiency class: F Additional accessories LED washbasin lighting LED washbasin lighting emotion Emotion lighting	150	900		S 2 A P Z P Z P Z	1 0 6 3 1 1 5 0 1 0 2 0	60		
III. = left incl. handle pads	Mirror cabinet 2 double mirror doors 2 glass shelves 1 switch socket element 2 shelves right/ left 4 enlighted glass shelves 4 X 1 Watt 1 flyover shelf with LED lighting 2 X 7,44 watt / converter 30 watt Door width: 346 mm / 446 mm This product contains a light source with energy efficiency class: F Additional accessories LED washbasin lighting LED washbasin lighting emotion Emotion lighting	150	1200		P Z P Z	1 0 6 3 1 1 5 0 1 0 2 0	60	L/R	


·	esponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Artio	cle numb	er	Hinge	!	Surchar- ge high- gloss carcass
Mirror cabin	ets Series A									
III. = left incl. handle pads	Mirror cabinet 2 double mirror doors 2 glass shelves 1 switch socket element 2 shelves right/ left 4 enlighted glass shelves 4 X 1 Watt 1 flyover shelf with LED lighting 2 X 9,0 watt / converter 30 watt Door width: 446 mm / 546 mm This product contains a light source with energy efficiency class: F Additional accessories LED washbasin lighting LED washbasin lighting emotion Emotion lighting	150	1400	668	S 2 A	1 0 6 3 1 1 5 0 1 0 2 0	90	L/R		
Mirror cabin	ets Series B									
EMOTION incl. handle blocks	Mirror cabinet 2 double mirror doors 2 glass shelves 1 switch socket element 1 shelf left 2 enlighted glass shelves 2 X 1 Watt 1 LED panel light profil milled 13,2 watt / converter 30watt Door width: 296 mm / 396 mm This product contains a light source with energy efficiency class: F	150	900	650	S 2 A	4 3 9 1	7 6			
	Additional accessories LED washbasin lighting LED washbasin lighting emotion Emotion lighting				PZ PZ PZ	1 0 6 3 1 1 5 0 1 0 2 0	60			
incl. handle blocks	Mirror cabinet 2 double mirror doors 2 glass shelves 1 switch socket element 1 shelf right 2 enlighted glass shelves 2 X 1 Watt 1 LED panel light profil milled 13,2 watt / converter 30watt Door width: 396 mm / 296 mm This product contains a light source with energy efficiency class: F	150	900	650	S 2 A	4 3 9 F	7 6			
	Additional accessories LED washbasin lighting LED washbasin lighting emotion Emotion lighting					1 0 6 3 1 1 5 0 1 0 2 0	60			





•	esponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Artio	cle numb	er 	Hinge	Surchar- ge high- gloss carcass
Mirror cabin Will = left incl. handle blocks	Mirror cabinet 2 double mirror doors 2 glass shelves 1 switch socket element 2 shelves right/ left 4 enlighted glass shelves 4 X 1 Watt 1 LED panel light profil milled 17,83 watt / converter 30 watt Door width: 346 mm / 446 mm This product contains a light source with energy efficiency class: F Additional accessories LED washbasin lighting LED washbasin lighting emotion Emotion lighting	150	1200		S 2 A P Z P Z P Z	1 0 6 3 1 1 5 0 1 0 2 0	60	L/R	
III. = left incl. handle blocks	Mirror cabinet 2 double mirror doors 2 glass shelves 1 switch socket element 2 shelves right/ left 4 enlighted glass shelves 4 X 1 Watt 1 LED panel light profil milled 20,9 watt / converter 30 watt Door width: 446 mm / 546 mm This product contains a light source with energy efficiency class: F Additional accessories LED washbasin lighting LED washbasin lighting ED washbasin lighting Emotion lighting	150	1400		PZ PZ PZ PZ	1 0 6 3 1 1 5 0 1 0 2 0	90	L/R	
	evermite washbasin, 900 mm colour white inkl. concealed overflow system chrome finish can be combined with WUA 3690 09 L evermite Additional accessories Surcharge for washbasins without tap-hole or with 3 hole	540 es (accord	906 ing to ske	30	SWM	109L	2 1		

Depth indication corre	ashbasins	Depth in mm	Width in mm	Height in mm	Arti	cle n	umb	er	Hinge	!	Surchar- ge high- gloss carcass
·	evermite washbasin, 900 mm colour white inkl. concealed overflow system chrome finish										
	can be combined with WUA 3690 09 R										
	evermite	540	906	30	SWM	1 0	9 R	2 1			
	Additional accessories Surcharge for washbasins without tap-hole or with 3 hole	s (accord	ing to ske	tch)							
	evermite washbasin, 1200 mm colour white inkl. concealed overflow system chrome finish										
	can be combined with WUA 3612 09 L										
	evermite	560	1206	30	SWM	1 1	2 L	2 1			
	Additional accessories Surcharge for washbasins without tap-hole or with 3 hole	s (accord	ing to ske	tch)							
	evermite washbasin, 1200 mm										
0	colour white inkl. concealed overflow system chrome finish										
	can be combined with WUA 3612 09 R										
	evermite	560	1206	30	SWM	1 1	2 R	2 1			
	Additional accessories Surcharge for washbasins without tap-hole or with 3 hole	s (accord	ing to ske	tch)							
	evermite washbasin, 1400 mm										
	colour white inkl. concealed overflow system chrome finish										
	can be combined with WUA 3614 09 L										
	evermite	560	1406	30	SWM	1 1	4 L	2 1			
	Additional accessories Surcharge for washbasins without tap-hole or with 3 hole	s (accord	ing to ske	tch)							
	evermite washbasin, 1400 mm										
	colour white inkl. concealed overflow system chrome finish										
	can be combined with WUA 3614 09 R										
	evermite	560	1406	30	SWM	1 1	4 R	2 1			
	Additional accessories Surcharge for washbasins without tap-hole or with 3 hole						-				





Depth indication corre	sponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Artio	cle	nu	mb	er	Hinge		Surchar- ge high- gloss carcass
Olass Washi	<i>J</i> a3111											
· · · · · · · · · · · · · · · · · · ·	Glass washbasin, 900 mm Colour Optiwhite Colour quartzite gray	540 540	906 906	12 12	SWG SWG				1			
	inkl. concealed overflow system chrome finish can be combined with WUA 3690 09 L											
	Additional accessories Neutrally bonding silicone for glass washbasins Surcharge for washbasins without tap-hole or with 3 hole	s (accord	ing to ske	tch)	ΡZ	1	23	3 5				
	Glass washbasin, 900 mm											
0	Colour Optiwhite Colour quartzite gray	540 540	906 906	12 12	S W G							
	inkl. concealed overflow system chrome finish can be combined with WUA 3690 09 R											
	Additional accessories Neutrally bonding silicone for glass washbasins Surcharge for washbasins without tap-hole or with 3 hole	s (accord	ing to ske	tch)	ΡZ	1	23	3 5				
	Glass washbasin, 1200 mm											
·	Colour Optiwhite Colour quartzite gray	560 560	1206 1206	12 12	S W G				1			
6	inkl. concealed overflow system chrome finish can be combined with WUA 3612 09 L											
	Additional accessories Neutrally bonding silicone for glass washbasins Surcharge for washbasins without tap-hole or with 3 hole	s (accord	ing to ske	tch)	ΡZ	1	23	3 5				
	Glass washbasin, 1200 mm										1	
	Colour Optiwhite	560	1206	12	swg	1	1 2	2 R	8	2		
0	Colour quartzite gray	560	1206	12	SWG	1	1 :	2 R	8	3		
	inkl. concealed overflow system chrome finish can be combined with WUA 3612 09 R											
	Additional accessories Neutrally bonding silicone for glass washbasins Surcharge for washbasins without tap-hole or with 3 hole	s (accord	ing to ske	tch)	PΖ	1	2 3	3 5				
		,	3 - 1.13	,								
	Glass washbasin, 1400 mm											
·	Colour Optiwhite Colour quartzite gray	560 560	1406 1406	12 12	S W G							
	inkl. concealed overflow system chrome finish can be combined with WUA 3614 09 L											
	Additional accessories Neutrally bonding silicone for glass washbasins Surcharge for washbasins without tap-hole or with 3 hole	s (accord	ing to ske	tch)	ΡZ	1	23	3 5				

^{*}Delivery time: 8 weeks. Price per washbasin. Washbasin without tap hole is incompatible with CLOU System. Please check your order confirmation for correctness.

Depth indication corr	esponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Artio	cle r	num	ber		Hinge	Surchar- ge high- gloss carcass
	Glass washbasin, 1400 mm Colour Optiwhite Colour quartzite gray inkl. concealed overflow system chrome finish can be combined with WUA 3614 09 R Additional accessories Neutrally bonding silicone for glass washbasins Surcharge for washbasins without tap-hole or with 3 hole	560 560	1406 1406	12 12	SWG SWG	1 1		R 8			
Washbasin	base units										
III. = left	Washbasin base unit 1 metal pull out unit with buffered closing and rail 1 metal pull out unit with buffered closing sidewise carcass depth- narrow = 300 mm sidewise carcass depth - wide = 470 mm Additional accessories Space-saving drain stench trap DN 40 Space-saving drain stench trap DN 32	470	900	480	WUA PZ PZ	1	3 6 4 2	7	9	L/R	
III. = left	Washbasin base unit 1 metal pull out unit with buffered closing and rail 1 metal pull out unit with buffered closing sidewise carcass depth- narrow = 300 mm sidewise carcass depth - wide = 470 mm Additional accessories Space-saving drain stench trap DN 40 Space-saving drain stench trap DN 32	470	1200	480	WUA PZ PZ	1	3 6 4 2	7	9	L/R	
III. = left	Washbasin base unit 1 metal pull out unit with buffered closing and rail 1 metal pull out unit with buffered closing 1 internal compartment incl. glass shelf (width: 200 mm) sidewise carcass depth- narrow =160 mm sidewise carcass depth - wide = 470 mm Additional accessories Space-saving drain stench trap DN 40 Space-saving drain stench trap DN 32	470	1400	480	WU A	1	3 6 4 2	7	9	L/R	



	esponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Artic	ele numbe	er	Hinge	Surchar- ge high- gloss carcass
additional c	abinets								
	Base unit with cast mineral- shelf 2 metal pull-out units with buffered closing incl. drawer rail sidewise carcass depth- narrow = 300 mm sidewise carcass depth = 425 mm drawing left, according to washbasin unit fitting distance 150 mm	425	400	510	UTA	3 6 4 A	2 1	L/R	
III. = left									
III. = left	Base unit with cast mineral- shelf 1 door 1 glass shelf sidewise carcass depth- narrow = 300 mm sidewise carcass depth = 425 mm drawing left, according to washbasin unit fitting distance 150 mm	425	400	510	UTA	3 1 4 A	2 1	L/R	
III. = left	Base unit with cast mineral- shelf Colour Optiwhite Colour quartzite gray 2 metal pull-out units with buffered closing incl. drawer rail sidewise carcass depth- narrow = 300 mm sidewise carcass depth = 425 mm drawing left, according to washbasin unit fitting distance 150 mm	425 425	400 400	492 492		3 6 4 A 3 6 4 A			
III. = left	Base unit with cast mineral- shelf Colour Optiwhite Colour quartzite gray 1 door 1 glass shelf sidewise carcass depth- narrow = 300 mm sidewise carcass depth = 425 mm drawing left, according to washbasin unit fitting distance 150 mm	425 425	400 400	492 492		3 1 4 A 3 1 4 A			
	Shelf 2 enlighted glass shelves 2 X 1,5 Watt mirrored back side This product contains a light source with energy efficiency class: F	150	400	640	RG	4 3 4 B	0 1		

Depth indication corr	esponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Article number	Hinge	Surchar- ge high- gloss carcass
Tall units							
	Tall unit 1 door 4 glass shelves	300 300	300 400	1628 1628	H N A 0 8 3 A 7 1 H N A 0 8 4 A 7 1		
1120	2 metal pull-outs with buffered closing 1 top cover 330 mm deep						
240							
1120	Tall unit 2 doors 4 glass shelves 2 metal pull-outs with buffered closing 1 top cover 330 mm deep	300	600	1628	H N A 0 8 6 A 7 1		
240 1	Tall unit	300	300	1628	H N A O 9 3 A 7 M	I /R	
160 — 320 —	1 door 2 glass shelves (top) 2 metal pull-outs with buffered closing 1 drawer with buffered closing 1 top cover 330 mm deep	300	400		H N A 0 9 4 A 7 M		
800 160 320	Tall unit 2 doors 2 glass shelves (top) 2 metal pull-outs with buffered closing 1 drawer with buffered closing 1 top cover 330 mm deep	300	600	1628	H N A 0 9 6 A 7 M		
800 160 320	Tall unit 1 aluminium framed door with satined glass 2 glass shelves (top) 2 metal pull-outs with buffered closing 1 drawer with buffered closing 1 top cover 330 mm deep	300	300	1628	H N A 0 9 3 B 7 M	L/R	
800 160 320	Tall unit 2 aluminium framed doors with satined glass 2 glass shelves (top) 2 metal pull-outs with buffered closing 1 drawer with buffered closing 1 top cover 330 mm deep	300	600	1628	H N A 0 9 6 B 7 M		

Please observe suitable accessories in the separate index.



Depth indication corr	esponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Article number	Hinge	Surchar- ge high- gloss carcass
Tall units							
800	Tall unit 2 doors 2 glass shelves (top) 2 adjustable shelves (bottom)	300 300	300 400	1628 1628		L/R L/R	
	1 top cover 330 mm deep						
800	Variable in width: please quote the exact dimension of carcass depth. Top cover will be adapted to the cupboard width.	150-299 150-299	300 400		H V A 0 3 3 0 H V A 0 3 4 0	L/R L/R	
800	Tall unit 4 doors 2 glass shelves (top) 2 adjustable shelves (bottom)	300	600	1628	H N A 0 3 6 A 7		
800	1 top cover 330 mm deep Variable in width: please quote the exact dimension of carcass depth. Top cover will be adapted to the cupboard width.	150-299	600	1628	H V A 0 3 6 0		
800	Tall unit 1 aluminium framed door with satined glass 1 door 2 glass shelves (top) 2 adjustable shelves (bottom)	300	300	1628	HNA 0 3 3 B 7	L/R	
800	1 top cover 330 mm deep Variable in width: please quote the exact dimension of carcass depth. Top cover will be adapted to the cupboard width.	150-299	300	1628	H V A 0 3 3 1	L/R	
800	Tall unit 2 aluminium framed doors with satined glass 2 doors 2 glass shelves (top) 2 adjustable shelves (bottom) 1 top cover 330 mm deep	300	600	1628	HNA036B 7		
800	Variable in width: please quote the exact dimension of carcass depth. Top cover will be adapted to the cupboard width.	150-299	600	1628	H V A 0 3 6 1		
800	Tall unit for brooms 2 strapped doors 5 glass shelves 1 top cover 330 mm deep	300	300 400		H N A 0 3 3 A 7 1 H N A 0 3 4 A 7 1		

•	esponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Article number	Hinge	Surchar- ge high- gloss carcass
Tall units							
800	Tall unit for brooms 2 strapped doors left 2 strapped doors right 5 continuously glass shelves 1 top cover 330 mm deep	300	600	1628	H N A 0 3 6 A 7 1		
†	Tall unit 1 door	300	300	1628	H N A 0 2 3 A 7 1	L/R	
320 160 480	1 glass shelf (top) 1 open compartment 1 drawer with buffered closing 1 door 1 glass shelf 1 top cover 330 mm deep	300	400	1628	H N A 0 2 4 A 7 1	L/R	
320 160 480	Tall unit 2 doors 1 glass shelf (top) 1 open compartment 1 drawer with buffered closing 2 doors 1 glass shelf 1 top cover 330 mm deep	300	600	1628	H N A 0 2 6 A 7 1		
320	Tall unit 1 door 1 glass shelf (top) 1 open compartment 1 door 1 glass shelf 1 top cover 330 mm deep	300 300	300 400	1628 1628	H N A 0 2 3 A 7 2 H N A 0 2 4 A 7 2		
320	Tall unit 2 doors 1 glass shelf (top) 1 open compartment 2 doors 1 glass shelf 1 top cover 330 mm deep	300	600	1628	H N A 0 2 6 A 7 2		
640	Tall unit 1 door 1 glass shelf (top) 2 metal pull-outs with buffered closing, 1 door 1 glass shelf 1 top cover 330 mm deep	300 300	300 400		H N A 0 4 3 A 7 1 H N A 0 4 4 A 7 1		

Please observe suitable accessories in the separate index.



Depth indication corr	esponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Article number	Hinge	Surchar- ge high- gloss carcass
Tall units							
640	Tall unit 2 doors 1 glass shelf (top) 2 metal pull-outs with buffered closing, 2 doors 1 glass shelf 1 top cover 330 mm deep	300	600	1628	H N A 0 4 6 A 7 1		
†	Tall unit	300	300	1628	H N A 0 5 3 A 7 M	L/R	
160	1 door 2 glass shelves (top) 1 drawer with buffered closing 1 door 1 glass shelf 1 top cover 330 mm deep	300	400	1628	H N A 0 5 4 A 7 M	L/R	
160	Tall unit 2 doors 2 glass shelves (top) 1 drawer with buffered closing 2 doors 1 glass shelf 1 top cover 330 mm deep	300	600	1628	H N A 0 5 6 A 7 M		
160	Tall unit 1 aluminium framed door with satined glass 2 glass shelves (top) 1 drawer with buffered closing 1 door 1 glass shelf 1 top cover 330 mm deep	300	300	1628	H N A 0 5 3 B 7 M	L/R	
160	Tall unit 2 aluminium framed doors with satined glass 2 glass shelves (top) 1 drawer with buffered closing 2 doors 1 glass shelf 1 top cover 330 mm deep	300	600	1628	H N A 0 5 6 B 7 M		
160	Tall unit with laundry basket 1 door 2 glass shelves 1 drawer with buffered closing 1 laundry basket with wire basket 1 top cover 330 mm deep Volume of laundry basket: 25 liters Volume of laundry basket: 35 liters	300 300	300 400	1628 1628	H N A 0 5 3 A 7 W H N A 0 5 4 A 7 W		
	ble acceptains in the apparate index						

Depth indication corr	esponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Article number	Hinge	Surci ge hi glo: carci	igh- ss
Tall units						_		
160	Tall unit with laundry basket 2 doors 2 glass shelves 1 drawer with buffered closing 1 laundry basket with wire basket 1 top cover 330 mm deep Volume of laundry basket: 55 liters	300	600	1628	H N A 0 5 6 A 7 W			
800	Tall unit with laundry basket 1 aluminium framed door with satined glass 2 glass shelves 1 drawer with buffered closing 1 laundry basket with wire basket 1 top cover 330 mm deep Volume of laundry basket: 25 liters	300	300	1628	H N A 0 5 3 B 7 W	L/R		
800	Tall unit with laundry basket 2 aluminium framed doors with satined glass 2 glass shelves 1 drawer with buffered closing 1 laundry basket with wire basket 1 top cover 330 mm deep Volume of laundry basket: 55 liters	300	600	1628	H N A 0 5 6 B 7 W			
800 160 ************************************	Tall unit with laundry pull out 2 doors 2 glass shelves (top) 1 drawer with buffered closing 2 doors 1 laundry pull out with wire basket 1 top cover 330 mm deep Volume of laundry pull out: 40 liters	300	600	1628	H N A 0 5 6 A 1 W			
Tall unit-she	elf							
238 ;	Tall unit-shelf with open shelf space in carcass colour	150	300	1600	RG 103001			

Please observe suitable accessories in the separate index.



Depth indication corresponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Artio	cle numbe	er	Hinge	Surchar- ge high- gloss carcass
Tall unit-shelf								
Tall unit-shelf with mirror surface 4 shelves compartments in carcass colour	150	300	1600	R G	1030	0 2		
Tall unit-shelf 4 functional hooks 4 shelves compartments in carcass colour	150	300	1600	RG	1030	0 3		
Central units								
medium-high unit 1 door 2 glass shelves (top) 2 metal pull-outs with buffered closing 1 top cover 330 mm deep	300	300 400			8 7 3 A 8 7 4 A		L/R L/R	
medium-high unit 2 doors 2 glass shelves (top) 2 metal pull-outs with buffered closing 1 top cover 330 mm deep	300	600	1308	MNA	876A	7		
medium-high unit 1 door 2 glass shelves (top) 1 metal pull-out with buffered closing, 1 drawer with buffered closing 1 top cover 330 mm deep	300	300 400			8 8 3 A 8 8 4 A			

Depth indication con	responds to the carcass depth	Depth in mm	Width in mm	Height in mm	Article numb	oer	Hinge	Surchar- ge high- gloss carcass
Central unit	S							
160	medium-high unit 2 doors 2 glass shelves (top) 1 metal pull-out with buffered closing, 1 drawer with buffered closing 1 top cover 330 mm deep	300	600	1308	M N A 8 8 6 /	A 7 M		
800	medium-high unit 1 aluminium framed door with satined glass 2 glass shelves (top) 1 metal pull-out with buffered closing, 1 drawer with buffered closing 1 top cover 330 mm deep	300	300	1308	M N A 8 8 3 E	3 7 M	L/R	
160	medium-high unit 2 aluminium framed doors with satined glass 2 glass shelves (top) 1 metal pull-out with buffered closing, 1 drawer with buffered closing 1 top cover 330 mm deep	300	600	1308	M N A 8 8 6 E	3 7 M		
	medium-high unit	300	300	1308	M N A 8 1 3 A	1 7	L/R	
1280	1 door 4 glass shelves 1 top cover 330 mm deep	300	400	1308	MNA 8 1 4 A		L/R	
	Variable in width: please quote the exact dimension of carcass depth.	150-299	300	1308	M V A 8 1 3 ()	L/R	
;	Top cover will be adapted to the cupboard width.	150-299	400	1308	M V A 8 1 4 0)	L/R	
1280	medium-high unit 2 doors 4 glass shelves 1 top cover 330 mm deep Variable in width:	300	600	1308	MNA816/	7		
	please quote the exact dimension of carcass depth. Top cover will be adapted to the cupboard width.	150-299	600	1308	M V A 8 1 6 (
Please								

Depth indication corresponds to the carcass depth		Depth in mm	Width in mm	Height in mm	Artio	cle numbe	er	Hinge	Surchar- ge high- gloss carcass
Central units	S								
	medium-high unit with inside drawers	300	300	1308	MNA	8 4 3 A	7	L/R	
1280	door inside metal-drawer with buffered closing glass shelf top cover 330 mm deep	300	400	1308	MNA	8 4 4 A	7	L/R	
	medium-high unit with inside drawers	300	600	1308	MNA	8 4 6 A	7		
1280	2 doors 2 continuously inside metal-drawer with buffered closing 1 continuous glass shelf 1 top cover 330 mm deep								
	modium high unit with laundry null out	200	600	1200	M N A	0261	4 \		
640	medium-high unit with laundry pull out 2 doors 1 glass shelf (top) 2 doors 1 laundry pull out with wire basket Volume of laundry pull out: 40 liters 1 top cover 330 mm deep	300	600	1308	MNA	8 3 6 A	1 W		
Highboards									
÷	Highboard 1 door	300	300			5 1 3 A		L/R	
800	2 glass shelves 1 top cover 330 mm deep	300	400	828	НВА	5 1 4 A	7	L/R	
, u	Variable in width: please quote the exact dimension of carcass depth.	150-299	300	828	нву	A 5 1 3		L/R	
	Top cover will be adapted to the cupboard width.	150-299	400	828	нву	A 5 1 4		L/R	
800	Highboard 2 doors 2 glass shelves 1 top cover 330 mm deep Variable in width: please quote the exact dimension of carcass depth.	300	600			5 1 6 A A 5 1 6	7		
	Top cover will be adapted to the cupboard width.								

Depth indication corresponds to the carcass depth		Depth in mm	Width in mm	Height in mm	Article number	Hinge	Surchar- ge high- gloss carcass
Highboards							
800	Highboard 1 aluminium framed door with satined glass 2 glass shelves 1 top cover 330 mm deep	300	300	828	HBA513B 7	L/R	
; <u> </u>	Variable in width: please quote the exact dimension of carcass depth. Top cover will be adapted to the cupboard width.	150-299	300	828	HBVA513 1	L/R	
800	Highboard 2 aluminium framed doors with satined glass 2 glass shelves 1 top cover 330 mm deep	300	600	828	HBA516B 7		
	Variable in width: please quote the exact dimension of carcass depth. Top cover will be adapted to the cupboard width.	150-299	600	828	HBVA516 1		
800 000000 000000 0000000 0000000 000000	Highboard with laundry pull out 2 doors 1 laundry pull out with wire basket 1 top cover 330 mm deep						
	Volume of laundry pull out: 40 liters	300	600	828	HBA516A1W		
160 ‡	Highboard 1 drawer with buffered closing	300	300	828	HBA563A7M		
320	2 metal pull-outs with buffered closing 1 top cover 330 mm deep	300	400	828	HBA564A7M		
320	Highboard 1 drawer with buffered closing 2 metal pull-outs with buffered closing 1 top cover 330 mm deep	300	600	828	HBA566A7M		
	Highboard	300	300	828	HBA553A7M	L/R	
640	drawer with buffered closing door glass shelf top cover 330 mm deep	300	400	828	H B A 5 5 4 A 7 M	L/R	
Places							

Depth indication corre	esponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Article number	Surchar ge high-
Highboards						
640	Highboard 1 drawer with buffered closing 2 doors 1 glass shelf 1 top cover 330 mm deep	300	600	828	HBA556A7M	
160	Highboard with laundry basket 1 drawer with buffered closing 1 laundry basket with wire basket 1 top cover 330 mm deep					
* L	Volume of laundry basket: 25 liters	300	300	828	H B A 5 5 3 A 7 W	
	Volume of laundry basket: 35 liters	300	400	828	H B A 5 5 4 A 7 W	
640	Highboard with laundry basket 1 drawer with buffered closing 1 laundry basket with wire basket 1 top cover 330 mm deep					
, LI	Volume of laundry basket: 55 liters	300	600	828	H B A 5 5 6 A 7 W	
160 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	Highboard with laundry pull out 1 drawer with buffered closing 2 doors 1 laundry pull out with wire basket 1 top cover 325 mm deep					
,	Volume of laundry pull out: 40 liters	300	600	828	HBA556A1W	
Wall units						
	Wall unit	150	300	668	OGA413A 7	L/R
640	1 door 1 glass shelf 1 top cover 180 mm deep	150	400	668	OGA 414A 7	L/R
	Variable in width: please quote the exact dimension of carcass depth. Top cover will be adapted to the cupboard width.	151-300 151-300	300 400		O V A 4 1 3 0 O V A 4 1 4 0	L/R L/R

Depth indication corre	esponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Article number	Surcharge high-
Wall units						
640	Wall unit 2 doors 1 glass shelf 1 top cover 180 mm deep	150	600	668	OGA416A 7	
*	Variable in width: please quote the exact dimension of carcass depth. Top cover will be adapted to the cupboard width.	151-300	600	668	O V A 4 1 6 0	
320	Wall unit 1 flap door, 1 top cover 260 mm deep	230	600	348	OMA 216A7K	
Base units						
160	Base unit 1 drawer with buffered closing 1 door 1 top cover 330 mm deep	300	300 400	508 508	U N A 3 2 3 A 7 M U N A 3 2 4 A 7 M	
320	Base unit 1 drawer with buffered closing 2 doors 1 top cover 330 mm deep	300	600	508	U N A 3 2 6 A 7 M	
240	Base unit 2 pull-outs with buffered closing 1 top cover 330 mm deep	300 300	300 400	508 508	U N A 3 6 3 A 7 U N A 3 6 4 A 7	
240	Base unit 2 pull-outs with buffered closing 1 top cover 330 mm deep	300	600	508	UNA366A 7	
160	Base unit 1 drawer with buffered closing 1 metal pull-out with buffered closing, 1 top cover 330 mm deep	300	300 400	508 508	U N A 3 4 3 A 7 M U N A 3 4 4 A 7 M	
320	Base unit 1 drawer with buffered closing 1 metal pull-out with buffered closing, 1 top cover 330 mm deep	300	600	508	U N A 3 4 6 A 7 M	
320	Base unit 1 flap door, 1 top cover 260 mm deep	230	600	348	UMA216A7K	

Please observe suitable accessories in the separate index.



Depth indication corr	esponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Article number	Hinge	Surchar- ge high- gloss carcass
Shelves							
	functional shelf Edges are cut with a mitre veritcal and horizontal mounting possible please indicate colour version: no. 501 white matt lacquered no. 547 black matt lacquered	150	300	160	RGL 113001		
	functional shelf Edges are cut with a mitre veritcal and horizontal mounting possible please indicate colour version: no. 501 white matt lacquered no. 547 black matt lacquered	150	600	160	RGL116002		
Laundryroll	functional shelf Edges are cut with a mitre veritcal and horizontal mounting possible please indicate colour version: no. 501 white matt lacquered no. 547 black matt lacquered	150	900	160	RGL 119003		
640	Laundryrolli 1 flap door, with buffered closing 1 take-out laundry-bag, washable 4 roles Colour version corresponds to the carcass colour incl. height indication rolls (100 mm)	470	470	756	WRS 4047		
Benches							
160 242	Bench 1 shelf 1 seat cushion in imitation leather cream-white Colour version corresponds to the carcass colour	450	600	508	SETBANK 6		
160 0	Bench 2 shelves 1 seat cushion in imitation leather cream-white	450	900	508	SETBANK 9		
Please observe suita	Colour version corresponds to the carcass colour lble accessories in the separate index.						

Depth indication corresponds to the carcass depth	Depth n mm	Width in mm	Height in mm	Arti	cle numb	er	Hinge	Surchar- ge high- gloss carcass
Glass shelfs							_	
Glass shelf incl. metal holder								
400 mm wide incl. 2 metal brackets	130	400	8	A B G	1 3 4 0	0 8		
600 mm wide incl. 2 metal brackets	130	600	8	A B G	1 3 6 0	0 8		
900 mm wide incl. 3 metal brackets	130	900	8	A B G	1 3 9 0	0 8		
1200 mm wide incl. 3 metal brackets	130	1200	8	A B G	1 3 1 2	0 8		
1400 mm wide incl. 4 metal brackets	130	1400	8	ABG	1 3 1 4	8 0		
Push- fit shelf								
Push-fit shelf with ABS thick edge all around incl. holders for push fit shelf								
300 mm widh incl. 2 push-fit holder	150	300	28	SBG	6030			
400 mm wide incl. 2 push-fit holder	150	400	28	SBG	6 0 4 0			
600 mm wide incl. 2 push-fit holder	150	600	28	SBG	6060			
900 mm wide incl. 3 push-fit holder	150	900	28	SBG	6090			
1200 mm wide incl. 3 push-fit holder	150	1200	28	SBG	6012			
1400 mm wide incl. 3 push-fit holder	150	1400	28	SBG	6014			


Program 033 - bathroom variations


CRM-E190-2				
Mirror cabinet, 900 mm Washbasin base unit evermite washbasin, 900 mm	S 2 A 4 3 9 R 2 6 W U A 3 6 9 0 0 9 S W M 1 0 9 R 2 1			
		Sum		
C R G 8 2 9 0 2 R SWG 109R 82 glass optiwhite	e inst. evermite	Sum	0	
C R G 8 3 9 0 2 R SWG 109R 83 glass quartzite	grey inst. evermite	Sum		000
	Surcharge high-gloss ca	arcass		900 mm wide
CRM-E190-4	.R			
mirror cabinet 900 mm Washbasin base unit evermite washbasin, 900 mm	S 2 A 4 3 9 R 7 6 WU A 3 6 9 0 0 9 S W M 1 0 9 R 2 1			
		Sum		
CRG82904R SWG 109R 82 glass optiwhite	e inst. evermite	Sum	0	
CRG83904R SWG 109R 83 glass quartzite	grey inst. evermite	Sum		900 mm wide
	Surcharge high-gloss ca	arcass		
CRM-E112-2 Mirror cabinet 1200 mm Washbasin base unit evermite washbasin, 1200 mm	S 2 A 4 3 1 2 2 6 W U A 3 6 1 2 0 9 S W M 1 1 2 R 2 1			
		Sum		
CRG82122R SWG 112R 82 glass optiwhite	e inst. evermite	Sum	0	
CRG83122R SWG 112R 83 glass quartzite		Sum		1200 mm wide
	Surcharge high-gloss ca	arcass		
CRM-E112-4				
Mirror cabinet, 1200 mm Washbasin base unit evermite washbasin, 1200 mm	S 2 A 4 3 1 2 7 6 W U A 3 6 1 2 0 9 S W M 1 1 2 R 2 1			
		Sum		
CRG82124R SWG 112R 82 glass optiwhite	e inst. evermite	Sum	0	
			1 11 1 1 1	
CRG83124R SWG112R83 glass quartzite	grey inst. evermite Surcharge high-gloss ca	Sum		1200 mm wide


Program 033 - bathroom variations

CRM-E	114-2R		
 Mirror cabinet, 1400 mm Washbasin base unit evermite washbasin, 1400 mm 	S 2 A 4 3 1 4 2 W U A 3 6 1 4 0 S W M 1 1 4 R 2	9	
		Sum	
C R G 8 2 1 4 2 R SWG 114R 82 glass op	tiwhite inst. evermite	Sum	0
C R G 8 3 1 4 2 R SWG 114R 83 glass qu	artzite grey inst. evermite	Sum	1400 mm wide
	Surcharge high-gloss	carcass	1400 mm wide
CRM-E	114-4R		
 Mirror cabinet, 1400 mm Washbasin base unit evermite washbasin, 1400 mm 	S 2 A 4 3 1 4 7 W U A 3 6 1 4 0 S W M 1 1 4 R 2	9	
		Sum	
C R G 8 2 1 4 4 R SWG 114R 82 glass op	tiwhite inst. evermite	Sum	•
0 1	artzite grey inst. evermite	Sum	
1-	Surcharge high-gloss		1400 mm wide

Program 033 - dimensional drawings







For washing stands with fixing screws, the dimensions for boring must be drawn in on-site after the washing stand has been laid on the floor unit

Washing stands without anchoring brackets have to be fixed on the wall and on the furniture-side with silicon! Evermite:

The water temperature must not exceed 55° C / 131° F. Hair tinting lotions have to be removed in a few seconds, so that staining can be avoided.

Modifications:


Technical modifications (+/- 5mm) and flatness modifications (DIN 18202) are subject of the usual material-specific modifications for construction materials, based on DIN 18202.




Program 033 - dimensional drawings

SWG 112L


SWG 112R







SWG 114L

SWG 114R





electrical connections for mirror cabinets



OKFFB=Oberkante Fertigfußboden

For washing stands with fixing screws, the dimensions for boring must be drawn in on-site after the washing stand has been laid on the floor unit.

Washing stands without anchoring brackets have to be fixed on the wall and on the furniture-side with silicon!

Evermite:

The water temperature must not exceed 55° C / 131° F. Hair tinting lotions have to be removed in a few seconds, so that staining can be avoided.

Modifications:

Technical modifications (+/- 5mm) and flatness modifications (DIN 18202) are subject of the usual material-specific modifications for construction materials, based on DIN 18202.

