

# next generation

# D.LIGHT

Program 065



## Front colours




No. 777 cosmos grey matt



No. 891 quarz grey matt



No. 893 titanium grey matt



No. 722 polar white hgl.



no. 670 Halifax oak



No. 750 cardiff oak



Nr. 785 natural oak

**F** foiled front

**M** Melamine coated front with ABS-edge

## carcass colours

\* High gloss carcass for an additional price




No. 177  
cosmos grey matt



no. 191  
quarz grey matt



No. 193  
titanium grey  
matt



\*no. 161  
white hgl.



no. 170  
Halifax oak



no. 150  
cardiff oak



Nr. 185  
natural oak

## Handle versions

**No. 334**  
Strip handle chrome



handle length 194 mm

**no. 343**  
Strip handle aluminium matt



handle length 194 mm

**No. 344**  
Strip handle black matt



handle length 194 mm

**No. 294 bar handle chrome**



handle bore 96 mm / 384 mm

## Technique

**No. 559**



**Pull outs and drawers**

door with integrated buffered closing

## Washbasin colours

**Cast mineral washbasins**



**No. 1 white**

## Mirror cabinets

**Series A**



**Series B**









Illustrations and specifications are without obligation. Technical modifications reserved.




**2021/2022**

Please note the instruction for warranty, mounting and care, and the quality agreements as well, at the beginning of the book.




# Program 065 - type list

Depth indication corresponds to the carcass depth		Depth in mm	Width in mm	Height in mm	Article number	Hinge	Surcharge high-gloss carcass
<b>Mirrors Series A</b>							
	<b>Mirror</b> 1 LED surface-mounted lamp 634 mm wide 9,28 watt / Converter 15 watt 1 switch element This product contains a light source with energy efficiency class: G	28	700	640	F S A 4 1 7 B 3 0		
	<b>Mirror</b> 1 LED surface-mounted lamp 934 mm wide 14,08 watt / converter 15 watt 1 switch element This product contains a light source with energy efficiency class: G	28	1000	640	F S A 4 1 1 B 3 0		
	<b>Mirror</b> 1 LED surface-mounted lamp 934 mm wide 14,08 watt / converter 15 watt 1 switch element This product contains a light source with energy efficiency class: G	28	1200	640	F S A 4 1 2 B 3 0		
<b>Mirrors Series B</b>							
	<b>Mirror</b> 1 LED surface-mounted lamp 600 mm wide 9,5 watt / Converter 15 watt 1 switch element This product contains a light source with energy efficiency class: G	28	700	640	F S A 4 1 7 B 0 1		
	<b>Mirror</b> 1 LED surface-mounted lamp 900 mm wide 11,5 watt / Converter 15 watt 1 switch element This product contains a light source with energy efficiency class: G	28	1000	640	F S A 4 1 1 B 0 1		
	<b>Mirror</b> 1 LED surface-mounted lamp 900 mm wide 11,5 watt / Converter 15 watt 1 switch element This product contains a light source with energy efficiency class: G	28	1200	640	F S A 4 1 2 B 0 1		




# Program 065 - type list

Depth indication corresponds to the carcass depth		Depth in mm	Width in mm	Height in mm	Article number		Hinge	Surcharge high-gloss carcass
<b>Mirror cabinets Series A</b>								
	<p><b>mirror cabinet</b>            3 mirror doors on wooden-plated side doubling 10 mm each            2 central partitions, 3 glass shelves            1 LED surface-mounted lamp 634 mm wide            9,28 watt / Converter 15 watt            1 switch socket element            Door width: 196 mm / 296 mm / 196 mm            This product contains a light source with energy efficiency class: G</p> <p>Additional accessories            LED washbasin lighting</p>	172	720	640	<b>S E T 4 3 7 D 0 2</b>			
incl. handle blocks					P Z	1 0 6 3 6 0		
	<p><b>mirror cabinet</b>            3 mirror doors on wooden-plated side doubling 10 mm each            2 central partitions, 3 glass shelves            1 LED surface-mounted lamp 934 mm wide            14,08 watt / converter 30watt            1 switch socket element            Door width: 288 mm / 412 mm / 288 mm            This product contains a light source with energy efficiency class: G</p> <p>Additional accessories            LED washbasin lighting</p>	172	1020	640	<b>S E T 4 3 1 D 0 2</b>			
incl. handle blocks					P Z	1 0 6 3 9 0		
	<p><b>mirror cabinet</b>            3 mirror doors on wooden-plated side doubling 10 mm each            2 central partitions, 3 glass shelves            1 LED surface-mounted lamp 934 mm wide            14,08 watt / converter 30watt            1 switch socket element            Door width: 388 mm / 412 mm / 388 mm            This product contains a light source with energy efficiency class: G</p> <p>Additional accessories            LED washbasin lighting</p>	172	1220	640	<b>S E T 4 3 2 D 0 2</b>			
incl. handle blocks					P Z	1 0 6 3 1 2		





# Program 065 - type list

Depth indication corresponds to the carcass depth		Depth in mm	Width in mm	Height in mm	Article number	Hinge	Surcharge high-gloss carcass
<b>Mirror cabinets Series B</b>							
 <p>incl. handle blocks</p>	<p><b>mirror cabinet</b>            3 mirror doors on wooden-plated side doubling 10 mm each            2 central partitions, 3 glass shelves            1 LED surface-mounted lamp 600 mm wide            9,5 watt / Converter 15 watt            1 switch socket element            Door width: 196 mm / 296 mm / 196 mm            This product contains a light source with energy efficiency class: G</p> <p>Additional accessories            LED washbasin lighting</p>	172	720	640	SET 4 3 7 D 0 1		
 <p>incl. handle blocks</p>	<p><b>mirror cabinet</b>            3 mirror doors on wooden-plated side doubling 10 mm each            2 central partitions, 3 glass shelves            1 LED surface-mounted lamp 900 mm wide            11,5 watt / Converter 30 watt            1 switch socket element            Door width: 288 mm / 412 mm / 288 mm            This product contains a light source with energy efficiency class: G</p> <p>Additional accessories            LED washbasin lighting</p>	172	1020	640	SET 4 3 1 D 0 1		
 <p>incl. handle blocks</p>	<p><b>mirror cabinet</b>            3 mirror doors on wooden-plated side doubling 10 mm each            2 central partitions, 3 glass shelves            1 LED surface-mounted lamp 900 mm wide            11,5 watt / Converter 30 watt            1 switch socket element            Door width: 388 mm / 412 mm / 388 mm            This product contains a light source with energy efficiency class: G</p> <p>Additional accessories            LED washbasin lighting</p>	172	1220	640	SET 4 3 2 D 0 1		

# Program 065 - type list






Depth indication corresponds to the carcass depth		Depth in mm	Width in mm	Height in mm	Article number	Hinge	Surchar- ge high- gloss carcass
<b>Sets</b>							
 <p>III. with strip handles</p>	<p><b>Consisting of:</b> washbasin, cast mineral, white, 732 mm Washbasin base unit 700 mm side doubling 10 mm each 1 pull-out with cushioned closure and syphon cutout 1 pull-out with buffered closing</p>						
	<p><b>without LED lighting</b> <b>with LED lighting</b> 1 LED converter 12 V, 15 Watt incl. toggle switch This product contains a light source with energy efficiency class: F</p> <p>Additional accessories Space-saving drain stench trap DN 40 Space-saving drain stench trap DN 32 motion sensor for LED lighting</p>	515 515	732 732	503 503	<b>SETDL70 1</b> <b>SETDL70B 1</b>		
 <p>III. with strip handles</p>	<p><b>Consisting of:</b> washbasin, cast mineral, white, 1032 mm Washbasin base unit, 1000 mm side doubling 10 mm each 1 pull-out with cushioned closure and syphon cutout 1 pull-out with buffered closing</p>						
	<p><b>without LED lighting</b> <b>with LED lighting</b> 1 LED converter 12 V, 15 Watt incl. toggle switch This product contains a light source with energy efficiency class: F</p> <p>Additional accessories Space-saving drain stench trap DN 40 Space-saving drain stench trap DN 32 motion sensor for LED lighting</p>	515 515	1032 1032	503 503	<b>SETDL10 1</b> <b>SETDL10B 1</b>		
 <p>III. with strip handles</p>	<p><b>Consisting of:</b> washbasin, cast mineral, white, 1232 mm washbasin base unit 1200 mm side doubling 10 mm each 1 pull-out with cushioned closure and syphon cutout 1 pull-out with buffered closing</p>						
	<p><b>without LED lighting</b> <b>with LED lighting</b> 1 LED converter 12 V, 15 Watt incl. toggle switch This product contains a light source with energy efficiency class: F</p> <p>Additional accessories Space-saving drain stench trap DN 40 Space-saving drain stench trap DN 32 motion sensor for LED lighting</p>	515 515	1232 1232	503 503	<b>SETDL12 1</b> <b>SETDL12B 1</b>		

# Program 065 - type list

Depth indication corresponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Article number	Hinge	Surcharge high-gloss carcass
<p><b>Sets</b></p>  <p>III. with strip handles</p> <p><b>Consisting of:</b>            Double washbasin white cast mineral, 1232 mm            Washbasin base unit, 2x 600 mm            side doubling 10 mm each            2 pull-outs with buffered closing            and 2 syphon cut-outs            2 pull-outs with buffered closing</p> <p><b>without LED lighting</b>  <b>with LED lighting</b>            1 LED converter 12 V, 15 Watt            incl. toggle switch            This product contains a light source with energy efficiency class: F</p> <p>Additional accessories            Space-saving drain stench trap DN 40 (order 2 pieces)            Space-saving drain stench trap DN 32 (order 2 pieces)            motion sensor for LED lighting</p>	<p>515 515</p>	<p>1232 1232</p>	<p>503 503</p>	<p><b>S E T D L 2 D 1</b>  <b>S E T D L 2 D B 1</b></p> <p>P Z 1 3 6 7            P Z 1 4 2 3            P Z 1 1 4 1</p>		
 <p><b>Tall unit-shelf</b>            with open shelf space            in carcass colour</p>	150	300	1600	<b>R G 1 0 3 0 0 1</b>		
 <p><b>Tall unit-shelf</b>            with mirror surface            4 shelves compartments            in carcass colour</p>	150	300	1600	<b>R G 1 0 3 0 0 2</b>		
 <p><b>Tall unit-shelf</b>            4 functional hooks            4 shelves compartments            in carcass colour</p>	150	300	1600	<b>R G 1 0 3 0 0 3</b>		







# Program 065 - type list

Depth indication corresponds to the carcass depth







	Depth in mm	Width in mm	Height in mm	Article number	Hinge	Surcharge high-gloss carcass
<b>Central units</b>						
 <p>1280</p> <p>III. with strip handle</p>	325	325	1290	<b>MNA 8 1 3 A</b>	<b>D</b> L/R	
	325	425	1290	<b>MNA 8 1 4 A</b>	<b>D</b> L/R	
 <p>1280</p> <p>III. with strip handles</p>	325	625	1290	<b>MNA 8 1 6 A</b>	<b>D</b>	
 <p>800</p> <p>240</p> <p>240</p> <p>III. with strip handles</p>	325	325	1290	<b>MNA 8 7 3 A</b>	<b>D</b> L/R	
	325	425	1290	<b>MNA 8 7 4 A</b>	<b>D</b> L/R	
 <p>800</p> <p>240</p> <p>240</p> <p>III. with strip handles</p>	325	625	1290	<b>MNA 8 7 6 A</b>	<b>D</b>	
<b>Highboards</b>						
 <p>800</p> <p>III. with strip handle</p>	325	325	810	<b>HBA 5 1 3 A</b>	<b>D</b> L/R	
	325	425	810	<b>HBA 5 1 4 A</b>	<b>D</b> L/R	






# Program 065 - type list

Depth indication corresponds to the carcass depth		Depth in mm	Width in mm	Height in mm	Article number	Hinge	Surcharge high-gloss carcass
<b>Highboards</b>							
 <p>800</p> <p>III. with strip handles</p>	<p><b>Highboard</b>                  2 doors                  2 glass shelves                  side doubling 10 mm each                  1 top cover 325 mm deep</p>	325	625	810	<b>HBA516A</b>	<b>D</b>	
 <p>160</p> <p>640</p> <p>III. with strip handles</p>	<p><b>Highboard</b>                  1 drawer with buffered closing                  1 door                  1 glass shelf                  side doubling 10 mm each                  1 top cover 325 mm deep</p>	325	325	810	<b>HBA553A</b>	<b>D</b> L/R	
			325	425	810	<b>HBA554A</b>	<b>D</b> L/R
 <p>160</p> <p>640</p> <p>III. with strip handles</p>	<p><b>Highboard</b>                  1 drawer with buffered closing                  2 doors                  1 glass shelf                  side doubling 10 mm each                  1 top cover 325 mm deep</p>	325	625	810	<b>HBA556A</b>	<b>D</b>	
 <p>160</p> <p>640</p> <p>III. with strip handles</p>	<p><b>Highboard with laundry basket</b>                  1 drawer with buffered closing                  1 laundry basket with wire basket                  side doubling 10 mm each                  1 top cover 325 mm deep</p>						
	<p>Volume of laundry basket: 25 liters</p> <p>Volume of laundry basket: 35 liters</p>	325	325	810	<b>HBA553AWD</b>		
		325	425	810	<b>HBA554AWD</b>		
 <p>160</p> <p>640</p> <p>III. with strip handles</p>	<p><b>Highboard with laundry basket</b>                  1 drawer with buffered closing                  1 laundry basket with wire basket                  Volume of laundry basket: 55 liters                  side doubling 10 mm each                  1 top cover 325 mm deep</p>	325	625	810	<b>HBA556AWD</b>		
<b>Wall units</b>							
 <p>640</p> <p>III. with strip handle</p>	<p><b>Wall unit</b>                  1 door                  1 glass shelf                  side doubling 10 mm each</p>	172	320	640	<b>OGA413A1G</b>	L/R	
			172	420	640	<b>OGA414A1G</b>	L/R







# Program 065 - type list

Depth indication corresponds to the carcass depth		Depth in mm	Width in mm	Height in mm	Article number	Hinge	Surchar- ge high- gloss carcass
<b>Wall units</b>							
	<b>Wall unit</b> 2 doors 1 glass shelf side doubling 10 mm each	172	620	640	<b>O G A 4 1 6 A 1 G</b>		
III. with strip handles							
<b>Base units</b>							
	<b>Base unit</b> 2 pull-outs with buffered closing side doubling 10 mm each 1 top cover 325 mm deep	325	325	490	<b>U N A 3 6 3 A D</b>		
III. with strip handles							
	<b>Base unit</b> 2 pull-outs with buffered closing side doubling 10 mm each 1 top cover 325 mm deep	325	625	490	<b>U N A 3 6 6 A D</b>		
III. with strip handles							
<b>Shelves</b>							
	<b>functional shelf</b> Edges are cut with a mitre vertical and horizontal mounting possible  please indicate colour version: no. 501 white matt lacquered no. 547 black matt lacquered	150	300	160	<b>R G L 1 1 3 0 0 1</b>		
	<b>functional shelf</b> Edges are cut with a mitre vertical and horizontal mounting possible  please indicate colour version: no. 501 white matt lacquered no. 547 black matt lacquered	150	600	160	<b>R G L 1 1 6 0 0 2</b>		
	<b>functional shelf</b> Edges are cut with a mitre vertical and horizontal mounting possible  please indicate colour version: no. 501 white matt lacquered no. 547 black matt lacquered	150	900	160	<b>R G L 1 1 9 0 0 3</b>		






# Program 065 - type list

Depth indication corresponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Article number	Hinge	Surcharge high-gloss carcass
<b>Benches</b>						
 <p><b>Bench</b> 1 shelf 1 seat cushion in imitation leather cream-white</p> <p>Colour version corresponds to the carcass colour</p>	450	600	508	<b>SETBANK 6</b>		
 <p><b>Bench</b> 2 shelves 1 seat cushion in imitation leather cream-white</p> <p>Colour version corresponds to the carcass colour</p>	450	900	508	<b>SETBANK 9</b>		
<b>Glass shelves</b>						
 <p><b>Glass shelf</b> incl. metal holder</p> <p><b>400 mm wide</b> incl. 2 metal brackets</p> <p><b>600 mm wide</b> incl. 2 metal brackets</p> <p><b>700 mm wide</b> incl. 2 metal brackets</p> <p><b>1000 mm wide</b> incl. 3 metal brackets</p> <p><b>1200 mm wide</b> incl. 3 metal brackets</p>	130	400	8	<b>ABG 1 3 4 0 0 8</b>		
				<b>ABG 1 3 6 0 0 8</b>		
				<b>ABG 1 3 7 0 0 8</b>		
				<b>ABG 1 3 1 0 0 8</b>		
				<b>ABG 1 3 1 2 0 8</b>		

# Program 065 - type list


Depth indication corresponds to the carcass depth		Depth in mm	Width in mm	Height in mm	Article number			Hinge	Surcharge high-gloss carcass
<b>Push-fit shelf</b>									
	<b>Push-fit shelf</b> with ABS thick edge all around incl. holders for push fit shelf								
	<b>300 mm wide</b> incl. 2 push-fit holder	150	300	28	<b>S B G 6 0 3 0</b>				
	<b>400 mm wide</b> incl. 2 push-fit holder	150	400	28	<b>S B G 6 0 4 0</b>				
	<b>600 mm wide</b> incl. 2 push-fit holder	150	600	28	<b>S B G 6 0 6 0</b>				
	<b>700 mm wide</b> incl. 3 push-fit holder	150	700	28	<b>S B G 6 0 7 0</b>				
	<b>1000 mm wide</b> incl. 3 push-fit holder	150	1000	28	<b>S B G 6 0 1 0</b>				
	<b>1200 mm wide</b> incl. 3 push-fit holder	150	1200	28	<b>S B G 6 0 1 2</b>				
<b>Accessories</b>									
	<b>Towel holder</b> chrome gloss front opened to fit on carcass at side	380	50	10	<b>P Z 1 1 2 7 4 5</b>				
	<b>Towel holder</b> one-armed extendable Chrome hgl. wall-mounted	330-567	44	44	<b>P Z 1 1 3 7 1</b>				
	<b>Towel holder</b> two-armed extendable Chrome hgl. wall-mounted	322-562	87	47	<b>P Z 1 1 3 7 2</b>				
	<b>Cosmetic mirror</b> 2-times magnified vacuum cup and fixation metal fixing bracket chrome	30	150	150	<b>P Z 1 2 3 3</b>				
	<b>Motion sensor</b> for LED lighting of washbasins or washbasin base units Term and sensitivity of lighting are adjustable				<b>P Z 1 1 4 1</b>				

## Program 065 - type list


Depth indication corresponds to the carcass depth		Depth in mm	Width in mm	Height in mm	Article number			Hinge	Surchar- ge high- gloss carcass
<b>Accessories</b>									
	<p><b>LED washbasin lighting</b> 2,4 Watt 1 switch element to fit underneath mirror cabinet This product contains a light source with energy efficiency class: G</p> <p>not suitable with Emotion lighting</p>	10	560	10	P Z	1 0 6 3 6 0			
	<p><b>LED washbasin lighting</b> 3,9 Watt 1 switch element to fit underneath mirror cabinet This product contains a light source with energy efficiency class: G</p> <p>not suitable with Emotion lighting</p>	10	860	10	P Z	1 0 6 3 9 0			
	<p><b>LED washbasin lighting</b> 5,3 Watt 1 switch element to fit underneath mirror cabinet This product contains a light source with energy efficiency class: G</p> <p>not suitable with Emotion lighting</p>	10	1160	10	P Z	1 0 6 3 1 2			
	<p><b>Space-saving drain stench trap from GEBERIT</b> made of plastic, in white nominal diameter: 40</p>				P Z	1 3 6 7			
	<p><b>Space-saving drain stench trap from GEBERIT</b> made of plastic, in white nominal diameter: 32</p>				P Z	1 4 2 3			

# Program 065 - dimensional drawings


## SET DL70 1



## SET DL10 1





## SET DL12 1



## SET DL2D 1

electrical connections for mirror cabinets



### Cast mineral:

The water temperature must not exceed 55° C / 131° F. Hair tinting lotions have to be removed immediately, so that staining can be avoided.

### Modifications:

Technical modifications (+/- 5mm) and flatness modifications (DIN 18202) are subject of the usual material-specific modifications for construction materials, based on DIN 18202.