




Front colours



No. 764 Stonegrey matt



No. 777 cosmos grey matt



No. 793 noble white matt



No. 891 quarz grey matt



No. 893 titanium grey matt



No. 686 anthracite hgl.



No. 722 polar white hgl.



No. 755 hacienda black



No. 769 hacienda grey



no. 670 Halifax oak



no. 680 Charleston oak



No. 750 cardiff oak



no. 784 light oak



Nr. 785 natural oak



no. 786 truffle oak



no. 794 sand oak

F foiled front

M Melamine coated front with ABS-edge

carcass colours


* High gloss carcass for an additional price



No. 164
Stonegrey matt



No. 177
cosmos grey
matt



No. 111
white matt




no. 191
quarz grey
matt



No. 193
titanium grey
matt



*no. 121
anthracite hgl.



*no. 161
white hgl.



no. 155
hacienda
black



no. 169
hacienda grey



no. 170
Halifax oak



no. 180
Charleston
oak



no. 150
cardiff oak



no. 184
light oak



Nr. 185
natural oak



no. 186
truffle oak



no. 194
sand oak

Washbasin colours

STONEPLUS washbasins



No. 61
white **STONEPLUS**

New, harder, easy-care
surface.

Ceramic washbasins



no. 1
white

Handle version



No. 292 bar handle chrome

handle bore 96 mm / 384 mm

Technique

door with integrated buffered closing

Pull outs and drawers

No. 554

Mirror cabinets

Series A

double mirrored



Series B

simply mirrored









Illustrations and specifications are without obligation. Technical modifications reserved.

2021/2022

061.2







Please note the instruction for warranty, mounting and care, and the quality agreements as well, at the beginning of the book.

Program 061 - type list

Depth indication corresponds to the carcass depth		Depth in mm	Width in mm	Height in mm	Article number	Hinge	Surcharge high-gloss carcass
<p>Mirror cabinet, series A Doors are double mirrored</p>  <p>Mirror cabinet 2 double mirror doors 2 glass shelves 1 switch socket element 1 LED panel light with chrome edge 8,9 watt / Converter 15 watt Door width: 396 mm / 196 mm This product contains a light source with energy efficiency class: F</p>  <p>incl. handle blocks Ill. = left</p> <p>Additional accessories LED washbasin lighting LED washbasin lighting emotion Emotion lighting</p>		150	602	659	S 2 A 4 3 6 0 7 8	L/R	
 <p>mirror cabinet 3 double mirror doors 2 central partitions, 6 glass shelves 1 switch socket element 1 LED panel light with chrome edge 13,6 Watt / converter 30 Watt Door width: 238 mm / 412 mm / 238 mm This product contains a light source with energy efficiency class: F</p>  <p>incl. handle blocks</p> <p>Additional accessories LED washbasin lighting LED washbasin lighting emotion Emotion lighting</p>		150	902	659	S 2 A 4 3 9 0 7 8		
 <p>mirror cabinet 3 double mirror doors 2 central partitions, 6 glass shelves 1 switch socket element 1 LED panel light with chrome edge 18,2 watt / converter 30watt Door width: 388 mm / 412 mm / 388 mm This product contains a light source with energy efficiency class: F</p>  <p>incl. handle blocks</p> <p>Additional accessories LED washbasin lighting LED washbasin lighting emotion Emotion lighting</p>		150	1202	659	S 2 A 4 3 1 2 7 8		






Please observe suitable accessories in the separate index.

Program 061 - type list

Depth indication corresponds to the carcass depth		Depth in mm	Width in mm	Height in mm	Article number	Hinge	Surcharge high-gloss carcass
Mirror cabinet, series B Doors on wooden material							
  incl. handle blocks Ill. = left	Mirror cabinet 2 mirror doors on wooden-plated 2 glass shelves 1 switch socket element 1 LED panel light with chrome edge 8,9 watt / Converter 15 watt Door width: 396 mm / 196 mm This product contains a light source with energy efficiency class: F	150	602	659	S 2 A 4 3 6 S 0 8	L/R	
	Additional accessories LED washbasin lighting LED washbasin lighting emotion Emotion lighting				P Z 1 0 6 3 6 0 P Z 1 1 5 0 6 0 P Z 1 0 2 0 1		
  incl. handle blocks	Mirror cabinet 3 mirror doors on wooden-plated 2 central partitions, 6 glass shelves 1 switch socket element 1 LED panel light with chrome edge 13,6 Watt / converter 30 Watt Door width: 238 mm / 412 mm / 238 mm This product contains a light source with energy efficiency class: F	150	902	659	S 2 A 4 3 9 S 0 8		
	Additional accessories LED washbasin lighting LED washbasin lighting emotion Emotion lighting				P Z 1 0 6 3 9 0 P Z 1 1 5 0 9 0 P Z 1 0 2 0 1		
  incl. handle blocks	Mirror cabinet 3 mirror doors on wooden-plated 2 central partitions, 6 glass shelves 1 switch socket element 1 LED panel light with chrome edge 18,2 watt / converter 30watt Door width: 388 mm / 412 mm / 388 mm This product contains a light source with energy efficiency class: F	150	1202	659	S 2 A 4 3 2 S 0 8		
	Additional accessories LED washbasin lighting LED washbasin lighting emotion Emotion lighting				P Z 1 0 6 3 1 2 P Z 1 1 5 0 1 2 P Z 1 0 2 0 1		






*Delivery time: 8 weeks. Price per washbasin. Washbasin without tap hole is incompatible with CLOU System. Please check your order confirmation for correctness.

Program 061 - type list

Depth indication corresponds to the carcass depth		Depth in mm	Width in mm	Height in mm	Article number	Hinge	Surcharge high-gloss carcass
 <p>STONEPLUS - washbasin white incl. CLOU drain and overflow system in chrome</p> <p>can be combined with WUA 3760 28</p> <p>Additional accessories Additional price for Washbasin without tap hole / with 3 holes (acc. to sketch).</p>		400	620	15	WMS 4 0 6 0 6 1		
 <p>STONEPLUS - washbasin white incl. CLOU drain and overflow system in chrome</p> <p>can be combined with WUA 3790 28</p> <p>Additional accessories Additional price for Washbasin without tap hole / with 3 holes (acc. to sketch).</p>		400	920	15	WMS 4 0 9 0 6 1		
 <p>STONEPLUS - washbasin white incl. CLOU drain and overflow system in chrome</p> <p>can be combined with WUA 3712 28</p> <p>Additional accessories Additional price for Washbasin without tap hole / with 3 holes (acc. to sketch).</p>		400	1220	15	WMS 4 1 2 0 6 1		
<p>Washbasin base unit 1 metal pull out unit with buffered closing 1 metal pull-out with buffered closing incl. drawer rail</p> <p>for STONEPLUS washbasins</p> <p>Additional accessories Space-saving drain stench trap DN 40 Space-saving drain stench trap DN 32</p>		370	600	480	WUA 3 7 6 0 2 8		
							
<p>Washbasin base unit 1 metal pull out unit with buffered closing 1 metal pull-out with buffered closing incl. drawer rail</p> <p>for STONEPLUS washbasins</p> <p>Additional accessories Space-saving drain stench trap DN 40 Space-saving drain stench trap DN 32</p>		370	900	480	WUA 3 7 9 0 2 8		
							





*Delivery time: 8 weeks. Price per washbasin. Washbasin without tap hole is incompatible with CLOU System. Please check your order confirmation for correctness.

Program 061 - type list

Depth indication corresponds to the carcass depth		Depth in mm	Width in mm	Height in mm	Article number	Hinge	Surcharge high-gloss carcass
<h2>Washbasin base units for STONEPLUS washbasins</h2>							
	<p>Washbasin base unit 1 metal pull out unit with buffered closing 1 metal pull-out with buffered closing incl. drawer rail for STONEPLUS washbasins</p> <p>Additional accessories Space-saving drain stench trap DN 40 Space-saving drain stench trap DN 32</p>	370	1200	480	WUA 3 7 1 2 2 8 P Z 1 3 6 7 P Z 1 4 2 3		
<h2>Ceramic washbasins</h2>							
	<p>Ceramic washbasin white with overflow</p> <p>can be combined with WUA 3760 27</p>	450	650	60	WTK 7 0 6 5 1		
	<p>Ceramic washbasin white with overflow</p> <p>can be combined with WUA 3790 27</p>	450	950	60	WTK 7 0 9 5 1		
	<p>Ceramic washbasin white with overflow</p> <p>can be combined with WUA 3712 27</p>	450	1250	60	WTK 7 1 2 5 1		
<h2>Washbasin base units for ceramic washbasins</h2>							
	<p>Washbasin base unit 1 metal pull out unit with buffered closing 1 metal pull-out with buffered closing incl. drawer rail for ceramic washbasins</p> <p>Additional accessories Space-saving drain stench trap DN 40 Space-saving drain stench trap DN 32</p>	390	600	485	WUA 3 7 6 0 2 7 P Z 1 3 6 7 P Z 1 4 2 3		

Please observe suitable accessories in the separate index.






Program 061 - type list

Depth indication corresponds to the carcass depth		Depth in mm	Width in mm	Height in mm	Article number	Hinge	Surcharge high-gloss carcass
<h2>Washbasin base units for ceramic washbasins</h2>							
	Washbasin base unit 1 metal pull out unit with buffered closing 1 metal pull-out with buffered closing incl. drawer rail for ceramic washbasins Additional accessories Space-saving drain stench trap DN 40 Space-saving drain stench trap DN 32	390	900	485	W U A 3 7 9 0 2 7		
					P Z 1 3 6 7 P Z 1 4 2 3		
	Washbasin base unit 1 metal pull out unit with buffered closing 1 metal pull-out with buffered closing incl. drawer rail for ceramic washbasins Additional accessories Space-saving drain stench trap DN 40 Space-saving drain stench trap DN 32	390	1200	485	W U A 3 7 1 2 2 7		
					P Z 1 3 6 7 P Z 1 4 2 3		
<h2>Tall units</h2>							
	Tall unit 1 door 4 glass shelves 2 metal pull-outs with buffered closing	300	300	1600	H N A 0 8 3 0	4 L/R	
		300	400	1600	H N A 0 8 4 0	4 L/R	
	Tall unit 2 doors 4 glass shelves 2 metal pull-outs with buffered closing	300	600	1600	H N A 0 8 6 0	4	

Please observe suitable accessories in the separate index.

Program 061 - type list

Depth indication corresponds to the carcass depth






	Depth in mm	Width in mm	Height in mm	Article number	Hinge	Surcharge high-gloss carcass
 <p>Tall unit 1 door 2 glass shelves (top) 1 drawer with buffered closing 2 metal pull-outs with buffered closing</p>	300	300	1600	HNA0930	L/R	
	300	400	1600	HNA0940	L/R	
 <p>Tall unit 2 doors 2 glass shelves (top) 1 drawer with buffered closing 2 metal pull-outs with buffered closing</p>	300	600	1600	HNA0960		
 <p>Tall unit 1 aluminium framed door with satined glass 2 glass shelves (top) 1 drawer with buffered closing 2 metal pull-outs with buffered closing</p>	300	300	1600	HNA09315M	L/R	
 <p>Tall unit 2 aluminium framed doors with satined glass 2 glass shelves (top) 1 drawer with buffered closing 2 metal pull-outs with buffered closing</p>	300	600	1600	HNA09615M		
 <p>Tall unit 2 doors 2 glass shelves (top) 2 adjustable shelves (bottom)</p> <p>Variable in width: please quote the exact dimension of carcass depth.</p>	300	300	1600	HNA0330	L/R	
	300	400	1600	HNA0340	L/R	
	150-299	300	1600	HVA0330	L/R	
	150-299	400	1600	HVA0340	L/R	

Please observe suitable accessories in the separate index.

Program 061 - type list

Depth indication corresponds to the carcass depth






Tall units

	Depth in mm	Width in mm	Height in mm	Article number	Hinge	Surcharge high-gloss carcass
 <p>Tall unit 4 doors 2 glass shelves (top) 2 adjustable shelves (bottom)</p> <p>Variable in width: please quote the exact dimension of carcass depth.</p>	300	600	1600	H N A 0 3 6 0		
	150-299	600	1600	H V A 0 3 6 0		
 <p>Tall unit 1 aluminium framed door with satined glass 1 door 2 glass shelves (top) 2 adjustable shelves (bottom)</p> <p>Variable in width: please quote the exact dimension of carcass depth.</p>	300	300	1600	H N A 0 3 3 1	5 L/R	
	150-299	300	1600	H V A 0 3 3 1	L/R	
 <p>Tall unit 2 aluminium framed doors with satined glass 2 doors 2 glass shelves (top) 2 adjustable shelves (bottom)</p> <p>Variable in width: please quote the exact dimension of carcass depth.</p>	300	600	1600	H N A 0 3 6 1	5	
	150-299	600	1600	H V A 0 3 6 1		
 <p>Tall unit for brooms 2 strapped doors 5 glass shelves</p>	300	300	1600	H N A 0 3 3 0 1 1	L/R	
	300	400	1600	H N A 0 3 4 0 1 1	L/R	
 <p>Tall unit for brooms 2 strapped doors left 2 strapped doors right 5 continuously glass shelves</p>	300	600	1600	H N A 0 3 6 0 1 1		

Please observe suitable accessories in the separate index.

Program 061 - type list






Depth indication corresponds to the carcass depth

		Depth in mm	Width in mm	Height in mm	Article number	Hinge	Surcharge high- gloss carcass
Tall units							
	Tall unit	300	300	1600	HNA023001	L/R	
	<ul style="list-style-type: none"> 1 door 1 glass shelf (top) 1 open compartment 1 drawer with buffered closing 1 door 1 glass shelf 	300	400	1600	HNA024001	L/R	
	Tall unit	300	600	1600	HNA026001		
	<ul style="list-style-type: none"> 2 doors 1 glass shelf (top) 1 open compartment 1 drawer with buffered closing 2 doors 1 glass shelf 						
	Tall unit	300	300	1600	HNA023002	L/R	
	<ul style="list-style-type: none"> 1 door 1 glass shelf (top) 1 open compartment 1 door 1 glass shelf 	300	400	1600	HNA024002	L/R	
	Tall unit	300	600	1600	HNA026002		
	<ul style="list-style-type: none"> 2 doors 1 glass shelf (top) 1 open compartment 2 doors 1 glass shelf 						
	Tall unit	300	300	1600	HNA043001	L/R	
	<ul style="list-style-type: none"> 1 door 1 glass shelf (top) 2 metal pull-outs with buffered closing, 1 door 1 glass shelf 	300	400	1600	HNA044001	L/R	

Please observe suitable accessories in the separate index.

Program 061 - type list






Depth indication corresponds to the carcass depth

	Depth in mm	Width in mm	Height in mm	Article number	Hinge	Surcharge high-gloss carcass
 <p>Tall unit 2 doors 1 glass shelf (top) 2 metal pull-outs with buffered closing, 2 doors 1 glass shelf</p>	300	600	1600	HNA 0 4 6 0 0 1		
 <p>Tall unit 1 door 2 glass shelves (top) 1 drawer with buffered closing 1 door 1 glass shelf</p>	300 300	300 400	1600 1600	HNA 0 5 3 0 HNA 0 5 4 0	L/R L/R	
 <p>Tall unit 2 doors 2 glass shelves (top) 1 drawer with buffered closing 2 doors 1 glass shelf</p>	300	600	1600	HNA 0 5 6 0		
 <p>Tall unit 1 aluminium framed door with satined glass 2 glass shelves (top) 1 drawer with buffered closing 1 door 1 glass shelf</p>	300	300	1600	HNA 0 5 3 1	L/R	
 <p>Tall unit 2 aluminium framed doors with satined glass 2 glass shelves (top) 1 drawer with buffered closing 2 doors 1 glass shelf</p>	300	600	1600	HNA 0 5 6 1		

Please observe suitable accessories in the separate index.







Program 061 - type list

Depth indication corresponds to the carcass depth

	Depth in mm	Width in mm	Height in mm	Article number	Hinge	Surcharge high-gloss carcass
 <p>Tall unit with laundry basket 1 door 2 glass shelves 1 drawer with buffered closing 1 laundry basket with wire basket Volume of laundry basket: 25 liters Volume of laundry basket: 35 liters</p>	300	300	1600	HNA0530	W L/R	
	300	400	1600	HNA0540	W L/R	
 <p>Tall unit with laundry basket 2 doors 2 glass shelves 1 drawer with buffered closing 1 laundry basket with wire basket Volume of laundry basket: 55 liters</p>	300	600	1600	HNA0560	W	
 <p>Tall unit with laundry basket 1 aluminium framed door with satined glass 2 glass shelves 1 drawer with buffered closing 1 laundry basket with wire basket Volume of laundry basket: 25 liters</p>	300	300	1600	HNA0531	W L/R	
 <p>Tall unit with laundry basket 2 aluminium framed doors with satined glass 2 glass shelves 1 drawer with buffered closing 1 laundry basket with wire basket Volume of laundry basket: 55 liters</p>	300	600	1600	HNA0561	W	
 <p>Tall unit with laundry pull out 2 doors 2 glass shelves (top) 1 drawer with buffered closing 2 doors 1 laundry pull out with wire basket Volume of laundry pull out: 40 liters</p>	300	600	1600	HNA05601W		

Please observe suitable accessories in the separate index.








Program 061 - type list

Depth indication corresponds to the carcass depth		Depth in mm	Width in mm	Height in mm	Article number		Hinge	Surcharge high-gloss carcass
Tall unit-shelf								
	Tall unit-shelf with open shelf space in carcass colour	150	300	1600	R G	1 0 3 0 0 1		
	Tall unit-shelf with mirror surface 4 shelves compartments in carcass colour	150	300	1600	R G	1 0 3 0 0 2		
	Tall unit-shelf 4 functional hooks 4 shelves compartments in carcass colour	150	300	1600	R G	1 0 3 0 0 3		
Central units								
	medium-high unit 1 door 2 glass shelves (top) 2 metal pull-outs with buffered closing 1 top cover 330 mm deep	300 300	300 400	1308 1308	M N A 8 7 3 A M N A 8 7 4 A	7 7	L/R L/R	
	medium-high unit 2 doors 2 glass shelves (top) 2 metal pull-outs with buffered closing 1 top cover 330 mm deep	300	600	1308	M N A 8 7 6 A	7		
	medium-high unit 1 door 2 glass shelves (top) 1 metal pull-out with buffered closing, 1 drawer with buffered closing 1 top cover 330 mm deep	300 300	300 400	1308 1308	M N A 8 8 3 A M N A 8 8 4 A	7 M 7 M	L/R L/R	

Please observe suitable accessories in the separate index.







Program 061 - type list

Depth indication corresponds to the carcass depth

	Depth in mm	Width in mm	Height in mm	Article number	Hinge	Surcharge high-gloss carcass
 <p>medium-high unit 2 doors 2 glass shelves (top) 1 metal pull-out with buffered closing, 1 drawer with buffered closing 1 top cover 330 mm deep</p>	300	600	1308	MNA886A7M		
 <p>medium-high unit 1 aluminium framed door with satined glass 2 glass shelves (top) 1 metal pull-out with buffered closing, 1 drawer with buffered closing 1 top cover 330 mm deep</p>	300	300	1308	MNA883B7M	L/R	
 <p>medium-high unit 2 aluminium framed doors with satined glass 2 glass shelves (top) 1 metal pull-out with buffered closing, 1 drawer with buffered closing 1 top cover 330 mm deep</p>	300	600	1308	MNA886B7M		
 <p>medium-high unit 1 door 4 glass shelves 1 top cover 330 mm deep</p> <p>Variable in width: please quote the exact dimension of carcass depth. Top cover will be adapted to the cupboard width.</p>	300	300	1308	MNA813A	7 L/R	
	300	400	1308	MNA814A	7 L/R	
	150-299	300	1308	MVA8130	L/R	
150-299	400	1308	MVA8140	L/R		
 <p>medium-high unit 2 doors 4 glass shelves 1 top cover 330 mm deep</p> <p>Variable in width: please quote the exact dimension of carcass depth. Top cover will be adapted to the cupboard width.</p>	300	600	1308	MNA816A	7	
150-299	600	1308	MVA8160			
 <p>medium-high unit with inside drawers 1 door 2 inside metal-drawer with buffered closing 1 glass shelf 1 top cover 330 mm deep</p>	300	300	1308	MNA843A	7 L/R	
	300	400	1308	MNA844A	7 L/R	
 <p>medium-high unit with inside drawers 2 doors 2 continuously inside metal-drawer with buffered closing 1 continuous glass shelf 1 top cover 330 mm deep</p>	300	600	1308	MNA846A	7	








Please observe suitable accessories in the separate index.

Program 061 - type list

Depth indication corresponds to the carcass depth		Depth in mm	Width in mm	Height in mm	Article number	Hinge	Surcharge high-gloss carcass
Central units							
	<p>medium-high unit with laundry pull out</p> <p>2 doors 1 glass shelf (top) 2 doors 1 laundry pull out with wire basket Volume of laundry pull out: 40 liters 1 top cover 330 mm deep</p>	300	600	1308	M N A 8 3 6 A 1 W		
Highboards							
	<p>Highboard</p> <p>1 door 2 glass shelves 1 top cover 330 mm deep</p> <p>Variable in width: please quote the exact dimension of carcass depth. Top cover will be adapted to the cupboard width.</p>	300	300	828	H B A 5 1 3 A	7 L/R	
		300	400	828	H B A 5 1 4 A	7 L/R	
		150-299	300	828	H B V A 5 1 3	L/R	
		150-299	400	828	H B V A 5 1 4	L/R	
	<p>Highboard</p> <p>2 doors 2 glass shelves 1 top cover 330 mm deep</p> <p>Variable in width: please quote the exact dimension of carcass depth. Top cover will be adapted to the cupboard width.</p>	300	600	828	H B A 5 1 6 A	7	
		150-299	600	828	H B V A 5 1 6		
	<p>Highboard</p> <p>1 aluminium framed door with satined glass 2 glass shelves 1 top cover 330 mm deep</p> <p>Variable in width: please quote the exact dimension of carcass depth. Top cover will be adapted to the cupboard width.</p>	300	300	828	H B A 5 1 3 B	7 L/R	
		150-299	300	828	H B V A 5 1 3	1 L/R	
	<p>Highboard</p> <p>2 aluminium framed doors with satined glass 2 glass shelves 1 top cover 330 mm deep</p> <p>Variable in width: please quote the exact dimension of carcass depth. Top cover will be adapted to the cupboard width.</p>	300	600	828	H B A 5 1 6 B	7	
		150-299	600	828	H B V A 5 1 6	1	
	<p>Highboard with laundry pull out</p> <p>2 doors 1 laundry pull out with wire basket 1 top cover 330 mm deep</p> <p>Volume of laundry pull out: 40 liters</p>	300	600	828	H B A 5 1 6 A 1 W		










Please observe suitable accessories in the separate index.

Program 061 - type list

Depth indication corresponds to the carcass depth		Depth in mm	Width in mm	Height in mm	Article number	Hinge	Surcharge high-gloss carcass
Highboards							
	Highboard 1 drawer with buffered closing 2 metal pull-outs with buffered closing 1 top cover 330 mm deep	300	300	828	H B A 5 6 3 A 7 M		
		300	400	828	H B A 5 6 4 A 7 M		
	Highboard 1 drawer with buffered closing 2 metal pull-outs with buffered closing 1 top cover 330 mm deep	300	600	828	H B A 5 6 6 A 7 M		
	Highboard 1 drawer with buffered closing 1 door 1 glass shelf 1 top cover 330 mm deep	300	300	828	H B A 5 5 3 A 7 M	L/R	
		300	400	828	H B A 5 5 4 A 7 M	L/R	
	Highboard 1 drawer with buffered closing 2 doors 1 glass shelf 1 top cover 330 mm deep	300	600	828	H B A 5 5 6 A 7 M		
	Highboard with laundry basket 1 drawer with buffered closing 1 laundry basket with wire basket 1 top cover 330 mm deep Volume of laundry basket: 25 liters Volume of laundry basket: 35 liters	300	300	828	H B A 5 5 3 A 7 W		
		300	400	828	H B A 5 5 4 A 7 W		
	Highboard with laundry basket 1 drawer with buffered closing 1 laundry basket with wire basket 1 top cover 330 mm deep Volume of laundry basket: 55 liters	300	600	828	H B A 5 5 6 A 7 W		
	Highboard with laundry pull out 1 drawer with buffered closing 2 doors 1 laundry pull out with wire basket 1 top cover 325 mm deep Volume of laundry pull out: 40 liters	300	600	828	H B A 5 5 6 A 1 W		






Please observe suitable accessories in the separate index.

Program 061 - type list

Depth indication corresponds to the carcass depth		Depth in mm	Width in mm	Height in mm	Article number	Hinge	Surcharge high-gloss carcass
Wall units							
	Wall unit 1 door 1 glass shelf	150	300	640	O G A 4 1 3 0	L/R	
		150	400	640	O G A 4 1 4 0	L/R	
	Variable in width: please quote the exact dimension of carcass depth.	151-300	300	640	O V A 4 1 3 0	L/R	
		151-300	400	640	O V A 4 1 4 0	L/R	
	Wall unit 2 doors 1 glass shelf	150	600	640	O G A 4 1 6 0		
	Variable in width: please quote the exact dimension of carcass depth.	151-300	600	640	O V A 4 1 6 0		
	Wall unit 1 flap door,	230	600	320	O M A 2 1 6 0	K	
Base units							
	Base unit 1 drawer with buffered closing 1 door 1 top cover 330 mm deep	300	300	508	U N A 3 2 3 A 7 M	L/R	
		300	400	508	U N A 3 2 4 A 7 M	L/R	
	Base unit 1 drawer with buffered closing 2 doors 1 top cover 330 mm deep	300	600	508	U N A 3 2 6 A 7 M		
	Base unit 2 pull-outs with buffered closing 1 top cover 330 mm deep	300	300	508	U N A 3 6 3 A 7		
		300	400	508	U N A 3 6 4 A 7		
	Base unit 2 pull-outs with buffered closing 1 top cover 330 mm deep	300	600	508	U N A 3 6 6 A 7		
	Base unit 1 drawer with buffered closing 1 metal pull-out with buffered closing, 1 top cover 330 mm deep	300	300	508	U N A 3 4 3 A 7 M		
		300	400	508	U N A 3 4 4 A 7 M		
	Base unit 1 drawer with buffered closing 1 metal pull-out with buffered closing, 1 top cover 330 mm deep	300	600	508	U N A 3 4 6 A 7 M		





Please observe suitable accessories in the separate index.

Program 061 - type list

Depth indication corresponds to the carcass depth		Depth in mm	Width in mm	Height in mm	Article number	Hinge	Surcharge high-gloss carcass
Base units							
	Base unit 1 flap door, 1 top cover 260 mm deep	230	600	348	U M A 2 1 6 A 7 K		
Shelves							
	functional shelf Edges are cut with a mitre vertical and horizontal mounting possible please indicate colour version: no. 501 white matt lacquered no. 547 black matt lacquered	150	300	160	R G L 1 1 3 0 0 1		
	functional shelf Edges are cut with a mitre vertical and horizontal mounting possible please indicate colour version: no. 501 white matt lacquered no. 547 black matt lacquered	150	600	160	R G L 1 1 6 0 0 2		
	functional shelf Edges are cut with a mitre vertical and horizontal mounting possible please indicate colour version: no. 501 white matt lacquered no. 547 black matt lacquered	150	900	160	R G L 1 1 9 0 0 3		
Laundryrolli							
	Laundryrolli 1 flap door, with buffered closing 1 take-out laundry-bag, washable 4 roles Colour version corresponds to the carcass colour	470	470	756	W R S 4 0 4 7		









Please observe suitable accessories in the separate index.

Program 061 - type list



Depth indication corresponds to the carcass depth		Depth in mm	Width in mm	Height in mm	Article number		Hinge	Surcharge high-gloss carcass
Benches								
	Bench 1 shelf 1 seat cushion in imitation leather cream-white Colour version corresponds to the carcass colour	450	600	508	S E T B A N K	6		
		Bench 2 shelves 1 seat cushion in imitation leather cream-white Colour version corresponds to the carcass colour	450	900	508	S E T B A N K	9	
Glass shelves								
	Glass shelf incl. metal holder 400 mm wide incl. 2 metal brackets 600 mm wide incl. 2 metal brackets 900 mm wide incl. 3 metal brackets 1200 mm wide incl. 3 metal brackets	130	400	8	A B G 1 3 4 0 0 8			
		130	600	8	A B G 1 3 6 0 0 8			
		130	900	8	A B G 1 3 9 0 0 8			
		130	1200	8	A B G 1 3 1 2 0 8			
Push-fit shelf								
	Push-fit shelf with ABS thick edge all around incl. holders for push fit shelf 300 mm wide incl. 2 push-fit holder 400 mm wide incl. 2 push-fit holder 600 mm wide incl. 2 push-fit holder 900 mm wide incl. 3 push-fit holder 1200 mm wide incl. 3 push-fit holder	150	300	28	S B G 6 0 3 0			
		150	400	28	S B G 6 0 4 0			
		150	600	28	S B G 6 0 6 0			
		150	900	28	S B G 6 0 9 0			
		150	1200	28	S B G 6 0 1 2			

Please observe suitable accessories in the separate index.

Program 061 - bathroom variations

FLS-6160-1		 	600 mm wide
1 mirror cabinet Series A	S 2 A 4 3 6 0 7 8		
1 STONEPLUS washbasin, 600 mm	W M S 4 0 6 0 6 1		
1 Washbasin base unit	W U A 3 7 6 0 2 8		
Sum			
Surcharge high-gloss carcass			
FLK-0160-1		 	650 mm wide
1 mirror cabinet Series A	S 2 A 4 3 6 0 7 8		
1 ceramic washbasins, white, 650 mm	W T K 7 0 6 5 1		
1 Washbasin base unit	W U A 3 7 6 0 2 7		
Sum			
Surcharge high-gloss carcass			
FLS-6190-1		 	900 mm wide
1 mirror cabinet Series A	S 2 A 4 3 9 0 7 8		
1 STONEPLUS washbasin, 900 mm	W M S 4 0 9 0 6 1		
1 Washbasin base unit	W U A 3 7 9 0 2 8		
Sum			
Surcharge high-gloss carcass			
FLK-0190-1		 	950 mm wide
1 mirror cabinet Series A	S 2 A 4 3 9 0 7 8		
1 ceramic washbasins, white, 950 mm	W T K 7 0 9 5 1		
1 Washbasin base unit	W U A 3 7 9 0 2 7		
Sum			
Surcharge high-gloss carcass			

Program 061 - bathroom variations




FLS-6112-1				1200 mm wide	
1	mirror cabinet Series A	S 2 A 4 3 1 2 7 8			
1	STONEPLUS washbasin, 1.200 mm	WM S 4 1 2 0 6 1			
1	Washbasin base unit	W U A 3 7 1 2 2 8			
			Sum		
			Surcharge high-gloss carcass		
FLK-0112-1				1250 mm wide	
1	mirror cabinet Series A	S 2 A 4 3 1 2 7 8			
1	ceramic washbasins, white, 1250 mm	W T K 7 1 2 5 1			
1	Washbasin base unit	W U A 3 7 1 2 2 7			
			Sum		
			Surcharge high-gloss carcass		

Program 061 - dimensional drawings

WMS 4060 61

WMS 4090 61




WMS 4120 61




WTK 7065 1

WTK 7095 1

WTK 7125 1



electrical connections for mirror cabinets



OKFFB=Oberkante Fertigfußboden

Washing stands without anchoring brackets have to be fixed on the wall and on the furniture-side with silicon!

For washing stands with fixing screws, the dimensions for boring must be drawn in on-site after the washing stand has been laid on the floor unit.

STONEPLUS:

The water temperature must not exceed 55° C / 131° F. Hair tinting lotions have to be removed in a few seconds, so that staining can be avoided.

Modifications:

Technical modifications (+/- 5mm) and flatness modifications (DIN 18202) are subject of the usual material-specific modifications for construction materials, based on DIN 18202.