# **next** generation



# **FRESH**

program 45





#### Front colours



No. 777 cosmos grey matt



No. 793 noble white matt



No. 891 quarz grey matt



No. 893 titanium grey matt



No. 686 anthracite hgl.



No. 722 polar white hgl.



No. 755 hacienda black



No. 769 hacienda grey



no. 670 Halifax oak



no. 680 Charleston oak



No. 750 cardiff oak



no. 784 light oak



Nr. 785 natural oak



no. 786 truffle oak



no. 794 sand oak





#### carcass colours

\* High gloss carcass for an additional price



No. 177 cosmos grey matt



No. 111 white matt

no. 170

Halifax oak



no. 191 quarz grey matt

no. 180

Charleston oak



No. 193 titanium grey matt

no. 150

cardiff oak



\*no. 121 anthracite hgl.

no. 184

light oak



\*no. 161 white hgl.



no. 155 hacienda black



Nr. 185

natural oak



truffle oak

no. 186



hacienda grey

no. 194 sand oak

no. 169

#### Washbasin colours

Cast mineral washbasins



Glass washbasin



door with integrated buffered closing



no. 1 white



no. 1 white



no. 82 optiwhite

Pull outs and drawers

No. 556 Pull outs and drawers with soft close



No. 559 Pull outs and drawers with soft



#### Handle version



No. 321 bar handle chrome handle bore 96 mm / 320 mm



No. 294 bar handle chrome handle bore 96 mm / 384 mm

#### Mirror cabinets

Series A



Series B



Series C



Series D





Illustrations and specifications are without obligation. Technical modifications reserved.

Please note the instruction for warranty, mounting and care, and the quality agreements as well, at the beginning of the book.

Depth indication corre	esponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Article number	Hinge	Surchar- ge high- gloss carcass	Surchar- ge Premium equiq- ment
	Mirror LED lighting vertical 6,6 Watt / converter 15 Watt incl. toggle switch This product contains a light source with energy efficiency class: D	59	700	672	FSA437012			
<i>II</i>	Mirror LED lighting vertical 9,3 watt / converter 15 watt incl. toggle switch This product contains a light source with energy efficiency class: D	59	1000	672	FSA431012			
	Mirror LED lighting vertical 11,4 watt / converter 15 watt incl. toggle switch This product contains a light source with energy efficiency class: D	59	1200	672	FSA431212			
	Mirror LED lighting element 4,6 Watt / converter 15 Watt 1 storage board in carcass colour 1 switch element This product contains a light source with energy efficiency class: G	30	700	640	FSA 4570B1			
	Mirror LED lighting element 7,4 watt / converter 15 watt 1 storage board in carcass colour 1 switch element This product contains a light source with energy efficiency class: G	30	1000	640	FSA 4510B1			
	Mirror LED lighting element 7,4 watt / converter 15 watt 1 storage board in carcass colour 1 switch element This product contains a light source with energy efficiency class: G	30	1200	640	FSA 4512B1			

Depth indication corre	Depth in mm	Width in mm	Height in mm	Artic	cle numb	er	Hinge	Surchar- ge high- gloss carcass	Surchar- ge Premium equiq- ment	
Mirror cabin	ets Series A									ment
incl. handle blocks	mirror cabinet 3 mirror doors on wooden-plated 1 LED surface-mounted lamp 4,56 watt / converter 15 watt 2 central partitions, 3 glass shelves 1 switch socket element Door width: 196 mm / 296 mm / 196 mm This product contains a light source with energy efficiency class: G	150	700	640	S 2 A	4 3 7 0	6 7			
	Additional accessories LED washbasin lighting				PΖ	1 0 6 3	60			
incl. handle blocks	mirror cabinet 3 mirror doors on wooden-plated 1 LED surface-mounted lamp 7,4 watt / converter 15 watt 2 central partitions, 3 glass shelves 1 switch socket element Door width: 288 mm / 412 mm / 288 mm This product contains a light source with energy efficiency class: G  Additional accessories LED washbasin lighting	150	1000	640	<b>S 2 A</b>	<b>4310</b>				
incl. handle blocks	mirror cabinet 3 mirror doors on wooden-plated 1 LED surface-mounted lamp 7,4 watt / converter 15 watt 2 central partitions, 3 glass shelves 3 glass shelves 1 switch socket element Door width: 388 mm / 412 mm / 388 mm This product contains a light source with energy efficiency class: G  Additional accessories	150	1200	640		4 3 1 2				
Mirror cabin	ets Series B				PZ	1 0 6 3	12			
incl. handle blocks	mirror cabinet 3 mirror doors on wooden-plated 1 flyover shelf with LED lighting 4,0 watt / converter 15 watt 1 middle panel with chrome edge 2 central partitions, 3 glass shelves 1 switch socket element Door width: 196 mm / 296 mm / 196 mm This product contains a light source with energy efficiency class: G Additional accessories	150	700	668	S 2 A	4 3 7 0	6 8			
	LED washbasin lighting				PΖ	1 0 6 3	60			

		l			t Article number					I	Surchar- ge high-	Surchar- ge
Depth indication corre	esponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Artio	cle n	iumb	er	Hinge		gloss	Premium equiq- ment
Mirror cabin	ets Series B											
incl. handle blocks	mirror cabinet 3 mirror doors on wooden-plated 1 flyover shelf with LED lighting 4,0 watt / converter 15 watt 1 middle panel with chrome edge 2 central partitions, 3 glass shelves 1 switch socket element Door width: 288 mm / 412 mm / 288 mm This product contains a light source with energy efficiency class: G Additional accessories LED washbasin lighting	150	1000	668	<b>S 2 A</b>			3 9				
incl. handle blocks	mirror cabinet 3 mirror doors on wooden-plated 1 flyover shelf with LED lighting 4,0 watt / converter 15 watt 1 middle panel with chrome edge 2 central partitions, 3 glass shelves 1 switch socket element Door width: 388 mm / 412 mm / 388 mm This product contains a light source with energy efficiency class: G for single washbasin solution Additional accessories LED washbasin lighting	150	1200	668	<b>S 2 A</b>			2 6				
incl. handle blocks	mirror cabinet 3 mirror doors on wooden-plated 1 flyover shelf with LED lighting 2 lighting element 8,0 watt / converter 15 watt 1 middle panel with chrome edge 2 central partitions, 3 glass shelves 1 switch socket element Door width: 388 mm / 412 mm / 388 mm This product contains a light source with energy efficiency class: G for double washbasin solutions Additional accessories LED washbasin lighting	150	1200	668	S 2 A			3 1:				

		Depth	Width	Height	·			er		Surchar- ge high- gloss	Surchar- ge Premium
Depth indication corre	esponds to the carcass depth	in mm	in mm	in mm				ı	Hinge	carcass	equiq- ment
Mirror cabin	ets Series C										
incl. handle blocks	Mirror cabinet 3 mirror doors on wooden-plated 2 central partitions, 3 glass shelves 2 LED light profiles at the sides 2 x 6 watt / converter 30 watt 1 switch socket element Door width: 180 mm / 296 mm / 180 mm This product contains a light source with energy efficiency class: G  Additional accessories LED washbasin lighting	150	700	640	<b>S 2 A</b>	1 0					
incl. handle blocks	Mirror cabinet 3 mirror doors on wooden-plated 2 central partitions, 3 glass shelves 2 LED light profiles at the sides 2 x 6 watt / converter 30 watt 1 switch socket element Door width: 222 mm / 512 mm / 222 mm This product contains a light source with energy efficiency class: G  Additional accessories LED washbasin lighting	150	1000	640	<b>S 2 A</b>	1 0					
incl. handle blocks  Mirror cabin	Mirror cabinet 3 mirror doors on wooden-plated 2 central partitions, 3 glass shelves 2 LED light profiles at the sides 2 x 6 watt / converter 30 watt 1 switch socket element Door width: 372 mm / 412 mm / 372 mm This product contains a light source with energy efficiency class: G Additional accessories LED washbasin lighting	150	1200	640	<b>S 2 A</b>	1 0					
incl. handle blocks	mirror cabinet 3 mirror doors on wooden-plated 2 central partitions, 3 glass shelves 1 LED surface-mounted lamp 634 mm wide 9,28 watt / Converter 15 watt 1 switch socket element Door width: 196 mm / 296 mm / 196 mm This product contains a light source with energy efficiency class: G  Additional accessories LED washbasin lighting	150	700	640	<b>SET</b>			<b>0 5</b>			

Depth indication corre	esponds to the carcass depth	Depth in mm	Width in mm	Height in mm	m			er	Hinge	Surchar- ge high- gloss carcass	Surcharge Premium equiq- ment
WIIITOI Cabiii	CIS SCIICS D										
incl. handle blocks	mirror cabinet 3 mirror doors on wooden-plated 2 central partitions, 3 glass shelves 1 LED surface-mounted lamp 934 mm wide 14,08 watt / converter 30watt 1 switch socket element Door width: 288 mm / 412 mm / 288 mm This product contains a light source with energy efficiency class: G	150	1000	640	SET	4 3	1 0	0 5			
	Additional accessories LED washbasin lighting				PΖ	1 0	63	90			
incl. handle blocks	mirror cabinet 3 mirror doors on wooden-plated 2 central partitions, 3 glass shelves 1 LED surface-mounted lamp 934 mm wide 14,08 watt / converter 30watt 1 switch socket element Door width: 388 mm / 412 mm / 388 mm This product contains a light source with energy efficiency class: G  Additional accessories LED washbasin lighting	150	1200	640	SET			0 5			
Cast minera	l washbasins										
	Cast mineral washbasin white can combined with WUA 3870 2U	500	706	20	WME	3 3	0 7	1			
	Cast mineral washbasin white can combined with WUA 3810 2U	500	1006	20	WME	3 3	1 0	1			
0	Cast mineral washbasin white can combined with WUA 3812 2U	500	1206	20	WME	3 3	1 2	1			
	Cast mineral washbasin white	500	1206	20	WME	3 3	2 0	1			
	can combined with WUA 382D 2U										

Depth indication corre	esponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Artic	cle n	numb	er	Hinge	Surchar- ge high- gloss carcass	Surchar- ge Premium equiq- ment
	Glass washbasin	500	712	12	WGE	3 3	3 0 7	8 2			
	Colour Optiwhite can combined with WUA 3870 2U										
	Additional accessories Neutrally bonding silicone for glass washbasins				PΖ	1 :	235	5			
	Glass washbasin Colour Optiwhite	500	1012	12	WGE	3 3	3 1 (	8 2			
	can combined with WUA 3810 2U										
	Additional accessories Neutrally bonding silicone for glass washbasins				PΖ	1	235	5			
	Glass washbasin Colour Optiwhite	500	1212	12	WGE	3 3	3 1 2	8 2			
	can combined with WUA 3812 2U										
	Additional accessories Neutrally bonding silicone for glass washbasins				PΖ	1 :	235	5			
	Glass washbasin Colour Optiwhite	500	1212	12	WGE	3 3	3 2 [	8 2			
	can combined with WUA 382D 2U										
	Additional accessories Neutrally bonding silicone for glass washbasins				PΖ	1 :	235	5			
Washbasin k	oase units										
	Washbasin base unit 2 pull-outs with buffered closing for cast mineral and glass washbasins	470	700	480	WUA	3 8	37(	2 U			
	Additional accessories Space-saving drain stench trap DN 40 Space-saving drain stench trap DN 32				P Z P Z		3 6 7 4 2 3				
	Washbasin base unit 2 pull-outs with buffered closing	470	1000	480	WUA	3 8	3 1 (	2 U			
	for cast mineral and glass washbasins										
	Additional accessories Space-saving drain stench trap DN 40 Space-saving drain stench trap DN 32				P Z P Z		3 6 7 4 2 3				

Depth indication corre	esponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Artio	cle n	umb	er	Hinge	Surchar- ge high- gloss carcass	Surchar- ge Premium equiq- ment
	Washbasin base unit	470	1200	480	W U A	3 8	1 2	2 U			
	2 pull-outs with buffered closing for cast mineral and glass washbasins for single washbasin solution  Additional accessories				ΡZ	4 4	3 6 7	,			
	Space-saving drain stench trap DN 40 Space-saving drain stench trap DN 32				PZ		123				
	Washbasin base unit 2 pull-outs with buffered closing	470	1200	480	WUA	3 8	2 D	2 U			
	for cast mineral and glass washbasins for double washbasin solutions										
	Additional accessories Space-saving drain stench trap DN 40 (order 2 pieces) Space-saving drain stench trap DN 32 (order 2				P Z		3 6 7 1 2 3				
	pieces)										
Ceramic was	shbasins										
	Ceramic washbasin white	510	720	15	WTM	4 4	0 7	1			
	can combined with WUA 3870 4U										
	Ceramic washbasin white	510	1020	15	WTM	4 4	1 0	1			
	can combined with WUA 3810 4U										
	Ceramic washbasin Single washbasin white	500	1220	15	WTM	4 4	1 2	1			
	can combined with WUA 3812 4U  Ceramic washbasin	500	1220	15	WTM	1 1	2 0	1			
	Double washbasin white can combined with WUA 382D 4U	300	1220	10			2.0				

Depth indication corre	esponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Artio	cle n	umb	er	Hinge	ge	nigh-	Surchar- ge Premium equiq- ment
The state of the s	Washbasin base unit 2 pull-outs with buffered closing	470	700	480	WUA	3 8	7 0	4 U				
	for ceramic washbasins  Additional accessories Space-saving drain stench trap DN 40 Space-saving drain stench trap DN 32				P Z P Z		3 6 7 4 2 3					
	Washbasin base unit 2 pull-outs with buffered closing for ceramic washbasins Additional accessories	470	1000	480	WU A	3 8	1 0	4 U				
	Space-saving drain stench trap DN 40 Space-saving drain stench trap DN 32				P Z P Z		3 6 7 4 2 3					
	Washbasin base unit 2 pull-outs with buffered closing for ceramic washbasins for single washbasin solution  Additional accessories Space-saving drain stench trap DN 40 Space-saving drain stench trap DN 32	470	1200	480	WUA PZ PZ	1 3	3 6 7 4 2 3	,				
	Washbasin base unit 2 pull-outs with buffered closing for ceramic washbasins for double washbasin solutions only premium- equipment possible Additional accessories Space-saving drain stench trap DN 40 (order 2 pieces) Space-saving drain stench trap DN 32 (order 2 pieces)	470	1200	480	PZ PZ	1 3	<b>2 C</b> 3 6 7 4 2 3	7				
Universal - v	vashbasin base unit											
	Washbasin base unit 2 doors 1 top cover 330 mm deep with syphon cut- out (depth: 240 mm, width: 80 mm) for free hanging washbasin	300	600	496	WUA	3 1	6 0	A				



Depth indication corre	esponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Artio	cle nu	mb	er	Hinge	Surchar- ge high- gloss carcass	Surchar- ge Premium equiq- ment
				1000							
	Tall unit 1 door	300	300	1600	HNA				L/R		
1120	4 glass shelves 2 pull-outs with buffered closing	300	400	1600	HNA	0 8	4 0	4	L/R		
240											
240 240	Tall unit 2 doors 4 glass shelves 2 pull-outs with buffered closing	300	600	1600	HNA	0 8	6 0	4			
· 🗂	Tall unit	300	300	1600	HNA	0 2	3 0	0 1	L/R		
320 160 480	1 door 1 glass shelf (top) 1 open compartment 1 drawer with buffered closing 1 door 1 glass shelf	300	400	1600	HNA	0 2	4 0	0 1	L/R		
320 160 480	Tall unit 2 doors 1 glass shelf (top) 1 open compartment 1 drawer with buffered closing 2 doors 1 glass shelf	300	600	1600	HNA	0 2	6 0	0 1			
Tall unit-she	lf										
238 238 238 238 238 238 238 238 238 238	Tall unit-shelf with open shelf space in carcass colour	150	300	1600	R G	1 0	3 0	0 1			

	esponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Artio	cle n	umb	er	Hinge	ge	high-	Surchar- ge Premium equiq- ment
Tall unit-she	elf											
374 366 366 374 374 374 374 374 374 374 374 374 374	Tall unit-shelf with mirror surface 4 shelves compartments in carcass colour	150	300	1600	RG	1 0	3 0	0 2				
374 1 1 1 366 1 374 1 1 1 374 1 1 1 1 3 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Tall unit-shelf 4 functional hooks 4 shelves compartments in carcass colour	150	300	1600	RG	1 0	3 0	0 3				
Central unit	S											
<u></u>	medium-high unit	300	300	1136	M N A	7 7	3 A	0 1	L/R			
240 - 240	1 door 1 glass shelf 2 pull-outs with buffered closing 1 top cover 325 mm deep	300	400	1136	MNA	7 7	4 A	0 1	L/R			
240	medium-high unit 2 doors 1 glass shelf 2 pull-outs with buffered closing 1 top cover 325 mm deep	300	600	1136	MNA	7 7	6 A	0 1				
<b>†</b>	medium-high unit 1 door	300	300	1136	M N A	7 1	3 A	0 1	L/R			
1120	3 glass shelves 1 top cover 325 mm deep	300	400	1136	MNA	7 1	4 A	0 1	L/R			

Depth indication correct Central units	esponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Artio	cle n	numb	er	Hinge	ge	high-	Surchar- ge Premium equiq- ment
1120	medium-high unit 2 doors 2 glass shelves 1 top cover 325 mm deep	300	600	1136	MNA	7 1	I 6 A	0 1				
Highboards												
640	Highboard 1 door 1 glass shelf 1 top cover 325 mm deep	300	300 400	656 656	НВА							
640	Highboard 2 doors 1 glass shelf 1 top cover 325 mm deep	300	600	656	НВА	4 1	164	A 0 1				
640	Highboard with laundry basket  1 laundry basket with wire basket  1 top cover 325 mm deep  Volume of laundry basket: 25 liters  Volume of laundry basket: 35 liters	300 300	300 400	656 656	НВА							
640	Highboard with laundry basket  1 laundry basket with wire basket  1 top cover 325 mm deep  Volume of laundry basket: 55 liters	300	600	656	НВА	4 1	6 V	V 0 1				
640	Highboard 1 drawer with buffered closing 1 door 1 glass shelf 1 top cover 325 mm deep	300	300 400	816 816	H B A							

Depth indication correll Highboards	esponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Artio	cle numb	per	Hinge	9	urchar- le high- gloss arcass	Surchar- ge Premium equiq- ment
160	Highboard 1 drawer with buffered closing 2 doors 1 glass shelf 1 top cover 325 mm deep	300	600	816	НВА	5 5 6 7	A 0 1				
640	Highboard with laundry basket  1 drawer with buffered closing  1 laundry basket with wire basket  1 top cover 325 mm deep  Volume of laundry basket: 25 liters  Volume of laundry basket: 35 liters	300 300	300 400	816 816		5 5 3 V					
640	Highboard with laundry basket  1 drawer with buffered closing  1 laundry basket with wire basket  1 top cover 325 mm deep  Volume of laundry basket: 55 liters	300	600	816	НВА	.556V	V 0 1				
Wall units											
640	Wall unit 1 door 1 glass shelf	150 150	300 400	640 640	-	413(		L/R L/R			
640	Wall unit 2 doors 1 glass shelf	150	600	640	OGA	4160	0				

Depth indication corr	esponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Arti	cle n	uml	oer 	Hinge	Surchar- ge high- gloss carcass	Surchar- ge Premium equiq- ment
Dase units											
240	Base unit 2 pull-outs with buffered closing	300	300	496	UNA	3 6	3 /	Α 0	1		
240 🛊 🖳	1 top cover 325 mm deep	300	400	496	UNA	3 6	4 /	Α 0	1		
240	Base unit 2 pull-outs with buffered closing 1 top cover 325 mm deep	300	600	496	UNA	3 6	66	Α 0	1		
Shelves											
	functional shelf Edges are cut with a mitre veritcal and horizontal mounting possible	150	300	160	RGL	1 1	3	0 0	1		
	please indicate colour version: no. 501 white matt lacquered no. 547 black matt lacquered										
	functional shelf Edges are cut with a mitre veritcal and horizontal mounting possible	150	600	160	RGL	1 1	6	0 0	2		
	please indicate colour version: no. 501 white matt lacquered no. 547 black matt lacquered										
	functional shelf Edges are cut with a mitre veritcal and horizontal mounting possible  please indicate colour version: no. 501 white matt lacquered no. 547 black matt lacquered	150	900	160	RGL	.11	9	0	3		

Depth indication corresponds to the carcass depth		Depth in mm	Width in mm	Height in mm	Artic	cle numb	er	Hinge	Surchar- ge high- gloss carcass	Surchar- ge Premium equiq- ment
Glass shelfs	S							<b>T</b>		ment
-	Glass shelf incl. metal holder									
	400 mm wide incl. 2 metal brackets	130	400	8	A B G	1 3 4 0	0 8			
	600 mm wide incl. 2 metal brackets	130	600	8	A B G	1 3 6 0	0 8			
	<b>700 mm wide</b> incl. 2 metal brackets	130	700	8	ABG	1 3 7 0	8 0			
	1000 mm wide incl. 3 metal brackets	130	1000	8	A B G	1 3 1 0	8 0			
	<b>1200 mm wide</b> incl. 3 metal brackets	130	1200	8	ABG	1 3 1 2	0 8			
Push- fit sh	elf									
	Push-fit shelf									
	with ABS thick edge all around incl. holders for push fit shelf									
	<b>300 mm widh</b> incl. 2 push-fit holder	150	300	28	SBG	6030				
	<b>400 mm wide</b> incl. 2 push-fit holder	150	400	28	SBG	6 0 4 0				
	600 mm wide incl. 2 push-fit holder	150	600	28	SBG	6 0 6 0				
	<b>700 mm wide</b> incl. 3 push-fit holder	150	700	28	SBG	6070				
	1000 mm wide incl. 3 push-fit holder	150	1000	28	SBG	6010				
	<b>1200 mm wide</b> incl. 3 push-fit holder	150	1200	28	SBG	6012				

Depth indication corre	esponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Artio	cle numbe	er	Hinge	Surcharge high- gloss carcass	Surchar- ge Premium equiq- ment
	Neutrally bonding silicone for glass washbasins 310 ml cartridge				PZ	1 2 3 5				
	Towel holder chrome gloss front opened to fit on carcass at side  Please observe carcass depth and furniture height	380	50	10	PΖ	1127	4 5			
	Towel holder one-armed extendable Chrome hgl. wall-mounted	330-567	44	44	PΖ	1 1 3 7	1			
	Towel holder two-armed extendable Chrome hgl. wall-mounted	322-562	87	47	PZ	1137	2			
E 6	LED lighting element Width: 500 mm 4,56 watt This product contains a light source with energy efficiency class: G									
	LED lighting element Width: 800 mm 7,44 watt This product contains a light source with energy efficiency class: G									

Depth indication corre	sponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Artic	cle number	Hinge	Surchar- ge high- gloss carcass	Surcharge Premium equiq- ment
	LED washbasin lighting 2,4 Watt 1 switch element to fit underneath mirror cabinet This product contains a light source with energy efficiency class: G not suitable with Emotion lighting	10	560	10	PZ	1 0 6 3 6 0			
	LED washbasin lighting 3,9 Watt 1 switch element to fit underneath mirror cabinet This product contains a light source with energy efficiency class: G not suitable with Emotion lighting	10	860	10	PΖ	1 0 6 3 9 0			
	LED washbasin lighting 5,3 Watt 1 switch element to fit underneath mirror cabinet This product contains a light source with energy efficiency class: G not suitable with Emotion lighting	10	1160	10	PΖ	106312			
	Container transparent with single fixing option can be combined with mounting rails - PZ 1237 L	84	84	65	PZ	1 2 3 7 B 1			
	Container transparent with double fixing option can be combined with mounting rails - PZ 1237 L	168	84	65	PZ	1 2 3 7 B 2			
	Container transparent with triple fixing option can be combined with mounting rails - PZ 1237 L	251	84	65	ΡZ	1 2 3 7 B 3			

Depth indication corre	esponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Arti	cle numbe	r E	Hinge	Surchar- ge high- gloss carcass	Surchar- ge Premium equiq- ment
	Positioning strip white with single fixing option can be combined with storage boxes - PZ 1237 B	27	83	9	PΖ	1 2 3 7	L 1			
	Positioning strip white with double fixing option can be combined with storage boxes - PZ 1237 B	27	167	9	PΖ	1 2 3 7	L 2			
	Positioning strip white with triple fixing option can be combined with storage boxes - PZ 1237 B	27	250	9	PZ	1 2 3 7	L 3			
	Positioning strip white with sixfold fixing option can be combined with storage boxes - PZ 1237 B	27	504	9	PZ	1 2 3 7	L 6			
2	Touch LED Dimmer for LED mirror cabinets and lightings				PΖ	1 0 5 7				
	Space-saving drain stench trap from GEBE- RIT made of plastic, in white nominal diameter: 40				PΖ	1367				
	Space-saving drain stench trap from GEBE- RIT made of plastic, in white nominal diameter: 32				PΖ	1 4 2 3				

FRM-0170-2		
1 mirror cabinet S 2 A 4 3 1 Washbasin base unit W U A 3 8 1 washbasin, cast mineral, white, 700 mm W M E 3 3	7 0 2 U	
	Sum	
FRK01702 WTM 44071 ceramic inst. cast mineral	Sum	
Surcharge hi Pull out unit with pr	igh-gloss carcass remium soft close	700 mm wide
FRM-0170-3		
1 mirror cabinet S 2 A 4 3 1 Washbasin base unit W U A 3 8 1 washbasin, cast mineral, white, 700 mm W M E 3 3	7 0 2 U	
	Sum	
FRK01703 WTM 44071 ceramic inst. cast mineral	Sum	
Surcharge hi Pull out unit with pr	igh-gloss carcass remium soft close	700 mm wide
FRM-0170-4		
1 mirror cabinet S 2 A 4 3 1 Washbasin base unit W U A 3 8 1 washbasin, cast mineral, white, 700 mm W M E 3 3	7 0 2 U	
	Sum	
FRK01704 WTM 44071 ceramic inst. cast mineral	Sum	700 mm wide
Surcharge hi Pull out unit with pr	igh-gloss carcass remium soft close	700 mm wide
FRM-0170-5		
1 mirror cabinet S E T 4 3 1 Washbasin base unit W U A 3 8 1 washbasin, cast mineral, white, 700 mm W M E 3 3	7 0 2 U	
	Sum	
FRK01701 WTM 44071 ceramic inst. cast mineral	Sum	
	igh-gloss carcass	700 mm wide



FRM-0110-2	
1 mirror cabinet S 2 A 4 3 1 0 6 7 1 Washbasin base unit W U A 3 8 1 0 2 U 1 washbasin, mineral, white, 1000 mm W M E 3 3 1 0 1	
	Sum
FRK01102 WTM 44101 ceramic inst. cast mineral	Sum
Surcharge high-gloss ca Pull out unit with premium soft	
FRM-0110-3	
1 mirror cabinet S 2 A 4 3 1 0 6 8 1 Washbasin base unit W U A 3 8 1 0 2 U washbasin, mineral, white, 1000 mm W M E 3 3 1 0 1	
	Sum
F R K 0 1 1 0 3 WTM 4410 1 ceramic inst. cast mineral	Sum 1000 mm wide
Surcharge high-gloss ca Pull out unit with premium soft	ircass
FRM-0110-4	
1       mirror cabinet       S 2 A 4 3 1 0 7 9         1       Washbasin base unit       W U A 3 8 1 0 2 U         1       washbasin, mineral, white, 1000 mm       W M E 3 3 1 0 1	
	Sum
FRK01104 WTM 44101 ceramic inst. cast mineral	Sum 1000 mm wide
Surcharge high-gloss ca Pull out unit with premium soft	ircass
FRM-0110-5	
1       mirror cabinet       S E T 4 3 1 0 0 5         1       Washbasin base unit       W U A 3 8 1 0 2 U         1       washbasin, mineral, white, 1000 mm       W M E 3 3 1 0 1	
	Sum
F R K 0 1 1 0 1 WTM 4410 1 ceramic inst. cast mineral	Sum
Surcharge high-gloss ca Pull out unit with premium soft	arcass 1000 mm wide


FRM-0112-2	
1       mirror cabinet       S 2 A 4 3 1 2 6 7         1       Washbasin base unit       W U A 3 8 1 2 2 U         1       Cast mineral washbasin, white , 1200 mm       W M E 3 3 1 2 1	
	Sum
FRK01122 WTM 44121 ceramic inst. cast mineral	Sum
Surcharge high-gloss ca Pull out unit with premium soft	
FRM-0112-3	
1 mirror cabinet S 2 A 4 3 1 2 6 8 1 Washbasin base unit W U A 3 8 1 2 2 U 1 Cast mineral washbasin, white , 1200 mm W M E 3 3 1 2 1	
	Sum
FRK01123 WTM 44121 ceramic inst. cast mineral	Sum
Surcharge high-gloss ca Pull out unit with premium soft	
FRM-0112-4	
1       mirror cabinet       S 2 A 4 3 1 2 7 9         1       Washbasin base unit       W U A 3 8 1 2 2 U         1       Cast mineral washbasin, white , 1200 mm       W M E 3 3 1 2 1	
	Sum
FRK01124 WTM 44121 ceramic inst. cast mineral	Sum
Surcharge high-gloss ca Pull out unit with premium soft	arcass 1200 mm wide
FRM-0112-5	
1       mirror cabinet       S E T 4 3 1 2 0 5         1       Washbasin base unit       W U A 3 8 1 2 2 U         1       Cast mineral washbasin, white , 1200 mm       W M E 3 3 1 2 1	
	Sum
F R K 0 1 1 2 1 WTM 4412 1 ceramic inst. cast mineral	Sum
Surcharge high-gloss ca Pull out unit with premium soft	arcass 1200 mm wide




FRM-0112-D2		
1 Washbasin base unit W U /	A 4 3 1 2 6 7 A 3 8 2 D 2 U E 3 3 2 D 1	
	Sum	
FRK0112D2 WTM 442D1 ceramic inst. cast miner	al Sum	
	narge high-gloss carcass with premium soft close	1200 mm wide
FRM-0112-D3		
1 Washbasin base unit W U /	A 4 3 2 D 6 8 A 3 8 2 D 2 U E 3 3 2 D 1	
	Sum	
FRK0112D3 WTM 442D1 ceramic inst. cast miner.	al Sum	
Surch	arge high-gloss carcass	1200 mm wide
Pull out unit	with premium soft close	
1 Washbasin base unit W U	A 4 3 1 2 7 9 A 3 8 2 D 2 U E 3 3 2 D 1	
	Sum	
FRK0112D4 WTM 442D1 ceramic inst. cast minera	al Sum	
	narge high-gloss carcass with premium soft close	1200 mm wide
FRM-0112-D5		
1 Washbasin base unit W U /	T 4 3 1 2 0 5 A 3 8 2 D 2 U E 3 3 2 D 1	
	Sum	
FRK0112D1 WTM 442D1 ceramic inst. cast miner		
Surch	al Sum large high-gloss carcass with premium soft close	1200 mm wide

#### Program 045 - dimensional drawings

#### WME 3307 1 WME 3310 1 WME 3312 1 열 100 0 <u>260</u>





For washing stands with fixing screws, the dimensions for boring must be drawn in on-site after the washing stand has been laid on the floor unit.

Washing stands without anchoring brackets have to be fixed on the wall and on the furniture-side with silicon! Cast mineral:

The water temperature must not exceed 55° C / 131° F. Hair tinting lotions have to be removed immediately, so that staining can be avoided.


Technical modifications (+/- 5mm) and flatness modifications (DIN 18202) are subject of the usual material-specific modifications for construction materials, based on DIN 18202.

045.24

#### Program 045 - dimensional drawings

#### WTM 4412 1 WTM 4410 1 WTM 442D 1 Ф Ф **(** $\oplus$ **(** ⊕ 247 \_ .750 -ca.550

#### electrical connections for mirror cabinets



For washing stands with fixing screws, the dimensions for boring must be drawn in on-site after the washing stand has been laid on the floor unit.

Washing stands without anchoring brackets have to be fixed on the wall and on the furniture-side with silicon! Cast mineral:

The water temperature must not exceed 55° C / 131° F. Hair tinting lotions have to be removed immediately, so that staining can be avoided.

Modifications:

Technical modifications (+/- 5mm) and flatness modifications (DIN 18202) are subject of the usual material-specific modifications for construction materials, based on DIN 18202.

