

Program 021 - model list

Depth indication corresponds to the carcass depth

Set: Washbasin + base unit 600 mm



Subway 2.0 650
Villeroy&Boch

Subway 2.0 650, WTM 3606-1,
washbasin base unit, WUA 3760 3

white

Article number

Hinge

Surchar-
ge high-
gloss
carcass

SET S 2 6 5 0 1

**Subway 2.0 650, WTM 3606-21*,
micPlus**
washbasin base unit, WUA 3760 3

white Cera-

SET S 2 6 5 2 1

washbasin with overflow hole



iCon 600 Geberit


iCon 600, WTM 3960 1
washbasin base unit, WUA 376A 11

white

SET I C 6 0 0 1

washbasin with overflow hole

Set: washbasin + base unit 750 mm



Subway 2.0 800
Villeroy&Boch

Subway 2.0 800, WTM 3608-1,
washbasin base unit, WUA 3775 3

white


SET S 2 8 0 0 1

**Subway 2.0 800, WTM 3608-21*,
micPlus**
washbasin base unit, WUA 3775 3

white Cera-

SET S 2 8 0 2 1

washbasin with overflow hole



iCon 750 Geberit

iCon 750, WTM 3975 1
washbasin base unit WUA 377A 11

white

SET I C 7 5 0 1

washbasin with overflow hole

Set: washbasin + base unit 900 mm



Subway 2.0 1000
Villeroy&Boch

Subway 2.0 1000, WTM 3610-1,
washbasin base unit, WUA 3790 3

white

SET S 2 1 0 0 1

**Subway 2.0 1000, WTM 3610-21*,
micPlus**
washbasin base unit, WUA 3790 3

white Cera-

SET S 2 1 0 2 1

washbasin with overflow hole



iCon 900 Geberit

iCon 900, WTM 399M 1
washbasin base unit WUA 379A 11

white

SET I C 9 0 0 1





washbasin with overflow hole

Ceramic washbasins with special coating are excluded from this delivery time.
Please observe a matching space-saving drain stench trap in the separate index accessories.

Program 021 - model list

Depth indication corresponds to the carcass depth

Set: washbasin + base unit 1200 mm

			Article number			Hinge	Surcharge high-gloss carcass
 Subway 2.0 1300 Single washbasin Villeroy&Boch	Subway 2.0 1300, WTM 3613 1, washbasin base unit, WUA 3712 E3	white	SET	S 2 1 E	01		
	Subway 2.0 1300, WTM 3613-21* micPlus washbasin base unit, WUA 3712 E3 washbasin with overflow hole	white Cera-	SET	S 2 1 E	21		
 Subway 2.0 1300 Double washbasin Villeroy&Boch	Subway 2.0 1300, WTM 3713-1 double, washbasin base unit, WUA 3712 3	white	SET	S 2 1 3	01		
	Subway 2.0 1300, WTM 3713-21* double, micPlus washbasin & base unit washbasin base unit, WUA 3712 3 washbasin with overflow hole	white Cera-	SET	S 2 1 3	21		
 Subway 2.0 1300 Double washbasin Villeroy&Boch	Subway 2.0 1300, WTM 3713-1 double, washbasin base unit, WUA 372D 3	white	SET	S 2 3 D	01		
	Subway 2.0 1300, WTM 3713-21* double, micPlus washbasin base unit, WUA 372D 3 washbasin with overflow hole	white Cera-	SET	S 2 3 D	21		
 ICON 1200 2 tap holes Geberit	Icon 1200, WTM 3922 1 washbasin base unit: WUA 371E 11 washbasin with overflow hole	white	SET	I 2 1 D	01		
	With two single-lever mixers and eccentric operation, or in combination with a push-open valve, please do not exceed the max. flow performance of 7.5 l/min per mixer.						
 ICON 1200 Double washbasin Geberit	Icon 1200, WTM 392D 1 washbasin base unit WUA 371A 11 washbasin with overflow hole	white	SET	I 1 1 D	01		
 ICON 1200 Double washbasin Geberit	Icon 1200, WTM 392D 1 washbasin base unit, WUA 372A 11 washbasin with overflow hole	white	SET	I C 2 D	01		

Ceramic washbasins with special coating are excluded from this delivery time.
Please observe a matching space-saving drain stretch trap in the separate index accessories.

Program 021 - model list

Depth indication corresponds to the carcass depth		Depth in mm	Width in mm	Height in mm	Article number			Hinge	Surchar- ge high- gloss carcass
Washbasins									
	 STONEPLUS washbasin, 800 mm colour white inkl. concealed overflow system chrome finish with STONEPLUS cover cap can combined with WUA 3380 08 Additional accessories Additional price for Washbasin without tap hole / with 3 holes (acc. to sketch).	535	812	25	WMS	3 5 0 8	6 1		
	 STONEPLUS washbasin, 1000 mm colour white inkl. concealed overflow system chrome finish with STONEPLUS cover cap can combined with WUA 3310 08 Additional accessories Additional price for Washbasin without tap hole / with 3 holes (acc. to sketch).	535	1012	25	WMS	3 5 1 0	6 1		
	 STONEPLUS washbasin, 1200 mm colour white inkl. concealed overflow system chrome finish with STONEPLUS cover cap can combined with WUA 3312 08, WUA 3380 08 + 2x RV 31V T1 Additional accessories Additional price for Washbasin without tap hole / with 3 holes (acc. to sketch).	535	1212	25	WMS	3 5 1 2	6 1		
	 STONEPLUS double washbasin, 1700 mm colour white incl. 2 CLOU drain and overflow systems with STONEPLUS cover caps can combined with 2x WUA 3370 08 + RV 31V T1, 2x WUA 3370 08 + UTA 3630 P4 Additional accessories Additional price for Washbasin without tap hole / with 3 holes (acc. to sketch).	535	1712	25	WMS	3 5 2 D	6 1		
	Evermite washbasin 600 mm colour white incl. CLOU drain and overflow system in chrome can combined with WUA 3360 08								
	without LED lighting	527	606	30	WMS	9 5 0 6	2 1		
	with LED lighting	527	606	30	SWM	9 5 0 6	B 4		
	1 LED converter 12 V, 15 Watt 1 motion sensor This product contains a light source with energy efficiency class: F Additional accessories Surcharge for washbasins without tap-hole or with 3 holes (according to sketch)								



*Delivery time: 8 weeks. Price per washbasin. Washbasin without tap hole is incompatible with CLOU System. Please check your order confirmation for correctness.

Program 021 - model list

Depth indication corresponds to the carcass depth				Depth in mm	Width in mm	Height in mm	Article number	Hinge	Surchar- ge high- gloss carcass
Washbasins									
 	Evermite washbasin 700 mm								
	colour white incl. CLOU drain and overflow system in chrome can combined with WUA 3370 08 without LED lighting Evermite washbasin with LED lighting 1 LED converter 12 V, 15 Watt 1 motion sensor This product contains a light source with energy efficiency class: F Additional accessories Surcharge for washbasins without tap-hole or with 3 holes (according to sketch)			527	706	30	WMS 9 5 0 7 2 1		
				527	706	30	SWM 9 5 0 7 B 4		
 	Evermite washbasin 800 mm								
	colour white incl. CLOU drain and overflow system in chrome can combined with WUA 3380 08 without LED lighting with LED lighting 1 LED converter 12 V, 15 Watt 1 motion sensor This product contains a light source with energy efficiency class: F Additional accessories Surcharge for washbasins without tap-hole or with 3 holes (according to sketch)			527	806	30	WMS 9 5 0 8 2 1		
				527	806	30	SWM 9 5 0 8 B 4		
 	Evermite washbasin 900 mm								
	colour white incl. CLOU drain and overflow system in chrome can combined with WUA 3390 08 without LED lighting with LED lighting 1 LED converter 12 V, 15 Watt 1 motion sensor This product contains a light source with energy efficiency class: F Additional accessories Surcharge for washbasins without tap-hole or with 3 holes (according to sketch)			527	906	30	WMS 9 5 0 9 2 1		
				527	906	30	SWM 9 5 0 9 B 4		
 	STONEPLUS - single washbasin 1000 mm								
	colour white incl. CLOU drain and overflow system in chrome can combined with WUA 3310 08 without LED lighting with LED lighting 1 LED converter 12 V, 15 Watt 1 motion sensor This product contains a light source with energy efficiency class: F Additional accessories Surcharge for washbasins without tap-hole or with 3 holes (according to sketch)			527	1006	30	WMS 9 5 1 0 2 1		
				527	1006	30	SWM 9 5 1 0 B 4		

*Delivery time: 8 weeks. Price per washbasin. Washbasin without tap hole is incompatible with CLOU System. Please check your order confirmation for correctness.

Program 021 - model list

Depth indication corresponds to the carcass depth		Depth in mm	Width in mm	Height in mm	Article number			Hinge	Surchar- ge high- gloss carcass
Washbasins									
	Evermite washbasin 1200 mm colour white incl. CLOU drain and overflow system in chrome can combined with WUA 3312 08								
	without LED lighting	527	1206	30	W M S 9 5 1 2 2 1				
	with LED lighting 1 LED converter 12 V, 15 Watt integrated sensor switcher This product contains a light source with energy efficiency class: F	527	1206	30	S W M 9 5 1 2 B 4				
Additional accessories Surcharge for washbasins without tap-hole or with 3 holes (according to sketch)									
	Evermite double washbasin 1200 mm colour white incl. CLOU drain and overflow system in chrome can be combined with WUA 332D 08								
	without LED lighting	527	1206	30	W M S 9 5 2 D 2 1				
	with LED lighting 1 LED converter 12 V, 15 Watt 1 motion sensor This product contains a light source with energy efficiency class: F	527	1206	30	S W M 9 5 2 D B 4				
Additional accessories Surcharge for washbasins without tap-hole or with 3 holes (according to sketch)									
Ceramic washbasins									
	Ceramic washbasin white	510	620	15	W T M 4 4 0 6	1			
	can combined with WUA 3360 08								
	Ceramic washbasin white	510	720	15	W T M 4 4 0 7	1			
	can combined with WUA 3370 08								
	Ceramic washbasin white	510	820	15	W T M 4 4 0 8	1			
	can combined with WUA 3380 08								
	Ceramic washbasin white	510	920	15	W T M 4 4 0 9	1			
	can combined with WUA 3390 08								
	Ceramic washbasin white	510	1020	15	W T M 4 4 1 0	1			
	can combined with WUA 3310 08								

*Delivery time: 8 weeks. Price per washbasin. Washbasin without tap hole is incompatible with CLOU System. Please check your order confirmation for correctness.


Program 021 - model list

Depth indication corresponds to the carcass depth		Depth in mm	Width in mm	Height in mm	Article number			Hinge	Surchar- ge high- gloss carcass
Ceramic washbasins									
	Ceramic washbasin Single washbasin white can combined with WUA 3312 08	500	1220	15	W T M	4 4 1 2	1		
	Ceramic washbasin Double washbasin white can be combined with WUA 332D 08	500	1220	15	W T M	4 4 2 D	1		
Washbasin base units									
	Washbasin base unit 1 metal pull out unit with buffered closing central 1 metal pull-out with buffered closing incl. drawer rail 600 mm wide 700 mm wide 800 mm wide 900 mm wide 1000 mm wide 1200 mm wide Additional accessories Space-saving drain stench trap DN 40 Space-saving drain stench trap DN 32	470 470 470 470 470 470	600 700 800 900 1000 1200	480 480 480 480 480 480	W U A	3 3 6 0 0 8 3 3 7 0 0 8 3 3 8 0 0 8 3 3 9 0 0 8 3 3 1 0 0 8 3 3 1 2 0 8			
	Washbasin base unit 2 metal pull out units with buffered closing and syphon cut- out 2 metal pull outs with buffered closing and rail 1200 mm wide Additional accessories Space-saving drain stench trap DN 40 Space-saving drain stench trap DN 32	470	1200	480	W U A	3 3 2 D 0 8			
	Shelf variable dimensions 1 fixed shelf	301-470	150-600	480	R V	3 1 V T 1			
	washbasin base unit, 300 mm 2 metal pull-outs with buffered closing	470	300	480	U T A	3 6 3 0 P 4			


Please observe the product details of the accessories in the separate index.

Program 021 - dimensional drawings


Subway 2.0 650
Villeroy&Boch




Subway 2.0 800
Villeroy&Boch




Subway 2.0 1000
Villeroy&Boch




Subway 2.0 1300 Single washbasin
Villeroy&Boch



Subway 2.0 1300 Double washbasin
Villeroy&Boch



iCon 600
Geberit



For washing stands with fixing screws, the dimensions for boring must be drawn in on-site after the washing stand has been laid on the floor unit.


The fastening screws must be screwed.

Modifications:


Technical modifications (+/- 5mm) and flatness modifications (DIN 18202) are subject of the usual material-specific modifications for construction materials, based on DIN 18202.

Program 021 - dimensional drawings


ICON 750
Geberit




iCon 900
Geberit




ICON 1200 2 tap holes
Geberit




ICON 1200 Double washbasin
Geberit



WMS 3508 61 + WUA 3380 08



WMS 3510 61 + WUA 3310 08



For washing stands with fixing screws, the dimensions for boring must be drawn in on-site after the washing stand has been laid on the floor unit.

The fastening screws must be screwed.


Modifications:

Technical modifications (+/- 5mm) and flatness modifications (DIN 18202) are subject of the usual material-specific modifications for construction materials, based on DIN 18202.

Program 021 - dimensional drawings


WMS 3512 61 + WUA 3312 08

WMS 352D 61 + 2x WUA 3370 08 +
RV 31V T1




WMS 9506 21 & SWM 9506 B4

WMS 9507 21 & SWM 9507 B4



WMS 9508 21 & SWM 9508 B4

WMS 9509 21 & SWM 9509 B4



For washing stands with fixing screws, the dimensions for boring must be drawn in on-site after the washing stand has been laid on the floor unit.

The fastening screws must be screwed.


Modifications:

Technical modifications (+/- 5mm) and flatness modifications (DIN 18202) are subject of the usual material-specific modifications for construction materials, based on DIN 18202.

Program 021 - dimensional drawings


WMS 9510 21 & SWM 9510 B4

WMS 9512 21 & SWM 9512 B4




WMS 952D 21 & SWM 952D B4

WTM 4406 1



WTM 4407 1

WTM 4408 1





For washing stands with fixing screws, the dimensions for boring must be drawn in on-site after the washing stand has been laid on the floor unit.
 The fastening screws must be screwed.
 Modifications:
 Technical modifications (+/- 5mm) and flatness modifications (DIN 18202) are subject of the usual material-specific modifications for construction materials, based on DIN 18202.

Program 021 - dimensional drawings



WTM 4409 1

WTM 4410 1



WTM 4412 1

WTM 442D 1



For washing stands with fixing screws, the dimensions for boring must be drawn in on-site after the washing stand has been laid on the floor unit.

The fastening screws must be screwed.

Modifications:

Technical modifications (+/- 5mm) and flatness modifications (DIN 18202) are subject of the usual material-specific modifications for construction materials, based on DIN 18202.