






Program 021 - model list

Depth indication corresponds to the carcass depth		Depth in mm	Width in mm	Height in mm	Article number			Hinge	Surchar- ge high- gloss carcass
Mirrors									
	Mirror round all-round LED lighting 1 LED converter Emotion lighting Carrier material in white This product contains a light source with energy efficiency class: F								
	700 mm Ø 15,21 watt / converter 30 watt 900 mm Ø 19,89 / converter 30 watt	22	700	700	F S R 4 0 7 0 0 1				
		22	900	900	F S R 4 0 9 0 0 1				
	Mirror LED- lighting vertical incl. toggle switch								
	700 mm wide 6,6 Watt / converter 15 Watt This product contains a light source with energy efficiency class: D	59	700	672	F S A 4 3 7 0 1 2				
	1000 mm wide 9,3 watt / converter 30 watt This product contains a light source with energy efficiency class: D	59	1000	672	F S A 4 3 1 0 1 2				
	1200 mm wide 11,4 watt / converter 30 watt This product contains a light source with energy efficiency class: D	59	1200	672	F S A 4 3 1 2 1 2				
	1400 mm wide 21,3 watt / converter 30 watt This product contains a light source with energy efficiency class: G	59	1400	672	F S A 4 3 1 4 1 2				
	1700 mm wide 26 watt / converter 30 watt This product contains a light source with energy efficiency class: G	59	1700	672	F S A 4 3 1 7 1 2				
 height 640 mm	Mirror 2 vertical LED lighting elements 2 x 6 watt / converter 30 watt incl. toggle switch This product contains a light source with energy efficiency class: G	43	600	640	F S A 4 3 6 0 1 0				
		43	700	640	F S A 4 3 7 0 1 0				
		43	800	640	F S A 4 3 8 0 1 0				
		43	900	640	F S A 4 3 9 0 1 0				
		43	1000	640	F S A 4 3 1 0 1 0				
		43	1100	640	F S A 4 3 1 1 1 0				
		43	1200	640	F S A 4 3 1 2 1 0				
		43	1300	640	F S A 4 3 1 3 1 0				
		43	1400	640	F S A 4 3 1 4 1 0				


Please observe suitable accessories in the separate index.

Program 021 - model list

Depth indication corresponds to the carcass depth				Depth in mm	Width in mm	Height in mm	Article number	Hinge	Surchar- ge high- gloss carcass
Mirrors									
  height 800 mm	Mirror			43	400	800	F S A 4 5 4 0 1 0		
	2 vertical LED lighting elements			43	500	800	F S A 4 5 5 0 1 0		
	2 X 12,4 watt / Converter 30 watt			43	600	800	F S A 4 5 6 0 1 0		
	Emotion lighting			43	700	800	F S A 4 5 7 0 1 0		
	This product contains a light source with energy efficiency class: F			43	800	800	F S A 4 5 8 0 1 0		
				43	900	800	F S A 4 5 9 0 1 0		
				43	1000	800	F S A 4 5 1 0 1 0		
				43	1100	800	F S A 4 5 1 1 1 0		
				43	1200	800	F S A 4 5 1 2 1 0		
				43	1300	800	F S A 4 5 1 3 1 0		
				43	1400	800	F S A 4 5 1 4 1 0		
 	Mirror								
	all-round LED lighting								
	indirect LED background lighting								
	with LED-Emotion lighting								
	1 LED converter 60 W								
	Touch LED Dimmer								
	This product contains a light source with energy efficiency class: F								
	600 mm wide			28	600	640	F S B 4 5 6 0 0 1		
	34,1 watt								
  	600 mm wide								
	37,2 watt			28	700	640	F S B 4 5 7 0 0 1		
	800 mm wide			28	800	640	F S B 4 5 8 0 0 1		
	40,3 watt			28	900	640	F S B 4 5 9 0 0 1		
	900 mm wide			28	1000	640	F S B 4 5 1 0 0 1		
	43,4 watt			28	1200	640	F S B 4 5 1 2 0 1		
	1000 mm wide			28	1400	640	F S B 4 5 1 4 0 1		
	46,5 watt								
  	1200 mm wide								
	52,7 watt								
	1400 mm wide								
	58,9 watt								
  	Mirror								
	LED- lighting at top and bottom								
	with mirror heating 15 watt								
	inkl. converter 60 Watt / 24 V.								
  	Emotion lighting								
	1 sensor for mirror heating								
	This product contains a light source with energy efficiency class: F								
	600 mm wide			33	600	672	F S A 4 3 6 0 8 9		
 	18,6 watt								
	900 mm wide			33	900	672	F S A 4 3 9 0 8 9		
	27,9 watt								
	1200 mm wide			33	1200	672	F S A 4 3 1 2 8 9		
 	37,2 watt								


Please observe suitable accessories in the separate index.

Program 021 - model list

Depth indication corresponds to the carcass depth		Depth in mm	Width in mm	Height in mm	Article number			Hinge	Surchar- ge high- gloss carcass						
Mirrors															
	Mirror LED lighting above vertical 1 LED converter 15 W incl. toggle switch														
	600 mm wide 5,52 watt This product contains a light source with energy efficiency class: G	43	600	656	F	S	A	4	3	6	0	1	1		
	900 mm wide 8,4 watt This product contains a light source with energy efficiency class: G	43	900	656	F	S	A	4	3	9	0	1	1		
	1000 mm wide 9,4 watt This product contains a light source with energy efficiency class: F	40	1000	656	F	S	A	4	3	1	0	1	1		
	1200 mm wide 11,3 watt This product contains a light source with energy efficiency class: G	43	1200	656	F	S	A	4	3	1	2	1	1		
 	Mirror 1 LED panel light Emotion lighting 1 LED converter incl. LED washbasin lighting This product contains a light source with energy efficiency class: F														
	600 mm wide 17,1 watt	91	600	652	F	S	B	4	1	6	0	0	1		
	700 mm wide 20,2 watt	91	700	652	F	S	B	4	1	7	0	0	1		
	800 mm wide 23,3 watt	91	800	652	F	S	B	4	1	8	0	0	1		
	900 mm wide 26,4 watt	91	900	652	F	S	B	4	1	9	0	0	1		
	1000 mm wide 29,5 watt	91	1000	652	F	S	B	4	1	1	0	0	1		
	1100 mm wide 32,6 watt	91	1100	652	F	S	B	4	1	1	1	0	1		
	1200 mm wide 35,7 watt	91	1200	652	F	S	B	4	1	1	2	0	1		
	1300 mm wide 38,8 watt	91	1300	652	F	S	B	4	1	1	3	0	1		
	1400 mm wide 41,9 watt	91	1400	652	F	S	B	4	1	1	4	0	1		
	1600 mm wide 48,1 watt	91	1600	652	F	S	B	4	1	1	6	0	1		


Please observe suitable accessories in the separate index.

Program 021 - model list

Depth indication corresponds to the carcass depth		Depth in mm	Width in mm	Height in mm	Article number			Hinge		Surchar- ge high- gloss carcass			
Mirrors													
  Mirror LED acrylic strips at top and bottom Emotion lighting 1 LED converter This product contains a light source with energy efficiency class: F	600 mm wide 17,1 watt	28	600	640	F	S	B	4	3	6	0	0	1
	700 mm wide 20,2 watt	28	700	640	F	S	B	4	3	7	0	0	1
	800 mm wide 23,3 watt	28	800	640	F	S	B	4	3	8	0	0	1
	900 mm wide 26,4 watt	28	900	640	F	S	B	4	3	9	0	0	1
	1000 mm wide 29,5 watt	28	1000	640	F	S	B	4	3	1	0	0	1
	1200 mm wide 35,7 watt	28	1200	640	F	S	B	4	3	1	2	0	1
	1400 mm wide 41,9 watt	28	1400	640	F	S	B	4	3	1	4	0	1
	  Mirror LED acrylic strips above Emotion lighting 1 LED converter This product contains a light source with energy efficiency class: F	600 mm wide 8,5 watt	28	600	640	F	S	B	4	3	6	0	0
700 mm wide 10,1 Watt		28	700	640	F	S	B	4	3	7	0	0	2
800 mm wide 11,6 watt		28	800	640	F	S	B	4	3	8	0	0	2
900 mm wide 13,2 watt		28	900	640	F	S	B	4	3	9	0	0	2
1000 mm wide 14,8 watt		28	1000	640	F	S	B	4	3	1	0	0	2
1200 mm wide 17,8 watt		28	1200	640	F	S	B	4	3	1	2	0	2
1400 mm wide 20,9 watt		28	1400	640	F	S	B	4	3	1	4	0	2

Please observe suitable accessories in the separate index.

Program 021 - model list


Depth indication corresponds to the carcass depth		Depth in mm	Width in mm	Height in mm	Article number			Hinge	Surchar- ge high- gloss carcass						
Mirrors															
 	Mirror LED acrylic strips left and right Emotion lighting 18,6 watt / converter 30watt This product contains a light source with energy efficiency class: F	28	400	640	F	S	B	4	4	4	0	0	2		
		28	600	640	F	S	B	4	4	6	0	0	2		
		28	700	640	F	S	B	4	4	7	0	0	2		
		28	800	640	F	S	B	4	4	8	0	0	2		
		28	900	640	F	S	B	4	4	9	0	0	2		
		28	1000	640	F	S	B	4	4	1	0	0	2		
		28	1200	640	F	S	B	4	4	1	2	0	2		
	28	1400	640	F	S	B	4	4	1	4	0	2			
 	Mirror LED aluminium frame all-round LED lighting 37,2 watt / converter 60 watt Emotion lighting This product contains a light source with energy efficiency class: F														
	aluminium frame in black matt anodize	40	600	640	F	S	B	4	5	6	0	0	4		
	aluminium fram in white matt lacquered	40	600	640	F	S	B	4	5	6	0	0	5		
 	Mirror LED aluminium frame all-round LED lighting 46,5 watt / converter 60 watt Emotion lighting This product contains a light source with energy efficiency class: F														
	aluminium frame in black matt anodize	40	900	640	F	S	B	4	5	9	0	0	4		
	aluminium fram in white matt lacquered	40	900	640	F	S	B	4	5	9	0	0	5		
 	Mirror LED aluminium frame all-round LED lighting 55,8 watt / converter 60 watt Emotion lighting This product contains a light source with energy efficiency class: F														
	aluminium frame in black matt anodize	40	1200	640	F	S	B	4	5	1	2	0	4		
	aluminium fram in white matt lacquered	40	1200	640	F	S	B	4	5	1	2	0	5		
 	Mirror LED aluminium frame all-round LED lighting 52,0 watt / converter 60 watt Emotion lighting This product contains a light source with energy efficiency class: G														
	aluminium frame in black matt anodize	40	1400	640	F	S	B	4	5	1	4	0	4		
	aluminium fram in white matt lacquered	40	1400	640	F	S	B	4	5	1	4	0	5		

Please observe suitable accessories in the separate index.

Program 021 - model list

Depth indication corresponds to the carcass depth

Mirror cabinets double mirrored height 640 mm



height 640 mm
Ill. = left

Planning mirror cabinets

2 double mirror doors
2 glass shelves
1 switch socket element
1 LED converter 15 W

600 mm wide

depth adjustable
L: 396 mm R: 196 mm

700 mm wide

depth adjustable
L: 396 mm R: 296 mm


800 mm wide

depth adjustable
L: 496 mm R: 296 mm

900 mm wide

1 LED converter 30 W
L: 546 mm R: 346 mm

Depth in mm	Width in mm	Height in mm	Article number			Hinge	Surchar- ge high- gloss carcass
150	600	640	S 2 A 4 3 6 0	S X	L/R		
151-300	600	640	S 2 V 4 3 6 0	S X	L/R		
150	700	640	S 2 A 4 3 7 0	S X	L/R		
151-300	700	640	S 2 V 4 3 7 0	S X	L/R		
150	800	640	S 2 A 4 3 8 0	S X	L/R		
151-300	800	640	S 2 V 4 3 8 0	S X	L/R		
150	900	640	S 2 A 4 3 9 0	S X	L/R		



height 640 mm

Planning mirror cabinets

for single washbasin solution
3 double mirror doors
2 central partitions, 6 glass shelves
1 switch socket element
1 LED converter 30 W

800 mm wide

depth adjustable
1 LED converter 15 W
L: 196 mm M: 396 mm R: 196 mm

900 mm wide

depth adjustable
L: 238 mm M: 412 mm R: 238 mm

1000 mm wide

depth adjustable
L: 296 mm M: 396 mm R: 296 mm

1100 mm wide

depth adjustable
L: 346 mm M: 396 mm R: 346 mm

1200 mm wide

depth adjustable
L: 388 mm M: 412 mm R: 388 mm

1300 mm wide

depth adjustable
L: 396 mm M: 496 mm R: 396 mm





1400 mm wide

depth adjustable
L: 446 mm M: 496 mm R: 446 mm

150	800	640	S 2 A 4 3 8 1	S X			
151-300	800	640	S 2 V 4 3 8 1	S X			
150	900	640	S 2 A 4 3 9 1	S X			
151-300	900	640	S 2 V 4 3 9 1	S X			
150	1000	640	S 2 A 4 3 1 0	S X			
151-300	1000	640	S 2 V 4 3 1 0	S X			
150	1100	640	S 2 A 4 3 1 1	S X			
151-300	1100	640	S 2 V 4 3 1 1	S X			
150	1200	640	S 2 A 4 3 1 2	S X			
151-300	1200	640	S 2 V 4 3 1 2	S X			
150	1300	640	S 2 A 4 3 1 3	S X			
151-300	1300	640	S 2 V 4 3 1 3	S X			
150	1400	640	S 2 A 4 3 1 4	S X			
151-300	1400	640	S 2 V 4 3 1 4	S X			

Door width: L = left door, M = middel door, R = right door
Please observe suitable accessories in the separate index.

Program 021 - model list


Depth indication corresponds to the carcass depth		Depth in mm	Width in mm	Height in mm	Article number			Hinge	Surchar- ge high- gloss carcass
Mirror cabinets double mirrored height 640 mm									
 height 640 mm	Planning mirror cabinets Description as above, though for double washbasin solutions 1200 mm wide depth adjustable L: 496 mm M: 196 mm R: 496 mm 1300 mm wide depth adjustable L: 496 mm M: 296 mm R: 496 mm 1400 mm wide depth adjustable L: 546 mm M: 296 mm R: 546 mm 1600 mm wide depth adjustable L: 546 mm M: 496 mm R: 546 mm	150 151-300	1200 1200	640 640	S 2 A 4 3 2 D S X S 2 V 4 3 2 D S X				
		150 151-300	1300 1300	640 640	S 2 A 4 3 3 D S X S 2 V 4 3 3 D S X				
		150 151-300	1400 1400	640 640	S 2 A 4 3 4 D S X S 2 V 4 3 4 D S X				
		150 151-300	1600 1600	640 640	S 2 A 4 3 6 D S X S 2 V 4 3 6 D S X				
 height 640 mm	Shelf variable dimensions 2 fixed wooden shelves	150-300	150-600	640	R V	4 1 V 0 1			
 height 640 mm	extension mirror cabinets 1 double mirror door 2 glass shelves 300 mm wide depth adjustable	150 151-300	300 300	640 640	S 2 A 4 3 3 0 6 D S 2 V 4 3 3 0 6 D	L/R			
	400 mm wide depth adjustable	150 151-300	400 400	640 640	S 2 A 4 3 4 0 6 D S 2 V 4 3 4 0 6 D	L/R			
	500 mm wide depth adjustable	150 151-300	500 500	640 640	S 2 A 4 3 5 0 6 D S 2 V 4 3 5 0 6 D	L/R			
 height 640 mm	extension mirror cabinets 2 double mirror doors 2 glass shelves 600 mm wide depth adjustable	150 151-300	600 600	640 640	S 2 A 4 3 6 0 6 D S 2 V 4 3 6 0 6 D				

Door width: L = left door, M = middle door, R = right door
Please observe suitable accessories in the separate index.

Program 021 - model list

Depth indication corresponds to the carcass depth

Mirror cabinets double mirrored height 800 mm



height 800 mm
Ill. = left

Planning mirror cabinets

2 double mirror doors
2 glass shelves
1 switch socket element
1 LED converter 15 W

600 mm wide

depth adjustable
L: 396 mm R: 196 mm

700 mm wide

depth adjustable
L: 396 mm R: 296 mm


800 mm wide

depth adjustable
L: 496 mm R: 296 mm

900 mm wide

1 LED converter 30 W
L: 546 mm R: 346 mm

Depth in mm	Width in mm	Height in mm	Article number			Hinge	Surchar- ge high- gloss carcass
150	600	800	S 2 A 5 3 6 0	S X	L/R		
151-300	600	800	S 2 V 5 3 6 0	S X	L/R		
150	700	800	S 2 A 5 3 7 0	S X	L/R		
151-300	700	800	S 2 V 5 3 7 0	S X	L/R		
150	800	800	S 2 A 5 3 8 0	S X	L/R		
151-300	800	800	S 2 V 5 3 8 0	S X	L/R		
150	900	800	S 2 A 5 3 9 0	S X	L/R		



height 800 mm

Planning mirror cabinets

for single washbasin solution
3 double mirror doors
2 central partitions, 6 glass shelves
1 switch socket element
1 LED converter 30 W

800 mm wide

depth adjustable
1 LED converter 15 W
L: 196 mm M: 396 mm R: 196 mm

900 mm wide

depth adjustable
L: 238 mm M: 412 mm R: 238 mm

1000 mm wide

depth adjustable
L: 296 mm M: 396 mm R: 296 mm

1100 mm wide

depth adjustable
L: 296 mm M: 496 mm R: 296 mm

1200 mm wide

depth adjustable
L: 388 mm M: 412 mm R: 388 mm

1300 mm wide

depth adjustable
L: 388 mm M: 512 mm R: 388 mm




1400 mm wide

depth adjustable
L: 438 mm M: 512 mm R: 438 mm

150	800	800	S 2 A 5 3 8 1	S X			
151-300	800	800	S 2 V 5 3 8 1	S X			
150	900	800	S 2 A 5 3 9 1	S X			
151-300	900	800	S 2 V 5 3 9 1	S X			
150	1000	800	S 2 A 5 3 1 0	S X			
151-300	1000	800	S 2 V 5 3 1 0	S X			
150	1100	800	S 2 A 5 3 1 1	S X			
151-300	1100	800	S 2 V 5 3 1 1	S X			
150	1200	800	S 2 A 5 3 1 2	S X			
151-300	1200	800	S 2 V 5 3 1 2	S X			
150	1300	800	S 2 A 5 3 1 3	S X			
151-300	1300	800	S 2 V 5 3 1 3	S X			
150	1400	800	S 2 A 5 3 1 4	S X			
151-300	1400	800	S 2 V 5 3 1 4	S X			

Door width: L = left door, M = middel door, R = right door
Please observe suitable accessories in the separate index.

Program 021 - model list


Depth indication corresponds to the carcass depth		Depth in mm	Width in mm	Height in mm	Article number			Hinge	Surchar- ge high- gloss carcass
Mirror cabinets double mirrored height 800 mm									
 height 800 mm	Planning mirror cabinets Description as above, though for double washbasin solutions 1200 mm wide depth adjustable L: 496 mm M: 196 mm R: 496 mm 1300 mm wide depth adjustable L: 496 mm M: 296 mm R: 496 mm 1400 mm wide depth adjustable L: 546 mm M: 296 mm R: 546 mm	150 151-300	1200 1200	800 800	S 2 A 5 3 2 D S X S 2 V 5 3 2 D S X				
		150 151-300	1300 1300	800 800	S 2 A 5 3 3 D S X S 2 V 5 3 3 D S X				
		150 151-300	1400 1400	800 800	S 2 A 5 3 4 D S X S 2 V 5 3 4 D S X				
 height 800 mm	Shelf variable dimensions 3 fixed wooden shelves	150-300	150-600	800	R V	5 1 V 0 1			
 height 800 mm	extension mirror cabinets 1 double mirror door 2 glass shelves 300 mm width depth adjustable 400 mm wide depth adjustable 500 mm wide depth adjustable	150 151-300	300 300	800 800	S 2 A 5 1 3 0 S 2 V 5 1 3 0	D L/R D L/R			
		150 151-300	400 400	800 800	S 2 A 5 1 4 0 S 2 V 5 1 4 0	D L/R D L/R			
		150 151-300	500 500	800 800	S 2 A 5 1 5 0 S 2 V 5 1 5 0	D L/R D L/R			
 height 800 mm	extension mirror cabinets 2 double mirror doors 2 glass shelves 600 mm wide depth adjustable	150 151-300	600 600	800 800	S 2 A 5 2 6 0 S 2 V 5 2 6 0	D D			

Door width: L = left door, M = middel door, R = right door
 Please observe suitable accessories in the separate index.

Program 021 - model list

Depth indication corresponds to the carcass depth

Mirror cabinets simply mirrored height 640 mm



height 640 mm
Ill. = left

Planning mirror cabinets

2 mirror doors on wooden-plated
2 glass shelves
1 switch socket element
1 LED converter 15 W

600 mm wide

depth adjustable

L: 396 mm R: 196 mm

700 mm wide

depth adjustable

L: 396 mm R: 296 mm

800 mm wide

depth adjustable


L: 496 mm R: 296 mm

900 mm wide

1 LED converter 30 W

L: 546 mm R: 346 mm

Depth in mm	Width in mm	Height in mm	Article number			Hinge	Surchar- ge high- gloss carcass
150	600	640	S 2 A 4 3 6 0	T X	L/R		
151-300	600	640	S 2 V 4 3 6 0	T X	L/R		
150	700	640	S 2 A 4 3 7 0	T X	L/R		
151-300	700	640	S 2 V 4 3 7 0	T X	L/R		
150	800	640	S 2 A 4 3 8 0	T X	L/R		
151-300	800	640	S 2 V 4 3 8 0	T X	L/R		
150	900	640	S 2 A 4 3 9 0	T X	L/R		



height 640 mm

Planning mirror cabinets

for single washbasin solution
3 mirror doors on wooden-plated
2 central partitions, 6 glass shelves
1 switch socket element
1 LED converter 30 W

800 mm wide

depth adjustable

1 LED converter 15 W

L: 188 mm M: 410 mm R: 188 mm

900 mm wide

depth adjustable

L: 238 mm M: 412 mm R: 238 mm

1000 mm wide

depth adjustable

L: 288 mm M: 410 mm R: 288 mm

1100 mm wide

depth adjustable

L: 338 mm M: 410 mm R: 338 mm

1200 mm wide

depth adjustable

L: 388 mm M: 412 mm R: 388 mm

1300 mm wide

depth adjustable

L: 388 mm M: 512 mm R: 388 mm



1400 mm wide

depth adjustable

L: 438 mm M: 512 mm R: 438 mm

Door width: L = left door, M = middel door, R = right door
Please observe suitable accessories in the separate index.

Program 021 - model list


Depth indication corresponds to the carcass depth		Depth in mm	Width in mm	Height in mm	Article number			Hinge	Surchar- ge high- gloss carcass
Mirror cabinets simply mirrored height 640 mm  height 640 mm Planning mirror cabinets Description as above, though for double washbasin solutions 1200 mm wide depth adjustable L: 496 mm M: 196 mm R: 496 mm 1300 mm wide depth adjustable L: 496 mm M: 296 mm R: 496 mm 1400 mm wide depth adjustable L: 546 mm M: 296 mm R: 546 mm 1600 mm wide depth adjustable L: 546 mm M: 496 mm R: 546 mm		150 151-300	1200 1200	640 640	S 2 A 4 3 2 D T X S 2 V 4 3 2 D T X				
 height 640 mm Shelf variable dimensions 2 fixed wooden shelves		150-300	150-600	640	R V	4 1 V 0 1			
 height 640 mm extension mirror cabinets 1 mirror door on wooden-plated 2 glass shelves 300 mm width depth adjustable 400 mm wide depth adjustable 500 mm wide depth adjustable		150 151-300	300 300	640 640	S 2 A 4 3 3 0 3 1 S 2 V 4 3 3 0 3 1	L/R L/R			
 height 640 mm extension mirror cabinets 2 mirror doors on wooden-plated 2 glass shelves 600 mm wide depth adjustable		150 151-300	600 600	640 640	S 2 A 4 3 6 0 3 1 S 2 V 4 3 6 0 3 1				

Door width: L = left door, M = middle door, R = right door
 Please observe suitable accessories in the separate index.

Program 021 - model list

Depth indication corresponds to the carcass depth

Mirror cabinets simply mirrored height 800 mm



height 800 mm
Ill. = left

Planning mirror cabinets

2 mirror doors on wooden-plated
2 glass shelves
1 switch socket element
1 LED converter 15 W

600 mm wide

depth adjustable

L: 396 mm R: 196 mm

700 mm wide

depth adjustable

L: 396 mm R: 296 mm

800 mm wide


depth adjustable

L: 496 mm R: 296 mm

900 mm wide

1 LED converter 30 W

Depth in mm	Width in mm	Height in mm	Article number			Hinge	Surchar- ge high- gloss carcass
150	600	800	S 2 A 5 2 6 0 T X	L/R			
151-300	600	800	S 2 V 5 2 6 0 T X	L/R			
150	700	800	S 2 A 5 2 7 0 T X	L/R			
151-300	700	800	S 2 V 5 2 7 0 T X	L/R			
150	800	800	S 2 A 5 2 8 0 T X	L/R			
151-300	800	800	S 2 V 5 2 8 0 T X	L/R			
150	900	800	S 2 A 5 2 9 0 T X	L/R			



height 800 mm

Planning mirror cabinets

for single washbasin solution
3 mirror doors on wooden-plated
2 central partitions, 6 glass shelves
1 switch socket element
1 LED converter 30 W

800 mm wide

depth adjustable

1 LED converter 15 W

L: 196 mm M: 396 mm R: 196 mm

900 mm wide

depth adjustable

L: 238 mm M: 412 mm R: 238 mm

1000 mm wide

depth adjustable

L: 296 mm M: 396 mm R: 296 mm

1100 mm wide

depth adjustable

L: 296 mm M: 496 mm R: 296 mm

1200 mm wide

depth adjustable

L: 388 mm M: 412 mm R: 388 mm

1300 mm wide

depth adjustable

L: 388 mm M: 512 mm R: 388 mm

1400 mm wide




depth adjustable

L: 438 mm M: 512 mm R: 438 mm

150	800	800	S 2 A 5 3 8 0 T X				
151-300	800	800	S 2 V 5 3 8 0 T X				
150	900	800	S 2 A 5 3 9 0 T X				
151-300	900	800	S 2 V 5 3 9 0 T X				
150	1000	800	S 2 A 5 3 1 0 T X				
151-300	1000	800	S 2 V 5 3 1 0 T X				
150	1100	800	S 2 A 5 3 1 1 T X				
151-300	1100	800	S 2 V 5 3 1 1 T X				
150	1200	800	S 2 A 5 3 1 2 T X				
151-300	1200	800	S 2 V 5 3 1 2 T X				
150	1300	800	S 2 A 5 3 1 3 T X				
151-300	1300	800	S 2 V 5 3 1 3 T X				
150	1400	800	S 2 A 5 3 1 4 T X				
151-300	1400	800	S 2 V 5 3 1 4 T X				

Door width: L = left door, M = middle door, R = right door
Please observe suitable accessories in the separate index.

Program 021 - model list


Depth indication corresponds to the carcass depth		Depth in mm	Width in mm	Height in mm	Article number			Hinge	Surchar- ge high- gloss carcass
Mirror cabinets simply mirrored height 800 mm									
 height 800 mm	Planning mirror cabinets Description as above, though for double washbasin solutions 1200 mm wide depth adjustable L: 496 mm M: 196 mm R: 496 mm 1300 mm wide depth adjustable L: 496 mm M: 296 mm R: 496 mm 1400 mm wide depth adjustable L: 546 mm M: 296 mm R: 546 mm 1600 mm wide depth adjustable L: 546 mm M: 496 mm R: 546 mm	150 151-300	1200 1200	800 800	S 2 A 5 3 2 D T X S 2 V 5 3 2 D T X				
		150 151-300	1300 1300	800 800	S 2 A 5 3 3 D T X S 2 V 5 3 3 D T X				
		150 151-300	1400 1400	800 800	S 2 A 5 3 4 D T X S 2 V 5 3 4 D T X				
		150 151-300	1600 1600	800 800	S 2 A 5 3 6 D T X S 2 V 5 3 6 D T X				
 height 800 mm	Shelf variable dimensions 3 fixed wooden shelves	150-300	150-600	800	R V	5 1 V 0 1			
 height 800 mm	extension mirror cabinets 1 mirror door on wooden-plated 2 glass shelves 300 mm width depth adjustable	150 151-300	300 300	800 800	S 2 A 5 1 3 0 2 D L/R S 2 V 5 1 3 0 2 D L/R				
	400 mm wide depth adjustable	150 151-300	400 400	800 800	S 2 A 5 1 4 0 2 D L/R S 2 V 5 1 4 0 2 D L/R				
	500 mm wide depth adjustable	150 151-300	500 500	800 800	S 2 A 5 1 5 0 2 D L/R S 2 V 5 1 5 0 2 D L/R				
 height 800 mm	extension mirror cabinets 2 mirror doors on wooden-plated 2 glass shelves 600 mm wide depth adjustable	150 151-300	600 600	800 800	S 2 A 5 2 6 D 0 2 S 2 V 5 2 6 D 0 2				

Door width: L = left door, M = middle door, R = right door
 Please observe suitable accessories in the separate index.

Program 021 - model list


Depth indication corresponds to the carcass depth

LED lightings

   angled	LED panel light angled This product contains a light source with energy efficiency class: F										
	260	598	20	P Z	1 0 9 7	6 0					
	260	698	20	P Z	1 0 9 7	7 0					
	260	798	20	P Z	1 0 9 7	8 0					
	260	898	20	P Z	1 0 9 7	9 0					
	260	998	20	P Z	1 0 9 7	1 0					
	260	1098	20	P Z	1 0 9 7	1 1					
	260	1198	20	P Z	1 0 9 7	1 2					
	260	1298	20	P Z	1 0 9 7	1 3					
	260	1398	20	P Z	1 0 9 7	1 4					
	260	1498	20	P Z	1 0 9 7	1 5					
	260	1598	20	P Z	1 0 9 7	1 6					
	260	1698	20	P Z	1 0 9 7	1 7					
   round	LED panel light round This product contains a light source with energy efficiency class: F										
	260	498	20	P Z	1 0 9 4	5 0					
	260	598	20	P Z	1 0 9 4	6 0					
	260	698	20	P Z	1 0 9 4	7 0					
	260	798	20	P Z	1 0 9 4	8 0					
	260	998	20	P Z	1 0 9 4	1 0					
	260	898	20	P Z	1 0 9 4	9 0					
	260	1098	20	P Z	1 0 9 4	1 1					
	260	1198	20	P Z	1 0 9 4	1 2					
	260	1298	20	P Z	1 0 9 4	1 3					
	260	1398	20	P Z	1 0 9 4	1 4					


Please order additional LED converter, if no converter is included in the the mirror carbinet.
Please observe suitable accessories in the separate index.

Program 021 - model list

Depth indication corresponds to the carcass depth		Depth in mm	Width in mm	Height in mm	Article number			Hinge	Surchar- ge high- gloss carcass
LED lightings									
	depth-variable chrome veneer (2 pieces) sideward veneer for LED-surface-light for depth-variable mirror-cabinets chrome veneer shortable in depth	300	1	20	P Z 1 1 0 9 7	V			
  angled	LED panel light angled outer edges in chrom not suitable for depth-variable mirror-cabinets This product contains a light source with energy efficiency class: F 600 mm wide 8,9 watt 900 mm wide 13,6 Watt 1200 mm wide 18,2 watt 1400 mm wide 21,3 watt 1500 mm wide 22,9 watt 1600 mm wide 24,4 watt 1800 mm width 27,4 watt	243	602	19	P Z 1 0 8 9 6 0				
		243	902	19	P Z 1 0 8 9 9 0				
		243	1202	19	P Z 1 0 8 9 1 2				
		243	1402	19	P Z 1 0 8 9 1 4				
		243	1502	19	P Z 1 0 8 9 1 5				
		243	1602	19	P Z 1 0 8 9 1 6				
		243	1802	19	P Z 1 0 8 9 1 8				
	flyover shelf with LED lighting depth adjustable 1 flyover shelf with LED lighting 1 middle panel with chrome edge This product contains a light source with energy efficiency class: G 600 mm wide 6,3 Watt 700 mm wide 9,1 watt 800 mm wide 11,4 watt 900 mm wide 11,4 watt 1000 mm wide 11,4 watt 1100 mm wide 11,4 watt 1200 mm wide 16,4 watt 1300 mm wide 16,4 watt 1400 mm wide 16,4 watt	300-450	600	40	G S V 4 1 6 0 6 1				
		300-450	700	40	G S V 4 1 7 0 6 1				
		300-450	800	40	G S V 4 1 8 0 6 1				
		300-450	900	40	G S V 4 1 9 0 6 1				
		300-450	1000	40	G S V 4 1 1 0 6 1				
		300-450	1100	40	G S V 4 1 1 1 6 1				
		300-450	1200	40	G S V 4 1 1 2 6 1				
		300-450	1300	40	G S V 4 1 1 3 6 1				
		300-450	1400	40	G S V 4 1 1 4 6 1				
	flyover shelf adjustable in depth und width Price per metre flyover shelf also availabe with LED-lighting against surcharge Please submit inquiry with drawing	145-495	200-2600	28	G B N 4 0 V				

Please order additional LED converter, if no converter is included in the the mirror carbinet.
Please observe suitable accessories in the separate index.

Program 021 - model list

Depth indication corresponds to the carcass depth		Depth in mm	Width in mm	Height in mm	Article number			Hinge	Surcharge high-gloss carcass
LED lightings									
	LED lighting element also for mirrors This product contains a light source with energy efficiency class: G								
	500 mm width 4,56 watt	94	500	44	P Z	1 0 8 3 5 0			
	800 mm wide 7,44 watt	94	800	44	P Z	1 0 8 3 8 0			
 	LED lighting element also for mirrors This product contains a light source with energy efficiency class: F								
	500 mm width 7,36 watt	94	500	44	P Z	1 5 0 3 5 0			
	800 mm wide 12,0 watt	94	800	44	P Z	1 5 0 3 8 0			
 	LED lighting element in alu This product contains a light source with energy efficiency class: G								
	434 mm wide 6,2 Watt	123	434	28	P Z	1 1 4 0 4 0			
	LED lighting element 634 mm wide in alu	123	634	28	P Z	1 1 4 0 6 0			
	LED lighting element 934 mm wide in alu	123	934	28	P Z	1 1 4 0 9 0			
	LED lighting element 1234 mm wide in alu	123	1234	28	P Z	1 1 4 0 1 2			
	1434 mm wide 23,18 watt alu	123	1434	28	P Z	1 1 4 0 1 4			
 	LED lighting element in black matt This product contains a light source with energy efficiency class: G								
	LED lighting element 634 mm wide in black matt	127	634	24	P Z	1 1 6 0 6 0			
	LED lighting element 934 mm wide in black matt	127	934	24	P Z	1 1 6 0 9 0			
	LED lighting element 1234 mm wide in black matt	127	1234	24	P Z	1 1 6 0 1 2			
	LED lighting element 1434 mm wide 23,18 watt black matt	127	1434	24	P Z	1 1 6 0 1 4			
 	LED lighting element This product contains a light source with energy efficiency class: E								
	420 mm wide 1 pedestal 3,84 Watt	100	420	38	P Z	1 0 5 5 5			
	600 mm wide 5,3 Watt	100	600	38	P Z	1 0 5 8 5			
	900 mm wide 8,2 Watt	100	900	38	P Z	1 0 5 9 5			
	1100 mm wide 10,1 Watt	100	1100	38	P Z	1 0 6 7 5			
	1300 mm wide 12,0 watt	100	1300	38	P Z	1 0 6 8 5			




Please order additional LED converter, if no converter is included in the the mirror carbinet.
Please observe suitable accessories in the separate index.

Program 021 - model list

Depth indication corresponds to the carcass depth				Depth in mm	Width in mm	Height in mm	Article number			Hinge	Surchar- ge high- gloss carcass
LED lightings											
 LED lighting element This product contains a light source with energy efficiency class: F 400 mm wide 5,9 watt 900 mm wide 13,7 watt 600 mm wide 9,0 watt				78	400	47	P Z	1 0 7 9 2 8			
				78	900	47	P Z	1 0 7 9 2 7			
				78	600	47	P Z	1 0 7 9 2 6			
 LED lighting element This product contains a light source with energy efficiency class: F 600 mm wide 8,53 watt 900 mm wide 13,2 watt 600 mm wide high pedestals 8,53 watt 900 mm wide high pedestals 13,2 watt				130	600	38	P Z	1 0 7 5 5			
				130	900	38	P Z	1 0 7 6 5			
				130	600	73	P Z	1 0 7 7 5			
				130	900	73	P Z	1 0 7 8 5			
 LED lighting element This product contains a light source with energy efficiency class: G 600 mm wide 9,5 watt 900 mm wide 11,5 watt				115	600	35	P Z	1 5 0 4 6 0			
				115	900	35	P Z	1 5 0 4 9 0			
 LED lighting element This product contains a light source with energy efficiency class: G 400 mm wide 8,4 watt 600 mm wide 11,5 watt 900 mm wide 2 pedestals 15,5 watt				120	400	50	P Z	1 0 9 8 4 0			
				120	600	50	P Z	1 0 9 8 6 0			
				120	900	50	P Z	1 0 9 8 9 0			
 LED lighting element This product contains a light source with energy efficiency class: G 600 mm wide 11,3 watt 900 mm wide 17,0 watt				148	600	77	P Z	1 0 7 3 1			
				148	900	77	P Z	1 0 7 2 1			




Please order additional LED converter, if no converter is included in the the mirror carbinet.
Please observe suitable accessories in the separate index.

Program 021 - model list

Depth indication corresponds to the carcass depth		Depth in mm	Width in mm	Height in mm	Article number			Hinge	Surchar- ge high- gloss carcass						
Individual mirror cabinets															
	Mirror cabinet 1 flyover shelf with LED panel light 13,5 watt / converter 30watt 3 mirror doors on wooden-plated 6 glass shelves 2 central partitions, 1 switch socket element Door width: 194 mm / 346 mm / 194 mm This product contains a light source with energy efficiency class: F	150	750	680	S	2	A	4	3	7	A	7	2		
incl. handle blocks															
	Mirror cabinet 1 flyover shelf with LED panel light 16 watt / converter 30 watt 3 mirror doors on wooden-plated 6 glass shelves 2 central partitions, 1 switch socket element Door width: 238 mm / 410 mm / 238 mm This product contains a light source with energy efficiency class: F	150	900	680	S	2	A	4	3	9	A	7	2		
incl. handle blocks															
	Mirror cabinet 1 flyover shelf with LED panel light 22 watt / converter 30 watt 3 mirror doors on wooden-plated 6 glass shelves 2 central partitions, 1 switch socket element Door width: 388 mm / 410 mm / 388 mm This product contains a light source with energy efficiency class: F	150	1200	680	S	2	A	4	3	1	A	7	2		
incl. handle blocks															
 	Built-in mirrored cabinet 2 double mirror doors 2 glass shelves LED aluminium frame, white with LED-Emotion lighting 34,8 watt lateral overhang 25,5 mm inkl. converter 60 Watt / 24 V. 1 switch-socket element Door width: 296 mm / 296 mm This product contains a light source with energy efficiency class: F carcass depth= 600 mm carcass height: 640 mm not suitable with LED washbasin lighting	150	720	760	S	2	A	4	3	6	0	5	1		
incl. handle blocks															





Please observe suitable accessories in the separate index.

Program 021 - model list

Depth indication corresponds to the carcass depth		Depth in mm	Width in mm	Height in mm	Article number			Hinge	Surchar- ge high- gloss carcass						
Individual mirror cabinets															
  incl. handle blocks	Built-in mirrored cabinet 3 double mirror doors 2 central partitions, 6 glass shelves LED aluminium frame, white with LED-Emotion lighting 42,0 watt lateral overhang 25,5 mm inkl. converter 60 Watt / 24 V. 1 switch-socket element Door width: 238 mm / 412 mm / 238 mm This product contains a light source with energy efficiency class: F carcass depth= 900 mm carcass height: 640 mm not suitable with LED washbasin lighting	150	1020	760	S	2	A	4	3	9	0	5	1		
  incl. handle blocks	Built-in mirrored cabinet 3 double mirror doors 2 central partitions, 6 glass shelves with LED-Emotion lighting LED aluminium frame, white 49,2 watt lateral overhang 25,5 mm inkl. converter 60 Watt / 24 V. 1 switch-socket element Door width: 388 mm / 412 mm / 388 mm This product contains a light source with energy efficiency class: F carcass depth= 1200 mm carcass height: 640 mm not suitable with LED washbasin lighting	150	1320	760	S	2	A	4	3	1	2	5	1		
  incl. handle blocks	Built-in mirrored cabinet 3 double mirror doors 2 central partitions, 6 glass shelves with LED-Emotion lighting LED aluminium frame, white 61,6 watt lateral overhang 25,5 mm inkl. converter 60 Watt / 24 V. 1 switch-socket element Door width: 446 mm / 496 mm / 446 mm This product contains a light source with energy efficiency class: F carcass depth= 1400 mm carcass height: 640 mm not suitable with LED washbasin lighting	150	1520	760	S	2	A	4	3	1	4	5	1		




Please observe suitable accessories in the separate index.

Program 021 - model list

Depth indication corresponds to the carcass depth		Depth in mm	Width in mm	Height in mm	Article number			Hinge	Surchar- ge high- gloss carcass						
Individual mirror cabinets															
  incl. handle blocks	Built-in mirrored cabinet 2 double mirror doors 2 glass shelves LED aluminium frame 28,8 watt lateral overhang 25,5 mm with sensor for emotion lighting inkl. converter 60 Watt / 24 V. 1 switch socket element Door width: 296 mm / 296 mm This product contains a light source with energy efficiency class: G carcass width: 600 mm carcass height: 800 mm	150	651	851	S	2	A	5	3	6	0	E	1		
  III. = left incl. handle blocks	Built-in mirrored cabinet 2 double mirror doors 2 glass shelves LED aluminium frame 32,6 watt lateral overhang 25,5 mm with sensor for emotion lighting inkl. converter 60 Watt / 24 V. 1 switch socket element Door width: 496 mm / 296 mm This product contains a light source with energy efficiency class: G carcass width: 800 mm carcass height: 800 mm	150	851	851	S	2	A	5	3	8	0	E	1	L/R	
  incl. handle blocks	Built-in mirrored cabinet 3 double mirror doors 6 glass shelves 2 central partitions, LED aluminium frame 34,6 watt lateral overhang 25,5 mm with sensor for emotion lighting inkl. converter 60 Watt / 24 V. 1 switch socket element Door width: 238 mm / 412 mm / 238 mm This product contains a light source with energy efficiency class: G carcass depth= 900 mm carcass height: 800 mm	150	951	851	S	2	A	5	3	9	0	E	1		
  incl. handle blocks	Built-in mirrored cabinet 3 double mirror doors 2 central partitions, 6 glass shelves LED aluminium frame 36,5 watt lateral overhang 25,5 mm with sensor for emotion lighting inkl. converter 60 Watt / 24 V. 1 switch socket element Door width: 238 mm / 512 mm / 238 mm This product contains a light source with energy efficiency class: G carcass depth= 1000 mm carcass height: 800 mm	150	1051	851	S	2	A	5	3	1	0	E	1		

Please observe suitable accessories in the separate index.




Program 021 - model list

Depth indication corresponds to the carcass depth				Depth in mm	Width in mm	Height in mm	Article number	Hinge	Surchar- ge high- gloss carcass
Individual mirror cabinets									
  incl. handle blocks	Built-in mirrored cabinet 3 double mirror doors 6 glass shelves 2 central partitions, LED aluminium frame 40,3 watt lateral overhang 25,5 mm with sensor for emotion lighting inkl. converter 60 Watt / 24 V. 1 switch socket element Door width: 388 mm / 412 mm / 388 mm This product contains a light source with energy efficiency class: G carcass depth= 1200 mm carcass height: 800 mm			150	1251	851	S 2 A 5 3 1 2 E 1		
	  incl. handle blocks			150	1451	851	S 2 A 5 3 1 4 E 1		
  Ill. = left incl. handle blocks	Built-in mirrored cabinet 2 double mirror doors 2 glass shelves LED aluminium frame 28,8 watt lateral overhang 25,5 mm with sensor for emotion lighting inkl. converter 60 Watt / 24 V. 1 switch socket element 1 illuminated shelf (2,64 watt) door height: 636 mm Door width: 396 mm / 196 mm This product contains a light source with energy efficiency class: G carcass depth= 600 mm carcass height: 800 mm								
	wider door left			150	651	851	S 2 A 5 5 6 L E 1		
	wider door right			150	651	851	S 2 A 5 5 6 R E 1		

Please observe suitable accessories in the separate index.


Program 021 - model list

The numbers represent POINTS not prices

Depth indication corresponds to the carcass depth		Depth in mm	Width in mm	Height in mm	Article number			Hinge	Surchar- ge high- gloss carcass				
Individual mirror cabinets													
	Built-in mirrored cabinet 2 double mirror doors 2 glass shelves LED aluminium frame 32,6 watt lateral overhang 25,5 mm with sensor for emotion lighting inkl. converter 60 Watt / 24 V. 1 switch socket element 1 illuminated shelf (3,6 watt) Door width: 496 mm / 296 mm This product contains a light source with energy efficiency class: G carcass width: 800 mm carcass height: 800 mm												
	III. = left incl. handle blocks												
	wider door left	150	851	851	S	2	A	5	5	8	L	E	1
	wider door right	150	851	851	S	2	A	5	5	8	R	E	1
	Built-in mirrored cabinet 3 double mirror doors 2 central partitions, 6 glass shelves LED aluminium frame 34,6 watt lateral overhang 25,5 mm with sensor for emotion lighting inkl. converter 60 Watt / 24 V. 1 switch socket element 1 illuminated shelf (4,08 watt) door height: 636 mm Door width: 238 mm / 412 mm / 238 mm This product contains a light source with energy efficiency class: G carcass depth= 900 mm carcass height: 800 mm	150	951	851	S	2	A	5	5	9	0	E	1
	incl. handle blocks												
	Built-in mirrored cabinet 3 double mirror doors 6 glass shelves LED aluminium frame 36,5 watt lateral overhang 25,5 mm with sensor for emotion lighting inkl. converter 60 Watt / 24 V. 1 switch socket element 1 illuminated shelf (4,60 watt) Door width: 238 mm / 512 mm / 238 mm This product contains a light source with energy efficiency class: G carcass depth= 1000 mm carcass height: 800 mm	150	1051	851	S	2	A	5	5	1	0	E	1
	incl. handle blocks												

Please observe suitable accessories in the separate index.

Program 021 - model list


Depth indication corresponds to the carcass depth					Depth in mm	Width in mm	Height in mm	Article number	Hinge	Surchar- ge high- gloss carcass
Individual mirror cabinets										
  incl. handle blocks	Built-in mirrored cabinet 3 double mirror doors 2 central partitions, 6 glass shelves LED aluminium frame 40,3 watt lateral overhang 25,5 mm with sensor for emotion lighting inkl. converter 60 Watt / 24 V. 1 switch socket element 1 illuminated shelf (5,5 watt) door height: 636 mm Door width: 388 mm / 412 mm / 388 mm This product contains a light source with energy efficiency class: G carcass depth= 1200 mm carcass height: 800 mm				150	1251	851	S 2 A 5 5 1 2 E 1		
	Built-in mirrored cabinet 3 double mirror doors 2 central partitions, 6 glass shelves LED aluminium frame 44,2 watt lateral overhang 25,5 mm with sensor for emotion lighting inkl. converter 60 Watt / 24 V. 1 switch socket element 1 illuminated shelf (6,5 watt) door height: 636 mm Door width: 446 mm / 496 mm / 446 mm This product contains a light source with energy efficiency class: G carcass depth= 1400 mm carcass height: 800 mm				150	1451	851	S 2 A 5 5 1 4 E 1		

Please observe suitable accessories in the separate index.

Program 021 - dimensional drawings

electrical connections for mirror cabinets


S2A 4360/90/12/14 51



S2A 53xx E1, S2A 55xx E1

FSR 4070 01

FSR 4090 01



FSA 43(70/10/12) 12

FSA 43(14/17) 12

FSA 43xx 10

