next generation

LINEA

Program 050








Front colours



No. 777 cosmos grey matt



No. 793 noble white matt



No. 891 quarz grey matt



No. 893 titanium grey matt



No. 686 anthracite hgl.



No. 722 polar white hgl.

F | foiled front



Nr. 785 natural oak



no. 786 truffle oak



no. 680 Charleston oak

carcass colours

* High gloss carcass for an additional price



No. 177 cosmos grey matt



white matt



no. 191 quarz grey matt



No. 193 titanium grey



*no. 121 anthracite hgl.



*no. 161 white hgl.



Nr. 185 natural oak



no. 186 truffle oak



no. 180 Charleston oak



Washbasin colours



Cast mineral washbasins

No. 1 white

Handle version



No. 317 bar handle chrome

handle-borehole distance for straight fronts: 96 mm / 384 mm



No. 320 bar handle chrome

handle-borehole distance for straight fronts: 96 mm / 384 mm

Technique

door with integrated buffered closing

Pull outs and drawers

No. 556
Pull outs and drawers with soft close



No. 559

Pull outs and drawers with soft



Mirror cabinets

Series A



Series B





Depth indication corresponds to the carcass depth Mirror cabinets Series A		Depth in mm	Width in mm	Height in mm	Artio	cle n	umb	er	Hinge	Surchar- ge high- gloss carcass	Surcharge Premium equiq- ment
III. = left incl. handle block	mirror cabinet 1 mirror door on wooden-plated 1 glass shelf 1 flyover shelf with LED lighting 4,56 watt / converter 15 watt 2 mirror-finished shelf units with 2 glass shelves each 150 mm wide 1 switch socket element Door width: 396 mm This product contains a light source with energy efficiency class: G Additional accessories LED washbasin lighting	150	700	656	S 2 A			S 1	L/R		
incl. handle blocks	mirror cabinet 2 mirror doors on wooden-plated with 1 glass shelf each 1 flyover shelf with LED lighting 6,48 watt / converter 15 watt 2 mirror-finished shelf units with 2 glass shelves each 150 mm wide 1 switch socket element Door width: 396 mm / 314 mm This product contains a light source with energy efficiency class: G Additional accessories LED washbasin lighting	150	1000	656	S 2 A			S 1			
incl. handle blocks	mirror cabinet 2 mirror doors on wooden-plated with 1 glass shelf each 1 flyover shelf with LED lighting 6,48 watt / converter 15 watt 2 mirror-finished shelf units with 2 glass shelves each 150 mm wide 1 switch socket element Door width: 314 mm / 396 mm This product contains a light source with energy efficiency class: G Additional accessories LED washbasin lighting	150	1000	656	S 2 A			S 1			
incl. handle blocks	mirror cabinet 3 mirror doors on wooden-plated with 1 glass shelf each 1 flyover shelf with LED lighting 6,48 watt / converter 15 watt with 2 glass shelves each 150 mm wide 1 switch socket element Door width: 314 mm / 396 mm / 314 mm This product contains a light source with energy efficiency class: G Additional accessories LED washbasin lighting	150	1300	656	S 2 A			S 1			

Denth indication corr	esponds to the carcass depth	Depth in mm	Width in mm	Height in mm				er	Hinge	Surchar- ge high- gloss carcass	Premium
·	ets Series A								불		ment
incl. handle blocks	mirror cabinet 2 mirror doors on wooden-plated with 1 glass shelf each 1 flyover shelf with LED lighting 9,12 watt / converter 30 watt 3 mirror-finished shelf units with 2 glass shelves each outside 150 mm wide middel 300 mm wide 1 switch socket element left Door width: 546 mm This product contains a light source with energy efficiency class: G Additional accessories LED washbasin lighting (please order 2 pieces)	150	1700	656	S 2 A			S 1			
incl. handle blocks	Mirror cabinet 3 mirror doors on wooden-plated 2 central partitions, 3 glass shelves 2 LED light profiles at the sides 2 x 6 watt / converter 30 watt 1 switch socket element Door width: 180 mm / 296 mm / 180 mm This product contains a light source with energy efficiency class: G Additional accessories	170	700	640	S 2 A			79			
incl. handle blocks	Mirror cabinet 3 mirror doors on wooden-plated 2 central partitions, 3 glass shelves 2 LED light profiles at the sides 2 x 6 watt / converter 30 watt 1 switch socket element Door width: 222 mm / 512 mm / 222 mm This product contains a light source with energy efficiency class: G Additional accessories LED washbasin lighting	170	1000	640	S 2 A	4 3	1 0				

Depth indication corre	sponds to the carcass depth ets Series B Mirror cabinet 3 mirror doors on wooden-plated 2 central partitions, 3 glass shelves 2 LED light profiles at the sides 2 x 6 watt / converter 30 watt 1 switch socket element Door width: 372 mm / 512 mm / 372 mm This product contains a light source with energy efficiency class: G Additional accessories	Depth in mm	Width in mm	Height in mm		4 3 1 3 7	=	eBuil	Surchar- ge high- gloss carcass	Surcharge Premium equiq- ment
incl. handle blocks	Mirror cabinet Consisting of 2 elements, each: 3 mirror doors on wooden-plated 2 central partitions, 3 glass shelves 2 LED light profiles at the sides 2 x 6 watt / converter 30 watt 1 switch socket element 1 shelf unit centred mirrored back side 2 glass shelves Door width: 180 mm / 296 mm / 180 mm - 180 mm / 296 mm / 180 mm This product contains a light source with energy efficiency class: G Additional accessories lighting element (please order 2 pieces) LED washbasin lighting (please order 2 pieces)	170	1700	640	P Z	1 0 6 3	7 9			
	Consisting of: washbasin, cast mineral, white, 712 mm Washbasin base unit 700 mm 1 metal pull out unit with buffered closing 1 drawer with buffered closing without LED lighting with LED lighting 1 LED converter 12 V, 15 Watt incl. toggle switch at the side This product contains a light source with energy efficiency class: F only premium- equipment possible Additional accessories Space-saving drain stench trap DN 40 Space-saving drain stench trap DN 32 motion sensor for LED lighting	502 502	712 712			LN70 LN70E	1 3 1			

Depth indication corresponds to the carcass depth Sets		Depth in mm	Width in mm	Height in mm	Artic	cle numbe	er	Hinge	Surchar- ge high- gloss carcass	Surchar- ge Premium equiq- ment
III. = left	Consisting of: Cast mineral washbasin, white, 1012 mm Washbasin base unit, 1000 mm 1 metal pull out unit with buffered closing 1 drawer with buffered closing 1 door									
	without LED lighting with LED lighting 1 LED converter 12 V, 15 Watt incl. toggle switch at the side This product contains a light source with energy efficiency class: F only premium- equipment possible Additional accessories Space-saving drain stench trap DN 40 Space-saving drain stench trap DN 32 motion sensor for LED lighting	502 502	1012	500 500		LN10 LN10	B 1	L/R L/R		
	washbasin mineral, white, 1312 mm Washbasin base unit 1300 mm 1 metal pull out unit with buffered closing 1 drawer with buffered closing 2 doors left and right without LED lighting with LED lighting 1 LED converter 12 V, 15 Watt incl. toggle switch at the side This product contains a light source with energy efficiency class: F only premium- equipment possible Additional accessories Space-saving drain stench trap DN 40 Space-saving drain stench trap DN 32 motion sensor for LED lighting	502 502	1312 1312	500 500		LN13 LN13				

Depth indication corr	esponds to the carcass depth	Depth in mm in mm Article number		Surchar- ge high- gloss carcass	Surcharge Premium equiq- ment					
	washbasin mineral, white, 1712 mm 2 washstand base units, 1000 mm + 700 mm, each: 1 metal pull out unit with buffered closing 1 drawer with buffered closing 1 door central									
	without LED lighting with LED lighting 1 LED converter 12 V, 15 Watt incl. toggle switch at the side This product contains a light source with energy efficiency class: F only premium- equipment possible	502 502	1712 1712	500 500		L N 1 7		L/R L/R		
Universal - v	Additional accessories Space-saving drain stench trap DN 40 (order 2 pi Space-saving drain stench trap DN 32 (order 2 pi motion sensor for LED lighting				PZ PZ PZ	1 3 6 7 1 4 2 3 1 1 4 1				
	Washbasin base unit	300	600	496	WUA	3 1 6 0	A			
	2 doors 1 top cover 330 mm deep with syphon cut- out (depth: 240 mm, width: 80 mm) for free hanging washbasin									
Tall units										
1120 160 320	Tall unit 1 door 4 glass shelves 1 drawer with buffered closing 1 pull-out with buffered closing	300	300 400			0830		L/R L/R		

Depth indication corresponds to the carcass depth Tall units		Depth in mm	Width in mm	Height in mm	Artic	cle nur	nbe	r	Hinge	Surcha ge high gloss carcas	Premium
1120 160 320	Tall unit 2 doors 4 glass shelves 1 drawer with buffered closing 1 pull-out with buffered closing	300	600	1600	HNA	086	3 0	5			
320 160 480	Tall unit 1 door 1 glass shelf (top) 1 open compartment 1 drawer with buffered closing 1 door 1 glass shelf	300	300 400	1600 1600	HNA						
320 160 480	Tall unit 2 doors 1 glass shelf (top) 1 open compartment 1 drawer with buffered closing 2 doors 1 glass shelf	300	600	1600	HNA	0 2 6	3 0	0 1			
Tall unit-she	II										
238 238 238 238 238 238 238 238 238 238	Tall unit-shelf with open shelf space in carcass colour	150	300	1600	RG	103	3 0	0 1			

Depth indication corresponds to the carcass depth Tall unit-shelf		Depth in mm	Width in mm	Height in mm	Artic	cle numb	er	Hinge	Surchar ge high gloss carcass	Premium
374 366 366 374 374 374	Tall unit-shelf with mirror surface 4 shelves compartments in carcass colour	150	300	1600	RG	1030	0 2			
374 1 1 366 366 374 Central units	Tall unit-shelf 4 functional hooks 4 shelves compartments in carcass colour	150	300	1600	RG	1030	0 3			
160 —	medium-high unit 1 door 2 glass shelves (top) 1 drawer with buffered closing 1 pull-out with buffered closing 1 top cover 325 mm deep	300	300 400			8 8 3 A 8 8 4 A				
800	medium-high unit 2 doors 2 glass shelves (top) 1 drawer with buffered closing 1 pull-out with buffered closing 1 top cover 325 mm deep	300	600	1296	MNA	8 8 6 A	0 1			
1280	medium-high unit 1 door 4 glass shelves 1 top cover 325 mm deep	300	300 400			8 1 3 <i>A</i> 8 1 4 <i>A</i>				

Depth indication corresponds to the carcass depth Central units		Depth in mm	Width in mm	Height in mm	Artic	cle nu	ımbe	er	Hinge	Surcha ge hig gloss carcas	Premium
1280	medium-high unit 2 doors 4 glass shelves 1 top cover 325 mm deep	300	600	1296	MNA	8 1	6 A	0 1			
Highboards											
<u> </u>	Highboard	300	300	656	НВА	4 1	3 A	0 1	L/R		
640	1 door 1 glass shelf 1 top cover 325 mm deep	300	400	656	НВА	4 1	4 A	0 1	L/R		
640	Highboard 2 doors 1 glass shelf 1 top cover 325 mm deep	300	600	656	НВА	4 1	6 A	0 1			
640	Highboard with laundry basket 1 laundry basket with wire basket 1 top cover 325 mm deep										
÷	Volume of laundry basket: 25 liters	300	300	656	НВА	4 1	3 W	0 1			
	Volume of laundry basket: 35 liters	300	400	656	НВА	4 1	4 W	0 1			
640	Highboard with laundry basket 1 laundry basket with wire basket 1 top cover 325 mm deep Volume of laundry basket: 55 liters	300	600	656	НВА	4 1	6 W	0 1			
	Highboard	300	300	816	НВА	5 5	3 A	0 1	L/R		
640	drawer with buffered closing door glass shelf top cover 325 mm deep	300	400	816	НВА	5 5	4 A	0 1	L/R		
640	Highboard 1 drawer with buffered closing 2 doors 1 glass shelf 1 top cover 325 mm deep	300	600	816	НВА	5 5	6 A	0 1			



Depth indication corresponds to the carcass depth Highboards Highboard with laundry basket		Depth in mm	Width in mm	Height in mm	Artic	cle numb	oer	Hinge	Surchar- ge high- gloss carcass	Surcharge Premium equiq- ment
. =	Highboard with laundry basket									
640	drawer with buffered closing laundry basket with wire basket top cover 325 mm deep									
÷	Volume of laundry basket: 25 liters	300	300	816	НВА	5 5 3 \	V 0 1			
	Volume of laundry basket: 35 liters	300	400	816	НВА	5 5 4 \	V 0 1			
160	Highboard with laundry basket 1 drawer with buffered closing 1 laundry basket with wire basket 1 top cover 325 mm deep Volume of laundry basket: 55 liters	300	600	816	НВА	5 5 6 \	V 0 1			
Wall units										
	Wall unit 1 door	150	300	640	OGA	4 1 3	0	L/R		
640	1 glass shelf	150	400	640	OGA	4 1 4	D	L/R		
640	Wall unit 2 doors 1 glass shelf	150	600	640	OGA	4 1 6	0			
Base units										
160	Base unit	300	300	496	UNA	3 4 3	A 0 1			
320	1 drawer with buffered closing 1 pull-out with buffered closing incl. drawer rail 1 top cover 325 mm deep	300	400	496	UNA	3 4 4	A 0 1			
320	Base unit 1 drawer with buffered closing 1 pull-out with buffered closing incl. drawer rail 1 top cover 325 mm deep	300	600	496	UNA	3 4 6	A 0 1			


Depth indication corresponds to the carcass depth Shelves		Depth in mm	Width in mm	Height in mm	Artic	cle nu	umbo	er	Hinge	Surchar- ge high- gloss carcass	Surchar- ge Premium equiq- ment
	functional shelf Edges are cut with a mitre veritcal and horizontal mounting possible	150	300	160	RGL	1 1	3 0	0 1			
	please indicate colour version: no. 501 white matt lacquered no. 547 black matt lacquered										
	functional shelf Edges are cut with a mitre veritcal and horizontal mounting possible	150	600	160	RGL	1 1	6 0	0 2			
	please indicate colour version: no. 501 white matt lacquered no. 547 black matt lacquered										
	functional shelf Edges are cut with a mitre veritcal and horizontal mounting possible	150	900	160	RGL	1 1	9 0	0 3			
	please indicate colour version: no. 501 white matt lacquered no. 547 black matt lacquered										
Glass shelfs											
-	Glass shelf incl. metal holder										
	400 mm wide incl. 2 metal brackets	130	400	8	A B G	1 3	4 0	0 8			
	600 mm wide incl. 2 metal brackets	130	600	8	A B G	1 3	6 0	0 8			
	700 mm wide incl. 2 metal brackets	130	700	8	A B G	1 3	7 0	0 8			
	1000 mm wide incl. 3 metal brackets	130	1000	8	ABG	1 3	1 0	0 8			
Accessories											
1	Towel holder chrome gloss front opened to fit on carcass at side	380	50	10	PΖ	1 1	2 7	4 5			
	Please observe carcass depth and furniture height										



Depth indication corresponds to the carcass depth Accessories Towel holder		Depth in mm	in mm in mm		cle numb	er	Hinge	Surchar- ge high- gloss carcass	Surchar- ge Premium equiq- ment	
	Towel holder one-armed extendable Chrome hgl. wall-mounted	330-567	44	44	PΖ	1 1 3 7	1			
	Towel holder two-armed extendable Chrome hgl. wall-mounted	322-562	87	47	PΖ	1 1 3 7	2			
	Cosmetic mirror 2-times magnified vacuum cup and fixation metal fixing bracket chrome	30	150	150	PΖ	1 2 3 3				
2	Touch LED Dimmer for LED mirror cabinets and lightings				PΖ	1 0 5 7				
	Motion sensor for LED lighting of washbasins or washbasin base units Term and sensitivity of lighting are adjustable				PΖ	1 1 4 1				
	LED lighting element Width: 500 mm 4,56 watt This product contains a light source with energy efficiency class: G									
	LED lighting element Width: 800 mm 7,44 watt This product contains a light source with energy efficiency class: G									
	LED washbasin lighting 2,4 Watt 1 switch element to fit underneath mirror cabinet This product contains a light source with energy efficiency class: G not suitable with Emotion lighting	10	560	10	PZ	1 0 6 3	6 0			


Depth indication corresponds to the carcass depth Accessories		Depth in mm	Width in mm	Height in mm	Artio	cle num	ber	Hinge	Surchar- ge high- gloss carcass	Surchar- ge Premium equiq- ment
	LED washbasin lighting 3,9 Watt 1 switch element to fit underneath mirror cabinet This product contains a light source with energy efficiency class: G not suitable with Emotion lighting	10	860	10	PΖ	1 0 6	3 9 0			
	LED washbasin lighting 5,3 Watt 1 switch element to fit underneath mirror cabinet This product contains a light source with energy efficiency class: G not suitable with Emotion lighting	10	1160	10	PΖ	1 0 6	3 1 2			
	Space-saving drain stench trap from GEBE- RIT made of plastic, in white nominal diameter: 40				PΖ	1 3 6	7			
	Space-saving drain stench trap from GEBE-RIT made of plastic, in white nominal diameter: 32				PZ	1 4 2	3			

Program 050 - dimensional drawings



SET LN13 SET LN17 1312 1000 125 125 Φ ca.255 ⊕ ⊕ 202 8 5 **(** ca.455 505 ca. 530 350

electrical connections for mirror cabinets



Modifications:

Technical modifications (+/- 5mm) and flatness modifications (DIN 18202) are subject of the usual material-specific modifications for construction materials, based on DIN 18202.