



Front colours



No. 777 cosmos grey matt



No. 891 quarz grey matt



No. 893 titanium grey matt



No. 722 polar white hgl.



no. 670 Halifax oak



No. 750 cardiff oak

F foiled front

M Melamine coated front with ABS-edge

carcass colours

* High gloss carcass for an additional price




No. 177
cosmos grey matt



no. 191
quarz grey matt



No. 193
titanium grey
matt



*no. 161
white hgl.



no. 170
Halifax oak



no. 150
cardiff oak

Washbasin colours

STONEPLUS washbasin



No. 61
white

STONEPLUS®

Glass washbasin



no. 82
optiwhite



no. 92
optiwhite matt

Handle versions



No. 351 strip handle alu
matt



No. 352 strip handle black
matt

Technique

door with integrated buffered closing




Pull outs and drawers

No. 554

Illustrations and specifications are without obligation. Technical modifications reserved.
2021/2022 - ID


Please note the instruction for warranty, mounting and care, and the quality agreements as well, at the beginning of the book.

Program 072 - model list

Depth indication corresponds to the carcass depth		Depth in mm	Width in mm	Height in mm	Article number			Hinge	Surchar- ge high- gloss carcass
Mirrors									
 	Mirror LED acrylic strips at top and bottom Emotion lighting 1 LED converter This product contains a light source with energy efficiency class: F								
	600 mm wide 17,1 watt	28	600	640	F S B 4 3 6 0 0 1				
	900 mm wide 26,4 watt	28	900	640	F S B 4 3 9 0 0 1				
	1200 mm wide 35,7 watt	28	1200	640	F S B 4 3 1 2 0 1				
	1400 mm wide 41,9 watt	28	1400	640	F S B 4 3 1 4 0 1				
 	Mirror LED acrylic strips left and right Emotion lighting 18,6 watt / converter 30watt This product contains a light source with energy efficiency class: F								
	600 mm wide	28	600	640	F S B 4 4 6 0 0 2				
	900 mm wide	28	900	640	F S B 4 4 9 0 0 2				
	1200 mm wide	28	1200	640	F S B 4 4 1 2 0 2				
	1400 mm wide	28	1400	640	F S B 4 4 1 4 0 2				
 	Mirror LED acrylic strips above Emotion lighting 1 LED converter This product contains a light source with energy efficiency class: F								
	600 mm wide 8,5 watt	28	600	640	F S B 4 3 6 0 0 2				
	900 mm wide 13,2 watt	28	900	640	F S B 4 3 9 0 0 2				
	1200 mm wide 17,8 watt	28	1200	640	F S B 4 3 1 2 0 2				
	1400 mm wide 20,9 watt	28	1400	640	F S B 4 3 1 4 0 2				



Please observe suitable accessories in the separate index.

Program 072 - model list


Depth indication corresponds to the carcass depth		Depth in mm	Width in mm	Height in mm	Article number			Hinge	Surchar- ge high- gloss carcass						
Built-in mirrored cabinet															
	Built-in mirrored cabinet 2 double mirror doors 2 glass shelves LED aluminium frame 28,8 watt lateral overhang 25,5 mm with sensor for emotion lighting inkl. converter 60 Watt / 24 V. 1 switch socket element Door width: 296 mm / 296 mm This product contains a light source with energy efficiency class: G carcass width: 600 mm carcass height: 800 mm	150	651	851	S	2	A	5	3	6	0	E	1		
	incl. handle blocks														
	Built-in mirrored cabinet 3 double mirror doors 6 glass shelves 2 central partitions, LED aluminium frame 34,6 watt lateral overhang 25,5 mm with sensor for emotion lighting inkl. converter 60 Watt / 24 V. 1 switch socket element Door width: 238 mm / 412 mm / 238 mm This product contains a light source with energy efficiency class: G carcass depth= 900 mm carcass height: 800 mm	150	951	851	S	2	A	5	3	9	0	E	1		
	incl. handle blocks														
	Built-in mirrored cabinet 3 double mirror doors 6 glass shelves 2 central partitions, LED aluminium frame 40,3 watt lateral overhang 25,5 mm with sensor for emotion lighting inkl. converter 60 Watt / 24 V. 1 switch socket element Door width: 388 mm / 412 mm / 388 mm This product contains a light source with energy efficiency class: G carcass depth= 1200 mm carcass height: 800 mm	150	1251	851	S	2	A	5	3	1	2	E	1		
	incl. handle blocks														
	Built-in mirrored cabinet 3 double mirror doors 6 glass shelves 2 central partitions, LED aluminium frame 44,2 watt lateral overhang 25,5 mm with sensor for emotion lighting inkl. converter 60 Watt / 24 V. 1 switch socket element Door width: 446 mm / 496 mm / 446 mm This product contains a light source with energy efficiency class: G carcass depth= 1400 mm carcass height: 800 mm	150	1451	851	S	2	A	5	3	1	4	E	1		
	incl. handle blocks														

Also usable as top mirror cabinet
Please observe suitable accessories in the separate index.

Program 072 - model list




Depth indication corresponds to the carcass depth		Depth in mm	Width in mm	Height in mm	Article number			Hinge	Surchar- ge high- gloss carcass
Mirror cabinets									
  Ill. = left incl. handle blocks	mirror cabinet 2 double mirror doors with 2 side panel lights 9,7 watt each left and right 2 glass shelves 1 LED converter 60 W with sensor for emotion lighting 1 switch-socket element Door width: 396 mm / 196 mm This product contains a light source with energy efficiency class: F wider door left wider door right Additional accessories LED washbasin lighting LED washbasin lighting emotion LED lighting element 634 mm wide in alu LED lighting element 634 mm wide in black matt								
		150	620	640	S 2 A 4 4 6 L 0 7				
		150	620	640	S 2 A 4 4 6 R 0 7				
					P Z 1 0 6 3 60				
					P Z 1 1 5 0 60				
					P Z 1 1 4 0 60				
					P Z 1 1 6 0 60				
  incl. handle blocks	mirror cabinet 3 double mirror doors with 2 side panel lights 9,7 watt each left and right 2 central partitions, 6 glass shelves 1 LED converter 60 W with sensor for emotion lighting 1 switch-socket element Door width: 238 mm / 412 mm / 238 mm This product contains a light source with energy efficiency class: F Additional accessories LED washbasin lighting LED washbasin lighting emotion LED lighting element 934 mm wide in alu LED lighting element 934 mm wide in black matt	150	920	640	S 2 A 4 4 9 0 0 7				
					P Z 1 0 6 3 90				
					P Z 1 1 5 0 90				
					P Z 1 1 4 0 90				
					P Z 1 1 6 0 90				
  incl. handle blocks	mirror cabinet 3 double mirror doors with 2 side panel lights 9,7 watt each left and right 2 central partitions, 6 glass shelves 1 LED converter 60 W with sensor for emotion lighting 1 switch-socket element Door width: 388 mm / 412 mm / 388 mm This product contains a light source with energy efficiency class: F Additional accessories LED washbasin lighting LED washbasin lighting emotion LED lighting element 1234 mm wide in alu LED lighting element 1234 mm wide in black matt	150	1220	640	S 2 A 4 4 1 2 0 7				
					P Z 1 0 6 3 12				
					P Z 1 1 5 0 12				
					P Z 1 1 4 0 12				
					P Z 1 1 6 0 12				

Program 072 - model list

Depth indication corresponds to the carcass depth				Depth in mm	Width in mm	Height in mm	Article number	Hinge	Surchar- ge high- gloss carcass
Mirror cabinets									
  incl. handle blocks mirror cabinet 3 double mirror doors with 2 side panel lights 9,7 watt each left and right 2 central partitions, 6 glass shelves 1 LED converter 60 W with sensor for emotion lighting 1 switch-socket element Door width: 546 mm / 296 mm / 546 mm This product contains a light source with energy efficiency class: F Additional accessories LED washbasin lighting LED washbasin lighting emotion				150	1420	640	S 2 A 4 4 1 4 D 7 		




Please observe suitable accessories in the separate index. ***Delivery time: 8 weeks. Price per washbasin. Washbasin without tap hole is incompatible with CLOU System. Please check your order confirmation for correctness.**

Program 072 - model list

Depth indication corresponds to the carcass depth		Depth in mm	Width in mm	Height in mm	Article number			Hinge	Surchar- ge high- gloss carcass
Washbasins									
	washbasin 1200 mm 1 tap hole incl. CLOU drain and overflow system can be combined with SET 382S 4G STONEPLUS - washbasin white Glass washbasin optiwhite Glass washbasin optiwhite matt Additional accessories Neutrally bonding silicone for glass washbasins Surcharge for washbasins without tap-hole or with 3 holes (according to sketch)	500	1232	12	W M S 2 3 1 2 6 1				
		500	1232	12	W G S 2 3 1 2 8 2				
		500	1232	12	W G S 2 3 1 2 9 2				
					P Z	1 2 3 5			
	Double washbasin 1400 mm 2 tap holes incl. 2 CLOU drain and overflow systems can be combined with SET 384S 4G STONEPLUS - washbasin white Glass washbasin optiwhite Glass washbasin optiwhite matt Additional accessories Neutrally bonding silicone for glass washbasins Surcharge for washbasins without tap-hole or with 3 holes (according to sketch)	500	1432	12	W M S 2 3 4 D 6 1				
		500	1432	12	W G S 2 3 4 D 8 2				
		500	1432	12	W G S 2 3 4 D 9 2				
					P Z	1 2 3 5			
Washbasin base units									
	Washbasin base unit 1 metal pull out unit with buffered closing 1 metal pull-out with buffered closing side doubling 10 mm each Additional accessories Space-saving drain stench trap DN 40 Space-saving drain stench trap DN 32	492	620	480	S E T 3 8 6 S 4 G				
					P Z	1 3 6 7			
					P Z	1 4 2 3			
	Washbasin base unit 1 metal pull out unit with buffered closing 1 metal pull-out with buffered closing side doubling 10 mm each Additional accessories Space-saving drain stench trap DN 40 Space-saving drain stench trap DN 32	492	920	480	S E T 3 8 9 S 4 G				
					P Z	1 3 6 7			
					P Z	1 4 2 3			




*Delivery time: 8 weeks. Price per washbasin. Washbasin without tap hole is incompatible with CLOU System. Please check your order confirmation for correctness.

Program 072 - model list

Depth indication corresponds to the carcass depth				Depth in mm	Width in mm	Height in mm	Article number			Hinge	Surchar- ge high- gloss carcass
Washbasin base units											
	Washbasin base unit 1 metal pull out unit with buffered closing 1 metal pull-out with buffered closing side doubling 10 mm each			492	1220	480	S E T 3 8 2 S 4 G				
	Additional accessories										
	Space-saving drain stench trap DN 40 Space-saving drain stench trap DN 32						P Z P Z	1 3 6 7 1 4 2 3			
	Washbasin base unit 2 Washbasin base units (700 mm + 700 mm), je: 1 metal pull out unit with buffered closing 1 metal pull-out with buffered closing side doubling 10 mm each			492	1420	480	S E T 3 8 4 S 4 G				
	Additional accessories										
	Space-saving drain stench trap DN 40 (order 2 pieces) Space-saving drain stench trap DN 32 (order 2 pieces)						P Z P Z	1 3 6 7 1 4 2 3			
Tall units											
	Tall unit 2 doors 2 glass shelves (top) 2 adjustable shelves (bottom) 1 open compartment side doubling 10 mm each			322 322	320 420	1630 1630	H N A 0 2 3 D 0 3 H N A 0 2 4 D 0 3			L/R L/R	
	Tall unit 4 doors 2 glass shelves (top) 2 adjustable shelves (bottom) 1 open compartment side doubling 10 mm each			322	620	1630	H N A 0 2 6 D 0 3				




Please observe suitable accessories in the separate index.

Program 072 - model list

Depth indication corresponds to the carcass depth		Depth in mm	Width in mm	Height in mm	Article number			Hinge	Surchar- ge high- gloss carcass
Central units									
	medium-high unit 1 door 4 glass shelves side doubling 10 mm each 1 top cover 325 mm deep	325	325	1330	M N A 8 1 3 D 0 3			L/R	
		325	425	1330	M N A 8 1 4 D 0 3			L/R	
	medium-high unit 2 doors 4 glass shelves side doubling 10 mm each 1 top cover 325 mm deep	325	625	1330	M N A 8 1 6 D 0 3				
	medium-high unit with inside drawers 1 door 1 glass shelf (top) 2 inside drawers with buffered closing side doubling 10 mm each 1 top cover 325 mm deep	325	325	1330	M N A 8 4 3 D 0 3			L/R	
		325	425	1330	M N A 8 4 4 D 0 3			L/R	
	medium-high unit with inside drawers 2 doors 1 continuous glass shelf 2 continuously inside metal-drawer with buffered closing side doubling 10 mm each 1 top cover 325 mm deep	325	625	1330	M N A 8 4 6 D 0 3				
Highboards									
	Highboard 1 drawer with buffered closing 1 door 1 glass shelf side doubling 10 mm each 1 top cover 325 mm deep	325	325	890	H B A 5 5 3 D 0 3			L/R	
		325	425	890	H B A 5 5 4 D 0 3			L/R	
	Highboard 1 drawer with buffered closing 2 doors 1 glass shelf side doubling 10 mm each 1 top cover 325 mm deep	325	625	890	H B A 5 5 6 D 0 3				

Please observe suitable accessories in the separate index.

Program 072 - model list

Depth indication corresponds to the carcass depth				Depth in mm	Width in mm	Height in mm	Article number	Hinge	Surchar- ge high- gloss carcass
Highboards									
 Highboard 1 drawer with buffered closing 1 laundry pull out with wire basket Volume of laundry pull out: 40 liters side doubling 10 mm each 1 top cover 325 mm deep				325	625	890	H B A 5 5 6 D 3 W		
Wall units									
 Wall unit 1 door 1 glass shelf side doubling 10 mm each				172 172	320 320	640 640	O G A 4 1 3 A 1 G O G A 4 1 4 A 1 G	L/R L/R	
 Wall unit 2 doors 1 glass shelf side doubling 10 mm each				172	620	640	O G A 4 1 6 A 1 G		
Base units									
 Base unit 1 drawer with buffered closing 1 metal pull-out with buffered closing side doubling 10 mm each 1 top cover 325 mm deep				325 325	325 425	490 490	U N A 3 8 3 D 0 3 U N A 3 8 4 D 0 3		
 Base unit 1 drawer with buffered closing 1 metal pull-out with buffered closing side doubling 10 mm each 1 top cover 325 mm deep				325	625	490	U N A 3 8 6 D 0 3		





Please observe suitable accessories in the separate index.

Program 072 - model list



Depth indication corresponds to the carcass depth		Depth in mm	Width in mm	Height in mm	Article number			Hinge	Surchar- ge high- gloss carcass
Push- fit shelf									
 Push-fit shelf with ABS thick edge all around incl. holders for push fit shelf 300 mm width incl. 2 push-fit holder 400 mm wide incl. 2 push-fit holder 600 mm wide incl. 2 push-fit holder 900 mm wide incl. 3 push-fit holder 1200 mm wide incl. 3 push-fit holder 1400 mm wide incl. 3 push-fit holder		150	300	28	S B G	6 0 3 0			
		150	400	28	S B G	6 0 4 0			
		150	600	28	S B G	6 0 6 0			
		150	900	28	S B G	6 0 9 0			
		150	1200	28	S B G	6 0 1 2			
		150	1400	28	S B G	6 0 1 4			
Accessories									
 LED lighting element in alu This product contains a light source with energy efficien- cy class: G  634 mm wide 9,28 watt 934 mm wide 14,08 Watt 1234 mm wide 18,88 watt 1434 mm wide 23,18 watt		123	634	28	P Z	1 1 4 0 6 0			
		123	934	28	P Z	1 1 4 0 9 0			
		123	1234	28	P Z	1 1 4 0 1 2			
		123	1434	28	P Z	1 1 4 0 1 4			
 LED lighting element in black matt This product contains a light source with energy efficien- cy class: G  634 mm wide 9,28 watt 934 mm wide 14,08 Watt 1234 mm wide 18,88 watt 1434 mm wide 23,18 watt		127	634	24	P Z	1 1 6 0 6 0			
		127	934	24	P Z	1 1 6 0 9 0			
		127	1234	24	P Z	1 1 6 0 1 2			
		127	1434	24	P Z	1 1 6 0 1 4			

Please observe suitable accessories in the separate index.


Program 072 - bathroom variations

NXG-9290-1			
1	mirror cabinet	S 2 A 4 4 9 0 0 7	
	LED lighting element		
1	Glass washbasin optiwhite matt	W G S 2 3 0 9 9 2	
1	Washbasin base unit	S E T 3 8 9 S 4 G	
1	Tall unit Door hanging right	H N A 0 2 3 D 0 3	
			932 mm wide
NXG-8212-1			
1	Built-in mirrored cabinet	S 2 A 5 3 1 2 E 1	
1	Glass washbasin optiwhite	W G S 2 3 1 2 8 2	
1	Washbasin base unit	S E T 3 8 2 S 4 G	
1	Tall unit Door hanging left	H N A 0 2 3 D 0 3	
			1232 mm wide
NXS-6114-1			
1	Mirror	F S B 4 3 1 4 0 1	
1	Glass shelf	A B G 1 3 1 4 0 8	
1	STONEPLUS - washbasin white	W M S 2 3 4 D 6 1	
1	Washbasin base unit	S E T 3 8 4 S 4 G	
1	Highboard Door hanging left	H B A 5 5 4 D 0 3	
			1432 mm wide

WMS/WGS 2309 61 + SET 389S 4G



S2A 53xx E1, S2A 55xx E1



072.13