

next  
generation

# PUREFACTION

Program 058



## Front colours

handleless:



No. 677 cosmos grey matt



No. 672 polar white hgl.



Nr. 695 natural oak



no. 675 sand oak



no. 676 Charleston oak

with handle:



No. 777 cosmos grey matt



No. 722 polar white hgl.



Nr. 785 natural oak



no. 794 sand oak




no. 680 Charleston oak

**F** foiled front

## carcass colours


\* High gloss carcass for an additional price



No. 111  
white matt



No. 177  
cosmos grey matt



\*no. 161  
white hgl.



no. 180  
Charleston oak



Nr. 185  
natural oak



no. 194  
sand oak

# Washbasin colours

## Cast mineral washbasins



No. 1 white

# Handle versions

handleless with recessed grip



No. 320 bar handle chrome



handle-borehole distance for straight fronts: 96 mm / 384 mm

No. 329 Strip handle chrome



handle length for rounded fronts:  
194 mm / 294 mm / 494 mm  
handle length for straight fronts:  
194 mm / 294 mm / 494 mm

# Technique

door with integrated buffered closing

Pull outs and drawers





No. 556  
Pull outs and drawers with soft close






No. 559  
Pull outs and drawers with soft close







# Program 058 - type list

Depth indication corresponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Article number	Hinge	Surcharge high-gloss carcass	Surcharge Premium equipment
<b>Mirrors</b>							
	43	900	656	<b>F S A 4 3 9 0 1 1</b>			
<p><b>Mirror</b> LED lighting above vertical 8,4 watt / Converter 15 watt incl. toggle switch This product contains a light source with energy efficiency class: G</p>							
	43	1200	656	<b>F S A 4 3 1 2 1 1</b>			
<p><b>Mirror</b> LED lighting above vertical 11,3 watt / Converter 15 watt incl. toggle switch This product contains a light source with energy efficiency class: G</p>							
<b>Mirror cabinets</b>							
	150	900	656	<b>S E T 4 2 9 0 1 L</b>			
<p><b>Mirror cabinet- Set</b> consisting of mirror cabinet (S2A 437L 90) 2 mirror doors on wooden-plated 2 inside mirrors 1 glass shelf 1 switch socket element consisting of shelf (RG 4220 02) 3 fixed wooden shelves consisting of flyover shelf (GS 4390 83) flyover shelf with LED lighting 8,4 watt / Converter 15 watt Door width: 496 mm / 196 mm This product contains a light source with energy efficiency class: G</p> <p>Additional accessories LED washbasin lighting</p>				P Z 1 0 6 3 6 0			
incl. handle blocks							
	150	900	656	<b>S E T 4 2 9 0 1 R</b>			
<p><b>Mirror cabinet- Set</b> consisting of mirror cabinet (S2A 437R 90) 2 mirror doors on wooden-plated 2 inside mirrors 1 glass shelf 1 switch socket element consisting of shelf (RG 4220 02) 3 fixed wooden shelves consisting of flyover shelf (GS 4390 83) flyover shelf with LED lighting 8,4 watt / Converter 15 watt Door width: 196 mm / 496 mm This product contains a light source with energy efficiency class: G</p> <p>Additional accessories LED washbasin lighting</p>				P Z 1 0 6 3 6 0			
incl. handle blocks							




# Program 058 - type list

Depth indication corresponds to the carcass depth		Depth in mm	Width in mm	Height in mm	Article number			Hinge	Surcharge high-gloss carcass	Surcharge Premium equipment
<b>Mirror cabinets</b>										
	<p><b>Mirror cabinet- Set</b>                      consisting of mirror cabinet (S2A 4390 66)                      3 mirror doors on wooden-plated                      2 central partitions, 3 glass shelves                      1 switch socket element                      consisting of shelf (RG 4230 1L) with cross                      consisting of flyover shelf (GS 4312 83)                      flyover shelf with LED lighting                      11,3 watt / converter 30 watt                      Door width: 238 mm / 412 mm / 238 mm                      This product contains a light source with energy efficiency class: G</p> <p>Additional accessories                      LED washbasin lighting</p>	150	1200	656	<b>SET 4 2 1 2 1 L</b>					
incl. handle blocks					P Z	1 0 6 3 9 0				
	<p><b>Mirror cabinet- Set</b>                      consisting of mirror cabinet (S2A 4390 66)                      3 mirror doors on wooden-plated                      2 central partitions, 3 glass shelves                      1 switch socket element                      consisting of shelf (RG 4230 1R) with cross                      consisting of flyover shelf (GS 4312 83)                      flyover shelf with LED lighting                      11,3 watt / converter 30 watt                      Door width: 238 mm / 412 mm / 238 mm                      This product contains a light source with energy efficiency class: G</p> <p>Additional accessories                      LED washbasin lighting</p>	150	1200	656	<b>SET 4 2 1 2 1 R</b>					
incl. handle blocks					P Z	1 0 6 3 9 0				
<b>Sets handleless</b>										
	<p><b>Consisting of:</b>                      washbasin, cast mineral, white, 912 mm                      washbasin base unit 900 mm                      1 metal pull out unit with buffered closing                      1 metal pull-out with buffered closing incl. drawer rail                      left carcass depth = 415 mm                      right carcass depth = 445 mm                      only premium- equipment possible</p> <p><b>without LED lighting</b>                      510</p> <p><b>with LED lighting</b>                      510                      1 LED converter 12 V, 15 Watt                      incl. toggle switch                      This product contains a light source with energy efficiency class: F</p> <p>Additional accessories                      Space-saving drain stench trap DN 40                      Space-saving drain stench trap DN 32                      motion sensor for LED lighting</p>	510	912	508	<b>SET P 2 0 9 L</b>					
extention left		510	912	508	<b>SET P 2 0 9 B L</b>					
					P Z	1 3 6 7				
					P Z	1 4 2 3				
					P Z	1 1 4 1				





# Program 058 - type list

Depth indication corresponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Article number	Hinge	Surcharge high-gloss carcass	Surcharge Premium equipment
<b>Sets handleless</b>							
  extension right	<p><b>Consisting of:</b>                      washbasin, cast mineral, white, 912 mm                      washbasin base unit 900 mm                      1 metal pull out unit with buffered closing                      1 metal pull-out with buffered closing incl. drawer rail                      left carcass depth = 445 mm                      right carcass depth = 415 mm                      only premium- equipment possible</p> <p><b>without LED lighting</b>      510      912      508      <b>SET P 2 0 9 R</b></p> <p><b>with LED lighting</b>      510      912      508      <b>SET P 2 0 9 B R</b></p> <p>1 LED converter 12 V, 15 Watt                      incl. toggle switch                      This product contains a light source with energy efficiency class: F</p> <p>Additional accessories                      Space-saving drain stench trap DN 40                      Space-saving drain stench trap DN 32                      motion sensor for LED lighting</p> <p>P Z    1 3 6 7                      P Z    1 4 2 3                      P Z    1 1 4 1</p>						
  extension left	<p><b>Consisting of:</b>                      Washbasin, cast mineral, white, 1212 mm                      washbasin base unit 1200 mm                      1 metal pull out unit with buffered closing                      1 metal pull-out with buffered closing incl. drawer rail                      left carcass depth = 400 mm                      right carcass depth = 430 mm                      only premium- equipment possible</p> <p><b>without LED lighting</b>      517      1212      508      <b>SET P 2 1 2 L</b></p> <p><b>with LED lighting</b>      517      1212      508      <b>SET P 2 1 2 B L</b></p> <p>1 LED converter 12 V, 15 Watt                      incl. toggle switch                      This product contains a light source with energy efficiency class: F</p> <p>Additional accessories                      Space-saving drain stench trap DN 40                      Space-saving drain stench trap DN 32                      motion sensor for LED lighting</p> <p>P Z    1 3 6 7                      P Z    1 4 2 3                      P Z    1 1 4 1</p>						






# Program 058 - type list

Depth indication corresponds to the carcass depth		Depth in mm	Width in mm	Height in mm	Article number	Hinge	Surcharge high-gloss carcass	Surcharge Premium equipment
<b>Sets handleless</b>								
 extension right	<b>Consisting of:</b> Washbasin, cast mineral, white, 1212 mm washbasin base unit 1200 mm 1 metal pull out unit with buffered closing 1 metal pull-out with buffered closing incl. drawer rail left carcass depth = 430 mm right carcass depth = 400 mm only premium- equipment possible							
	<b>without LED lighting</b> <b>with LED lighting</b> 1 LED converter 12 V, 15 Watt incl. toggle switch This product contains a light source with energy efficiency class: F  Additional accessories Space-saving drain stench trap DN 40 Space-saving drain stench trap DN 32 motion sensor for LED lighting	517 517	1212 1212	508 508	<b>SET P 2 1 2 R</b> <b>SET P 2 1 2 BR</b>			
					P Z 1 3 6 7 P Z 1 4 2 3 P Z 1 1 4 1			
<b>Sets with handles</b>								
 extension left	<b>Consisting of:</b> washbasin, cast mineral, white, 912 mm washbasin base unit 900 mm 1 metal pull out unit with buffered closing 1 metal pull-out with buffered closing incl. drawer rail left carcass depth = 415 mm right carcass depth = 445 mm only premium- equipment possible	510	912	508	<b>SET P 2 2 9 L</b>			
	Additional accessories Space-saving drain stench trap DN 40 Space-saving drain stench trap DN 32				P Z 1 3 6 7 P Z 1 4 2 3			
 extension right	<b>Consisting of:</b> washbasin, cast mineral, white, 912 mm washbasin base unit 900 mm 1 metal pull out unit with buffered closing 1 metal pull-out with buffered closing incl. drawer rail left carcass depth = 445 mm right carcass depth = 415 mm only premium- equipment possible	510	912	508	<b>SET P 2 2 9 R</b>			
	Additional accessories Space-saving drain stench trap DN 40 Space-saving drain stench trap DN 32				P Z 1 3 6 7 P Z 1 4 2 3			

# Program 058 - type list








Depth indication corresponds to the carcass depth		Depth in mm	Width in mm	Height in mm	Article number	Hinge	Surcharge high-gloss carcass	Surcharge Premium equipment
<b>Sets with handles</b>								
	<b>Consisting of:</b> Washbasin, cast mineral, white, 1212 mm washbasin base unit 1200 mm 1 metal pull out unit with buffered closing 1 metal pull-out with buffered closing incl. drawer rail left carcass depth = 400 mm right carcass depth = 430 mm only premium- equipment possible  Additional accessories Space-saving drain stench trap DN 40 Space-saving drain stench trap DN 32	517	1212	508	<b>S E T P 2 2 2</b>	<b>L</b>		
extension left					P Z 1 3 6 7 P Z 1 4 2 3			
	<b>Consisting of:</b> Washbasin, cast mineral, white, 1212 mm washbasin base unit 1200 mm 1 metal pull out unit with buffered closing 1 metal pull-out with buffered closing incl. drawer rail left carcass depth = 430 mm right carcass depth = 400 mm only premium- equipment possible  Additional accessories Space-saving drain stench trap DN 40 Space-saving drain stench trap DN 32	517	1212	508	<b>S E T P 2 2 2</b>	<b>R</b>		
extension right					P Z 1 3 6 7 P Z 1 4 2 3			
<b>Tall units</b>								
	<b>Tall unit</b> 1 door 4 glass shelves 2 pull-outs with buffered closing	300 300	300 400	1600 1600	<b>H N A 0 8 3 0</b> <b>H N A 0 8 4 0</b>	<b>4</b> L/R <b>4</b> L/R		
handleless								
	<b>Tall unit</b> 2 doors 4 glass shelves 2 pull-outs with buffered closing	300	600	1600	<b>H N A 0 8 6 0</b>	<b>4</b>		
handleless								

# Program 058 - type list







Depth indication corresponds to the carcass depth		Depth in mm	Width in mm	Height in mm	Article number			Hinge	Surcharge high-gloss carcass	Surcharge Premium equipment
 <p><b>Tall unit-shelf</b> with open shelf space in carcass colour</p>		150	300	1600	<b>RG</b>	<b>1 0 3 0 0 1</b>				
 <p><b>Tall unit-shelf</b> with mirror surface 4 shelves compartments in carcass colour</p>		150	300	1600	<b>RG</b>	<b>1 0 3 0 0 2</b>				
 <p><b>Tall unit-shelf</b> 4 functional hooks 4 shelves compartments in carcass colour</p>		150	300	1600	<b>RG</b>	<b>1 0 3 0 0 3</b>				
<b>Central units</b>										
 <p><b>medium-high unit</b> 1 door 1 glass shelf 2 pull-outs with buffered closing 1 top cover 325 mm deep</p> <p>handleless</p>		300 300	300 400	1136 1136	<b>MNA</b>	<b>7 7 3 A 0 1</b>	L/R			
 <p><b>medium-high unit</b> 2 doors 1 glass shelf 2 pull-outs with buffered closing 1 top cover 325 mm deep</p> <p>handleless</p>		300	600	1136	<b>MNA</b>	<b>7 7 6 A 0 1</b>				








# Program 058 - type list

Depth indication corresponds to the carcass depth		Depth in mm	Width in mm	Height in mm	Article number	Hinge	Surcharge high-gloss carcass	Surcharge Premium equipment
<b>Central units</b>								
 <p>1120</p> <p>handleless</p>	<b>medium-high unit</b>		1136	<b>M N A 7 1 3 A 0 1</b>	L/R			
	1 door 3 glass shelves 1 top cover 325 mm deep	300	400	1136	<b>M N A 7 1 4 A 0 1</b>	L/R		
 <p>1120</p> <p>handleless</p>	<b>medium-high unit</b>		1136	<b>M N A 7 1 6 A 0 1</b>				
	2 doors 3 glass shelves 1 top cover 325 mm deep	300	600	1136	<b>M N A 7 1 6 A 0 1</b>			
<b>Highboards</b>								
 <p>640</p> <p>handleless</p>	<b>Highboard</b>		656	<b>H B A 4 1 3 A 0 1</b>	L/R			
	1 door 1 glass shelf 1 top cover 325 mm deep	300	400	656	<b>H B A 4 1 4 A 0 1</b>	L/R		
 <p>640</p> <p>handleless</p>	<b>Highboard</b>		656	<b>H B A 4 1 6 A 0 1</b>				
	2 doors 1 glass shelf 1 top cover 325 mm deep	300	600	656	<b>H B A 4 1 6 A 0 1</b>			
 <p>640</p> <p>handleless</p>	<b>Highboard with laundry basket</b>		656	<b>H B A 4 1 3 W 0 1</b>				
	1 laundry basket with wire basket 1 top cover 325 mm deep	300	300	656	<b>H B A 4 1 3 W 0 1</b>			
 <p>640</p> <p>handleless</p>	<b>Highboard with laundry basket</b>		656	<b>H B A 4 1 4 W 0 1</b>				
	Volume of laundry basket: 25 liters Volume of laundry basket: 35 liters	300	400	656	<b>H B A 4 1 4 W 0 1</b>			
 <p>640</p> <p>handleless</p>	<b>Highboard with laundry basket</b>		656	<b>H B A 4 1 6 W 0 1</b>				
	1 laundry basket with wire basket 1 top cover 325 mm deep	300	600	656	<b>H B A 4 1 6 W 0 1</b>			
Volume of laundry basket: 55 liters		300	600	656	<b>H B A 4 1 6 W 0 1</b>			





# Program 058 - type list

Depth indication corresponds to the carcass depth		Depth in mm	Width in mm	Height in mm	Article number	Hinge	Surcharge high-gloss carcass	Surcharge Premium equipment
<b>Highboards</b>								
 <p>160 640</p> <p>handleless</p>	<b>Highboard</b> 1 drawer with buffered closing 1 door 1 glass shelf 1 top cover 325 mm deep	300	300	816	<b>HBA553A01</b>	L/R		
	only premium- equipment possible	300	400	816	<b>HBA554A01</b>	L/R		
 <p>160 640</p> <p>handleless</p>	<b>Highboard</b> 1 drawer with buffered closing 2 doors 1 glass shelf 1 top cover 325 mm deep	300	600	816	<b>HBA556A01</b>			
	only premium- equipment possible							
 <p>160 640</p> <p>handleless</p>	<b>Highboard with laundry basket</b> 1 drawer with buffered closing 1 laundry basket with wire basket 1 top cover 325 mm deep							
	only premium- equipment possible							
	Volume of laundry basket: 25 liters	300	300	816	<b>HBA553W01</b>			
Volume of laundry basket: 35 liters	300	400	816	<b>HBA554W01</b>				
 <p>160 640</p> <p>handleless</p>	<b>Highboard with laundry basket</b> 1 drawer with buffered closing 1 laundry basket with wire basket 1 top cover 325 mm deep							
	only premium- equipment possible							
Volume of laundry basket: 55 liters	300	600	816	<b>HBA556W01</b>				
<b>Base units</b>								
 <p>240 240</p> <p>handleless</p>	<b>Base unit</b> 2 pull-outs with buffered closing 1 top cover 325 mm deep	300	300	496	<b>UNA363A01</b>			
		300	400	496	<b>UNA364A01</b>			
 <p>240 240</p> <p>handleless</p>	<b>Base unit</b> 2 pull-outs with buffered closing 1 top cover 325 mm deep	300	600	496	<b>UNA366A01</b>			








# Program 058 - type list

Depth indication corresponds to the carcass depth		Depth in mm	Width in mm	Height in mm	Article number	Hinge	Surcharge high-gloss carcass	Surcharge Premium equipment	
<b>Wall units</b>									
 <p>640 handleless</p>	<b>Wall unit</b> 1 door 1 glass shelf		150	300	640	<b>O G A 4 1 3 0</b>	L/R		
	150	400	640	<b>O G A 4 1 4 0</b>	L/R				
 <p>640 handleless</p>	<b>Wall unit</b> 2 doors 1 glass shelf		150	600	640	<b>O G A 4 1 6 0</b>			
<b>Shelves</b>									
	<b>functional shelf</b> Edges are cut with a mitre vertical and horizontal mounting possible		150	300	160	<b>R G L 1 1 3 0 0 1</b>			
	please indicate colour version: no. 501 white matt lacquered no. 547 black matt lacquered								
	<b>functional shelf</b> Edges are cut with a mitre vertical and horizontal mounting possible		150	600	160	<b>R G L 1 1 6 0 0 2</b>			
	please indicate colour version: no. 501 white matt lacquered no. 547 black matt lacquered								
	<b>functional shelf</b> Edges are cut with a mitre vertical and horizontal mounting possible		150	900	160	<b>R G L 1 1 9 0 0 3</b>			
	please indicate colour version: no. 501 white matt lacquered no. 547 black matt lacquered								

# Program 058 - type list

Depth indication corresponds to the carcass depth		Depth in mm	Width in mm	Height in mm	Article number		Hinge	Surcharge high-gloss carcass	Surcharge Premium equipment
<b>Glass shelves</b>									
	<p><b>Glass shelf</b> incl. metal holder</p> <p><b>400 mm wide</b> incl. 2 metal brackets</p> <p><b>600 mm wide</b> incl. 2 metal brackets</p> <p><b>900 mm wide</b> incl. 3 metal brackets</p> <p><b>1200 mm wide</b> incl. 3 metal brackets</p>	130	400	8	<b>A B G 1 3 4 0 0 8</b>				
		130	600	8	<b>A B G 1 3 6 0 0 8</b>				
		130	900	8	<b>A B G 1 3 9 0 0 8</b>				
		130	1200	8	<b>A B G 1 3 1 2 0 8</b>				
<b>Push-fit shelf</b>									
	<p><b>Push-fit shelf</b> with ABS thick edge all around incl. holders for push fit shelf</p> <p><b>300 mm wide</b> incl. 2 push-fit holder</p> <p><b>400 mm wide</b> incl. 2 push-fit holder</p> <p><b>600 mm wide</b> incl. 2 push-fit holder</p> <p><b>900 mm wide</b> incl. 3 push-fit holder</p> <p><b>1200 mm wide</b> incl. 3 push-fit holder</p>	150	300	28	<b>S B G 6 0 3 0</b>				
		150	400	28	<b>S B G 6 0 4 0</b>				
		150	600	28	<b>S B G 6 0 6 0</b>				
		150	900	28	<b>S B G 6 0 9 0</b>				
		150	1200	28	<b>S B G 6 0 1 2</b>				
<b>Accessories</b>									
	<p><b>Towel holder</b> chrome gloss front opened to fit on carcass at side</p> <p>Please observe carcass depth and furniture height</p>	380	50	10	<b>P Z 1 1 2 7 4 5</b>				
	<p><b>Towel holder</b> one-armed extendable Chrome hgl. wall-mounted</p>	330-567	44	44	<b>P Z 1 1 3 7 1</b>				


# Program 058 - type list

Depth indication corresponds to the carcass depth		Depth in mm	Width in mm	Height in mm	Article number			Hinge	Surcharge high-gloss carcass	Surcharge Premium equipment
<b>Accessories</b>										
	<b>Towel holder</b> two-armed extendable Chrome hgl. wall-mounted	322-562	87	47	P Z	1 1 3 7	2			
	<b>Touch LED Dimmer</b> for LED mirror cabinets and lightings				P Z	1 0 5 7				
	<b>Motion sensor</b> for LED lighting of washbasins or washbasin base units Term and sensitivity of lighting are adjustable				P Z	1 1 4 1				
	<b>LED washbasin lighting</b> 2,4 Watt 1 switch element to fit underneath mirror cabinet This product contains a light source with energy efficiency class: G  not suitable with Emotion lighting	10	560	10	P Z	1 0 6 3	6 0			
	<b>LED washbasin lighting</b> 3,9 Watt 1 switch element to fit underneath mirror cabinet This product contains a light source with energy efficiency class: G  not suitable with Emotion lighting	10	860	10	P Z	1 0 6 3	9 0			
	<b>Space-saving drain stench trap from GEBERIT</b> made of plastic, in white nominal diameter: 40				P Z	1 3 6 7				
	<b>Space-saving drain stench trap from GEBERIT</b> made of plastic, in white nominal diameter: 32				P Z	1 4 2 3				

# Program 058 - dimensional drawings


SET P229 / P209 (B)L

SET P229 / P209 (B)R




SET P222 / P212 (B)L

SET P222 / P212 (B)R



## electrical connections for mirror cabinets



OKFFB = Oberkante Fertigfußboden

### Cast mineral:

The water temperature must not exceed 55° C / 131° F. Hair tinting lotions have to be removed immediately, so that staining can be avoided.

### Modifications:

Technical modifications (+/- 5mm) and flatness modifications (DIN 18202) are subject of the usual material-specific modifications for construction materials, based on DIN 18202.