



Front colours



No. 777 cosmos grey matt



No. 793 noble white matt



No. 722 polar white hgl.



Nr. 785 natural oak


F foiled front

carcass colours


* High gloss carcass for an additional price



No. 177
cosmos grey
matt



No. 111
white matt



*no. 161
white hgl.



Nr. 185
natural oak

Washbasin plates and top covers colours


* High gloss plate against additional price



No. 177
cosmos grey matt



No. 111
white matt



*no. 161
white hgl.



Nr. 185
natural oak



no. 170
Halifax oak



no. 174
Hunton oak

Washbasin colours

STONEPLUS washbasins



No. 61
white

STONEPLUS®
STAINLESS STEEL

New, harder, easy-care surface.

Glass washbasin



no. 82
optiwhite



no. 92
optiwhite matt



no. 98
black matt

Ceramic counter top washbasin

Málaga



no. 1
white

Handle versions



No. 329
Strip handle chrome

handle lenght 194 mm / 294 mm
/ 494 mmm



no. 338
Strip handle aluminium matt

handle lenght 194 mm / 294 mm
/ 494 mmm



No. 339
Strip handle black matt

handle lenght 194 mm / 294 mm
/ 494 mmm

Technique

door with integrated buffered closing









Pull outs and drawers

No. 554

Illustrations and specifications are without obligation. Technical modifications reserved.
2021/2022 - ID







Please note the instruction for warranty, mounting and care, and the quality agreements as well, at the beginning of the book.

Program 070 - model list

Depth indication corresponds to the carcass depth		Depth in mm	Width in mm	Height in mm	Article number	Hinge	Surcharge high-gloss carcass
Mirrors							
 	Mirror round all-round LED lighting 1 LED converter Emotion lighting Carrier material in white This product contains a light source with energy efficiency class: F						
	700 mm Ø 15,21 watt / converter 30 watt 900 mm Ø 19,89 / converter 30 watt	22	700	700	FSR407001		
 	Mirror 1 LED surface-mounted lamp in alu 1 LED converter Emotion lighting This product contains a light source with energy efficiency class: G Please state the carcass colour						
	634 mm wide 9,28 watt / Converter 15 watt	123	634	668	SET416002		
	934 mm wide 14,08 watt / converter 30watt	123	934	668	SET419002		
	1234 mm wide 18,88 watt / converter 30watt	123	1234	668	SET411202		
	1434 mm wide 23,18 watt / converter 30watt	123	1434	668	SET411402		
 	Mirror LED aluminium frame all-round LED lighting 37,2 watt / converter 60 watt Emotion lighting This product contains a light source with energy efficiency class: F						
	aluminium frame in black matt anodize aluminium fram in white matt lacquered	40	600	640	FSB456004 FSB456005		
 	Mirror LED aluminium frame all-round LED lighting 46,5 watt / converter 60 watt Emotion lighting This product contains a light source with energy efficiency class: F						
	aluminium frame in black matt anodize aluminium fram in white matt lacquered	40	900	640	FSB459004 FSB459005		







Please observe suitable accessories in the separate index.

Program 070 - model list

Depth indication corresponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Article number			Hinge	Surcharge high-gloss carcass	
Mirrors									
 	Mirror LED aluminium frame all-round LED lighting 55,8 watt / converter 60 watt Emotion lighting This product contains a light source with energy efficiency class: F aluminium frame in black matt anodize aluminium fram in white matt lacquered			40 40	1200 1200	640 640	F S B 4 5 1 2 0 4 F S B 4 5 1 2 0 5		
 	Mirror LED aluminium frame all-round LED lighting 52,0 watt / converter 60 watt Emotion lighting This product contains a light source with energy efficiency class: G aluminium frame in black matt anodize aluminium fram in white matt lacquered			40 40	1400 1400	640 640	F S B 4 5 1 4 0 4 F S B 4 5 1 4 0 5		
Built-in mirrored cabinet									
  III. = left incl. handle blocks	Built-in mirrored cabinet 2 double mirror doors 2 glass shelves LED aluminium frame 28,8 watt lateral overhang 25,5 mm with sensor for emotion lighting inkl. converter 60 Watt / 24 V. 1 switch socket element 1 illuminated shelf (2,64 watt) door height: 636 mm Door width: 396 mm / 196 mm This product contains a light source with energy efficiency class: G carcass depth= 600 mm carcass height: 800 mm wider door left wider door right			150 150	651 651	851 851	S 2 A 5 5 6 L E 1 S 2 A 5 5 6 R E 1		







Please observe suitable accessories in the separate index.

Program 070 - model list

Depth indication corresponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Article number	Hinge	Surcharge high-gloss carcass
  <p>incl. handle blocks</p> <p>Built-in mirrored cabinet 3 double mirror doors 2 central partitions, 6 glass shelves LED aluminium frame 34,6 watt lateral overhang 25,5 mm with sensor for emotion lighting inkl. converter 60 Watt / 24 V. 1 switch socket element 1 illuminated shelf (4,08 watt) door height: 636 mm Door width: 238 mm / 412 mm / 238 mm This product contains a light source with energy efficiency class: G carcass depth= 900 mm carcass height: 800 mm</p>	150	951	851	S 2 A 5 5 9 0 E 1		
  <p>incl. handle blocks</p> <p>Built-in mirrored cabinet 3 double mirror doors 2 central partitions, 6 glass shelves LED aluminium frame 40,3 watt lateral overhang 25,5 mm with sensor for emotion lighting inkl. converter 60 Watt / 24 V. 1 switch socket element 1 illuminated shelf (5,5 watt) door height: 636 mm Door width: 388 mm / 412 mm / 388 mm This product contains a light source with energy efficiency class: G carcass depth= 1200 mm carcass height: 800 mm</p>	150	1251	851	S 2 A 5 5 1 2 E 1		
  <p>incl. handle blocks</p> <p>Built-in mirrored cabinet 3 double mirror doors 2 central partitions, 6 glass shelves LED aluminium frame 44,2 watt lateral overhang 25,5 mm with sensor for emotion lighting inkl. converter 60 Watt / 24 V. 1 switch socket element 1 illuminated shelf (6,5 watt) door height: 636 mm Door width: 446 mm / 496 mm / 446 mm This product contains a light source with energy efficiency class: G carcass depth= 1400 mm carcass height: 800 mm</p>	150	1451	851	S 2 A 5 5 1 4 E 1		







Also usable as top mirror cabinet
 Please observe suitable accessories in the separate index.

Program 070 - model list

Depth indication corresponds to the carcass depth		Depth in mm	Width in mm	Height in mm	Article number	Hinge	Surchar- ge high- gloss carcass
Mirror cabinets							
  III. = left incl. handle blocks	mirror cabinet 2 double mirror doors 2 glass shelves 1 LED panel light (8,5 watt) 260 mm deep angled 1 illuminated shelf (2,64 watt) 1 LED converter 15 W 1 switch socket element door height: 636 mm Door width: 396 mm / 196 mm This product contains a light source with energy efficiency class: F Additional accessories LED washbasin lighting LED washbasin lighting emotion Emotion lighting	150	600	820	S 2 A 5 5 6 0 S 3	L/R	
  incl. handle blocks	mirror cabinet 3 double mirror doors 2 central partitions, 6 glass shelves 1 LED panel light (13,2 watt) 260 mm deep angled 1 illuminated shelf (4,08 watt) 1 LED converter 30 W 1 switch socket element door height: 636 mm Door width: 238 mm / 412 mm / 238 mm This product contains a light source with energy efficiency class: F Additional accessories LED washbasin lighting LED washbasin lighting emotion Emotion lighting	150	900	820	S 2 A 5 5 9 0 S 3		
  incl. handle blocks	mirror cabinet 3 double mirror doors 2 central partitions, 6 glass shelves 1 LED panel light (17,8 watt) 260 mm deep angled 1 illuminated shelf (5,5 watt) 1 LED converter 30 W 1 switch socket element door height: 636 mm Door width: 388 mm / 412 mm / 388 mm This product contains a light source with energy efficiency class: F Additional accessories LED washbasin lighting LED washbasin lighting emotion Emotion lighting	150	1200	820	S 2 A 5 5 1 2 S 3		






Please observe suitable accessories in the separate index.

Program 070 - model list

Depth indication corresponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Article number	Hinge	Surcharge high-gloss carcass
Mirror cabinets						
 <p>mirror cabinet 3 double mirror doors 2 central partitions, 6 glass shelves 1 LED panel light (20,9 watt) 260 mm deep angled 1 illuminated shelf (6,5 watt) 1 LED converter 60 W with sensor for emotion lighting 1 switch socket element door height: 636 mm Door width: 446 mm / 496 mm / 446 mm This product contains a light source with energy efficiency class: F</p> <p>Additional accessories LED washbasin lighting LED washbasin lighting emotion</p> <p>incl. handle blocks</p> 	150	1400	820	S 2 A 5 5 1 4 S 3		
Washbasins						
  <p>washbasin 600 mm 1 tap hole incl. CLOU drain and overflow system can be combined with SET 2960 2M/B</p> <p>STONEPLUS - washbasin white</p> <p>Glass washbasin optiwhite</p> <p>Glass washbasin optiwhite matt</p> <p>Glass washbasin black matt</p> <p>Additional accessories Neutrally bonding silicone for glass washbasins Surcharge for washbasins without tap-hole or with 3 holes (according to sketch)</p>	500	632	12	WMS 2 3 0 6 6 1		
  <p>washbasin 900 mm 1 tap hole incl. CLOU drain and overflow system can be combined with SET 2990 2M/B</p> <p>STONEPLUS - washbasin white</p> <p>Glass washbasin optiwhite</p> <p>Glass washbasin optiwhite matt</p> <p>Glass washbasin black matt</p> <p>Additional accessories Neutrally bonding silicone for glass washbasins Surcharge for washbasins without tap-hole or with 3 holes (according to sketch)</p>	500	932	12	WMS 2 3 0 9 6 1		




*Delivery time: 8 weeks. Price per washbasin. Washbasin without tap hole is incompatible with CLOU System. Please check your order confirmation for correctness.

Program 070 - model list

Depth indication corresponds to the carcass depth		Depth in mm	Width in mm	Height in mm	Article number		Hinge	Surchar- ge high- gloss carcass
Washbasins								
	washbasin 1200 mm 1 tap hole incl. CLOU drain and overflow system can be combined with SET 2912 2M/B							
	STONEPLUS - washbasin white	500	1232	12	WMS	2 3 1 2 6 1		
	Glass washbasin optiwhite	500	1232	12	WGS	2 3 1 2 8 2		
	Glass washbasin optiwhite matt	500	1232	12	WGS	2 3 1 2 9 2		
	Glass washbasin black matt	500	1232	12	WGS	2 3 1 2 9 8		
	Additional accessories Neutrally bonding silicone for glass washbasins Surcharge for washbasins without tap-hole or with 3 holes (according to sketch)				P Z	1 2 3 5		
	Double washbasin 1400 mm 2 tap holes incl. 2 CLOU drain and overflow systems can be combined with SET 2914 2M/B							
	STONEPLUS - washbasin white	500	1432	12	WMS	2 3 4 D 6 1		
	Glass washbasin optiwhite	500	1432	12	WGS	2 3 4 D 8 2		
	Glass washbasin optiwhite matt	500	1432	12	WGS	2 3 4 D 9 2		
	Glass washbasin black matt	500	1432	12	WGS	2 3 4 D 9 8		
	Additional accessories Neutrally bonding silicone for glass washbasins Surcharge for washbasins without tap-hole or with 3 holes (according to sketch)				P Z	1 2 3 5		
Ceramic counter top washbasin								
	ceramic counter too Málaga white incl. tap hole with overflow Matching washstand cutout	420	550	95	WTA	4 2 5 5 1		
					AUS	4 2 5 5 2 8		




*Delivery time: 8 weeks. Price per washbasin. Washbasin without tap hole is incompatible with CLOU System. Please check your order confirmation for correctness.

Program 070 - model list

Depth indication corresponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Article number	Hinge	Surcharge high-gloss carcass
Washbasin plates						
 <p>washbasin plate with ABS edge</p> <p>Width 626 mm for 1 cutout central</p> <p>Width 926 mm for 1 cutout central</p> <p>Width 1226 mm for 1 cutout central</p> <p>Width 1426 mm for 2 cutouts left and right</p> <p>Please note the additional price for washbasin cutouts.</p>	495	626	28	A P A 5 0 6 0 6 3		
	495	926	28	A P A 5 0 9 0 6 3		
	495	1226	28	A P A 5 0 1 2 6 3		
	495	1426	28	A P A 5 0 1 4 6 3		
Washbasin base units						
 <p>Washbasin base unit round 1 metal pull out unit with buffered closing side doubling 10 mm each</p> <p>without LED lighting</p> <p>with LED lighting 2,64 Watt / converter 15 Watt 1 motion sensor This product contains a light source with energy efficiency class: G</p> <p>Additional accessories Design installationsset chrome: Space-producing drain stench trap DN 32</p>	492	620	316	S E T 2 9 6 0 2 M		
	492	620	316	S E T 2 9 6 0 2 B		
				P Z 1 3 8 9 1 E P Z 1 4 0 7		
 <p>Washbasin base unit round 1 metal pull out unit with buffered closing side doubling 10 mm each</p> <p>without LED lighting</p> <p>with LED lighting 2,64 Watt / converter 15 Watt 1 motion sensor This product contains a light source with energy efficiency class: G</p> <p>Additional accessories Design installationsset chrome: Space-producing drain stench trap DN 32</p>	492	920	316	S E T 2 9 9 0 2 M		
	492	920	316	S E T 2 9 9 0 2 B		
				P Z 1 3 8 9 1 E P Z 1 4 0 7		






Please observe suitable accessories in the separate index.

Program 070 - model list

Depth indication corresponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Article number			Hinge	Surcharge high-gloss carcass
Washbasin base units								
	Washbasin base unit round 1 metal pull out unit with buffered closing side doubling 10 mm each							
	492	1220	316	SET 2 9 1 2 2 M				
	492	1220	316	SET 2 9 1 2 2 B				
	without LED lighting with LED lighting 2,64 Watt / converter 15 Watt 1 motion sensor This product contains a light source with energy efficiency class: G Additional accessories Design installationsset chrome: Space-producing drain stretch trap DN 32			P Z	1 3 8 9	1 E		
				P Z	1 4 0 7			
	Washbasin base unit round for double washbasin solutions 2 metal pull out units with buffered closing and syphon cut-out side doubling 10 mm each							
	492	1420	316	SET 2 9 1 4 2 M				
	492	1420	316	SET 2 9 1 4 2 B				
	without LED lighting with LED lighting 2,64 Watt / converter 15 Watt 1 motion sensor This product contains a light source with energy efficiency class: G Additional accessories Design installationsset chrome (order 2 pieces) Space-producing drain stretch trap DN 32 (order 2 pieces)			P Z	1 3 8 9	1 E		
				P Z	1 4 0 7			
Counter tops								
	top cover for assembling underneath the washbasin base unit							
	Please position the drillings of brackets depending on the water supply line.							
	400	620	28	A U W 4 0 6 2 2 8				
	400	920	28	A U W 4 0 9 2 2 8				
	400	1220	28	A U W 4 0 1 2 2 8				
	400	1420	28	A U W 4 0 1 4 2 8				






Please observe suitable accessories in the separate index.

Program 070 - model list

Depth indication corresponds to the carcass depth		Depth in mm	Width in mm	Height in mm	Article number	Hinge	Surcharge high-gloss carcass
<h3>System shelf</h3>  <p>System shelf metal frame in black matt 4 fixed wooden shelves Depth: 200 mm, 240 mm, 280 mm, 320 mm variable in width Width from both outer edges of the frame</p>		320	300-600	1600	RGM160V01		
<h3>Tall unit-shelf</h3>  <p>Tall unit-shelf 1 door with mirror surface 3 fixed wooden shelves in carcass colour</p> <p>III. = left</p>		150	400	1600	HOG104001	L/R	
 <p>Tall unit-shelf with open shelf space in carcass colour</p>		150	300	1600	RG103001		
 <p>Tall unit-shelf with mirror surface 4 shelves compartments in carcass colour</p>		150	300	1600	RG103002		
 <p>Tall unit-shelf 4 functional hooks 4 shelves compartments in carcass colour</p>		150	300	1600	RG103003		






Please observe suitable accessories in the separate index.

Program 070 - model list

Depth indication corresponds to the carcass depth		Depth in mm	Width in mm	Height in mm	Article number	Hinge	Surcharge high-gloss carcass
Tall units							
	Tall unit	300	300	1628	HNA093A7M	L/R	
	1 door 2 glass shelves (top) 2 metal pull-outs with buffered closing 1 drawer with buffered closing 1 top cover 330 mm deep	300	400	1628	HNA094A7M	L/R	
	Tall unit	300	600	1628	HNA096A7M		
	2 doors 2 glass shelves (top) 2 metal pull-outs with buffered closing 1 drawer with buffered closing 1 top cover 330 mm deep						
	Tall unit	300	300	1628	HNA033A	7 L/R	
	2 doors 2 glass shelves (top) 2 adjustable shelves (bottom) 1 top cover 330 mm deep	300	400	1628	HNA034A	7 L/R	
	Variable in width: please quote the exact dimension of carcass depth. Top cover will be adapted to the cupboard width.	150-299	300	1628	HVA0330	L/R	
		150-299	400	1628	HVA0340	L/R	
	Tall unit	300	600	1628	HNA036A	7	
	4 doors 2 glass shelves (top) 2 adjustable shelves (bottom) 1 top cover 330 mm deep						
	Variable in width: please quote the exact dimension of carcass depth. Top cover will be adapted to the cupboard width.	150-299	600	1628	HVA0360		
	Tall unit for brooms	300	300	1628	HNA033A71	L/R	
	2 strapped doors 5 glass shelves 1 top cover 330 mm deep	300	400	1628	HNA034A71	L/R	

Please observe suitable accessories in the separate index.






Program 070 - model list

	Depth in mm	Width in mm	Height in mm	Article number	Hinge	Surcharge high-gloss carcass
Depth indication corresponds to the carcass depth						
Tall units						
	300	600	1628	HNA036A71		
	300	300	1628	HNA023A71	L/R	
	300	400	1628	HNA024A71	L/R	
	300	600	1628	HNA026A71		
	300	300	1628	HNA023A72	L/R	
	300	400	1628	HNA024A72	L/R	
	300	600	1628	HNA026A72		

Please observe suitable accessories in the separate index.





Program 070 - model list

Depth indication corresponds to the carcass depth

	Depth in mm	Width in mm	Height in mm	Article number	Hinge	Surcharge high-gloss carcass
 <p>640 160 160 640</p>	300	300	1628	HNA043A71	L/R	
	300	400	1628	HNA044A71	L/R	
 <p>640 160 160 640</p>	300	600	1628	HNA046A71		
 <p>800 160 640</p>	300	300	1628	HNA053A7M	L/R	
	300	400	1628	HNA054A7M	L/R	
 <p>800 160 640</p>	300	600	1628	HNA056A7M		
 <p>800 160 640</p>						
	300	300	1628	HNA053A7W	L/R	
	300	400	1628	HNA054A7W	L/R	

Please observe suitable accessories in the separate index.







Program 070 - model list

Depth indication corresponds to the carcass depth		Depth in mm	Width in mm	Height in mm	Article number	Hinge	Surcharge high-gloss carcass
Tall units							
	<p>Tall unit with laundry basket</p> <ul style="list-style-type: none"> 2 doors 2 glass shelves 1 drawer with buffered closing 1 laundry basket with wire basket 1 top cover 330 mm deep <p>Volume of laundry basket: 55 liters</p>	300	600	1628	HNA056A7W		
	<p>Tall unit with laundry pull out</p> <ul style="list-style-type: none"> 2 doors 2 glass shelves (top) 1 drawer with buffered closing 2 doors 1 laundry pull out with wire basket 1 top cover 330 mm deep <p>Volume of laundry pull out: 40 liters</p>	300	600	1628	HNA056A1W		
medium-high unit-shelf							
 <p>Ill. = left</p>	<p>medium-high unit</p> <ul style="list-style-type: none"> 1 door 300 mm width 2 fixed wooden shelves in carcass colour 	150	400	1280	MOG814001	L/R	
Central units							
	<p>medium-high unit</p> <ul style="list-style-type: none"> 1 door 2 glass shelves (top) 1 metal pull-out with buffered closing, 1 drawer with buffered closing 1 top cover 330 mm deep 	300 300	300 400	1308 1308	MNA883A7M MNA884A7M	L/R L/R	

Please observe suitable accessories in the separate index.









Program 070 - model list

Depth indication corresponds to the carcass depth

	Depth in mm	Width in mm	Height in mm	Article number	Hinge	Surcharge high-gloss carcass
 <p>medium-high unit 2 doors 2 glass shelves (top) 1 metal pull-out with buffered closing, 1 drawer with buffered closing 1 top cover 330 mm deep</p>	300	600	1308	M N A 8 8 6 A 7 M		
 <p>medium-high unit 1 door 4 glass shelves 1 top cover 330 mm deep</p> <p>Variable in width: please quote the exact dimension of carcass depth. Top cover will be adapted to the cupboard width.</p>	300	300	1308	M N A 8 1 3 A 7	L/R	
	300	400	1308	M N A 8 1 4 A 7	L/R	
	150-299	300	1308	M V A 8 1 3 0	L/R	
	150-299	400	1308	M V A 8 1 4 0	L/R	
 <p>medium-high unit 2 doors 4 glass shelves 1 top cover 330 mm deep</p> <p>Variable in width: please quote the exact dimension of carcass depth. Top cover will be adapted to the cupboard width.</p>	300	600	1308	M N A 8 1 6 A 7		
	150-299	600	1308	M V A 8 1 6 0		
 <p>medium-high unit with inside drawers 1 door 2 inside metal-drawer with buffered closing 1 glass shelf 1 top cover 330 mm deep</p>	300	300	1308	M N A 8 4 3 A 7	L/R	
	300	400	1308	M N A 8 4 4 A 7	L/R	
 <p>medium-high unit with inside drawers 2 doors 2 continuously inside metal-drawer with buffered closing 1 glass shelf 1 top cover 330 mm deep</p>	300	600	1308	M N A 8 4 6 A 7		
 <p>medium-high unit with laundry pull out 2 doors 1 glass shelf (top) 2 doors 1 laundry pull out with wire basket Volume of laundry pull out: 40 liters 1 top cover 330 mm deep</p>	300	600	1308	M N A 8 3 6 A 1 W		







Please observe suitable accessories in the separate index.

Program 070 - model list

Depth indication corresponds to the carcass depth		Depth in mm	Width in mm	Height in mm	Article number		Hinge	Surcharge high-gloss carcass
Highboards								
	Highboard 1 door 2 glass shelves 1 top cover 330 mm deep	300	300	828	H B A 5 1 3 A	7	L/R	
		300	400	828	H B A 5 1 4 A	7	L/R	
	Variable in width: please quote the exact dimension of carcass depth. Top cover will be adapted to the cupboard width.	150-299	300	828	H B V A 5 1 3		L/R	
		150-299	400	828	H B V A 5 1 4		L/R	
	Highboard 2 doors 2 glass shelves 1 top cover 330 mm deep	300	600	828	H B A 5 1 6 A	7		
	Variable in width: please quote the exact dimension of carcass depth. Top cover will be adapted to the cupboard width.	150-299	600	828	H B V A 5 1 6			
	Highboard with laundry pull out 2 doors 1 laundry pull out with wire basket 1 top cover 330 mm deep Volume of laundry pull out: 40 liters	300	600	828	H B A 5 1 6 A 1 W			
	Highboard 1 drawer with buffered closing 2 metal pull-outs with buffered closing 1 top cover 330 mm deep	300	300	828	H B A 5 6 3 A 7 M			
		300	400	828	H B A 5 6 4 A 7 M			
	Highboard 1 drawer with buffered closing 2 metal pull-outs with buffered closing 1 top cover 330 mm deep	300	600	828	H B A 5 6 6 A 7 M			
	Highboard 1 drawer with buffered closing 1 door 1 glass shelf 1 top cover 330 mm deep	300	300	828	H B A 5 5 3 A 7 M		L/R	
		300	400	828	H B A 5 5 4 A 7 M		L/R	
	Highboard 1 drawer with buffered closing 2 doors 1 glass shelf 1 top cover 330 mm deep	300	600	828	H B A 5 5 6 A 7 M			
	Highboard with laundry basket 1 drawer with buffered closing 1 laundry basket with wire basket 1 top cover 330 mm deep Volume of laundry basket: 25 liters	300	300	828	H B A 5 5 3 A 7 W			
	Volume of laundry basket: 35 liters	300	400	828	H B A 5 5 4 A 7 W			









Please observe suitable accessories in the separate index.

Program 070 - model list

Depth indication corresponds to the carcass depth		Depth in mm	Width in mm	Height in mm	Article number	Hinge	Surcharge high-gloss carcass
Highboards							
	<p>Highboard with laundry basket</p> <p>1 drawer with buffered closing 1 laundry basket with wire basket 1 top cover 330 mm deep</p> <p>Volume of laundry basket: 55 liters</p>	300	600	828	H B A 5 5 6 A 7 W		
	<p>Highboard with laundry pull out</p> <p>1 drawer with buffered closing 2 doors 1 laundry pull out with wire basket 1 top cover 330 mm deep</p> <p>Volume of laundry pull out: 40 liters</p>	300	600	828	H B A 5 5 6 A 1 W		
Wall units							
	<p>Wall unit</p> <p>1 door 1 glass shelf 1 top cover 180 mm deep</p> <p>Variable in width: please quote the exact dimension of carcass depth. Top cover will be adapted to the cupboard width.</p>	150 150 151-300 151-300	300 400 300 400	668 668 668 668	O G A 4 1 3 A 7 O G A 4 1 4 A 7 O V A 4 1 3 0 O V A 4 1 4 0	L/R L/R L/R L/R	
	<p>Wall unit</p> <p>2 doors 1 glass shelf 1 top cover 180 mm deep</p> <p>Variable in width: please quote the exact dimension of carcass depth. Top cover will be adapted to the cupboard width.</p>	150 151-300	600 600	668 668	O G A 4 1 6 A 7 O V A 4 1 6 0		
	<p>Wall unit</p> <p>1 flap door, 1 top cover 260 mm deep</p>	230	600	348	O M A 2 1 6 A 7 K		
Base units							
	<p>Base unit</p> <p>1 drawer with buffered closing 1 door 1 top cover 330 mm deep</p>	300 300	300 400	508 508	U N A 3 2 3 A 7 M U N A 3 2 4 A 7 M	L/R L/R	


Please observe suitable accessories in the separate index.

Program 070 - model list

Depth indication corresponds to the carcass depth		Depth in mm	Width in mm	Height in mm	Article number	Hinge	Surcharge high-gloss carcass
Base units							
	Base unit 1 drawer with buffered closing 2 doors 1 top cover 330 mm deep	300	600	508	U N A 3 2 6 A 7 M		
	Base unit 1 drawer with buffered closing 1 metal pull-out with buffered closing, 1 top cover 330 mm deep	300 300	300 400	508 508	U N A 3 4 3 A 7 M U N A 3 4 4 A 7 M		
	Base unit 1 drawer with buffered closing 1 metal pull-out with buffered closing, 1 top cover 330 mm deep	300	600	508	U N A 3 4 6 A 7 M		
	Base unit 1 flap door, 1 top cover 260 mm deep	230	600	348	U M A 2 1 6 A 7 K		
Trolleys							
	Trolley 2 compartments compartments widths: 275 mm 4 roles incl. height indication rolls (100 mm)	400	600	340	R O W 1 1 6 0 0 2		
	Trolley 3 compartments compartments widths: 278 mm 5 roles incl. height indication rolls (100 mm)	400	900	340	R O W 1 1 9 0 0 3		
	Trolley 4 compartments compartments widths: 278 mm 5 roles incl. height indication rolls (100 mm)	400	1200	340	R O W 1 1 1 2 0 4		
	Trolley 5 compartments compartments widths: 278 mm 5 roles incl. height indication rolls (100 mm)	400	1400	340	R O W 1 1 1 4 0 5		




Please observe suitable accessories in the separate index.

Program 070 - model list

Depth indication corresponds to the carcass depth		Depth in mm	Width in mm	Height in mm	Article number			Hinge	Surcharge high-gloss carcass
Trolleys									
	Storage box gris foldable 1 Eingrifföse	255	255	200	P Z	1 1 5 3 0 1			
Shelves									
	functional shelf Edges are cut with a mitre vertical and horizontal mounting possible please indicate colour version: no. 501 white matt lacquered no. 547 black matt lacquered	150	300	160	R G L	1 1 3 0 0 1			
	functional shelf Edges are cut with a mitre vertical and horizontal mounting possible please indicate colour version: no. 501 white matt lacquered no. 547 black matt lacquered	150	600	160	R G L	1 1 6 0 0 2			
	functional shelf Edges are cut with a mitre vertical and horizontal mounting possible please indicate colour version: no. 501 white matt lacquered no. 547 black matt lacquered	150	900	160	R G L	1 1 9 0 0 3			
Laundryrolli									
	Laundryrolli 1 flap door, with buffered closing 1 take-out laundry-bag, washable 4 roles Colour version corresponds to the carcass colour incl. height indication rolls (100 mm)	470	470	756	W R S	4 0 4 7			





Please observe suitable accessories in the separate index.

Program 070 - model list

Depth indication corresponds to the carcass depth		Depth in mm	Width in mm	Height in mm	Article number			Hinge	Surcharge high-gloss carcass
Benches									
	Bench 1 shelf 1 seat cushion in imitation leather cream-white Colour version corresponds to the carcass colour	450	600	508	S E T B A N K		6		
		Bench 2 shelves 1 seat cushion in imitation leather cream-white Colour version corresponds to the carcass colour	450	900	508	S E T B A N K		9	
Glass shelves									
	Glass shelf incl. metal holder 400 mm wide incl. 2 metal brackets 600 mm wide incl. 2 metal brackets 900 mm wide incl. 3 metal brackets 1200 mm wide incl. 3 metal brackets 1400 mm wide incl. 4 metal brackets	130	400	8	A B G 1 3 4 0 0 8				
		130	600	8	A B G 1 3 6 0 0 8				
		130	900	8	A B G 1 3 9 0 0 8				
		130	1200	8	A B G 1 3 1 2 0 8				
		130	1400	8	A B G 1 3 1 4 0 8				

Please observe suitable accessories in the separate index.



Program 070 - bathroom variations

ROK-0190-1		
1	Mirror round Ceramic counter top washbasin washbasin plate cut- out central Washbasin base unit top cover functional shelf in white matt medium-high unit	
	F S R 4 0 7 0 0 1 W T A 4 2 5 5 1 A P A 5 0 9 0 6 3 A U S 4 2 5 5 2 8 S E T 2 9 9 0 2 M A U W 4 0 9 2 2 8 R G L 1 1 6 0 0 2 M O G 8 1 4 0 0 1	926 mm wide
ROS-6112-1		
1	Built-in mirrored cabinet STONEPLUS - washbasin Washbasin base unit with LED lighting Trolley Storage box medium-high unit	
	S 2 A 5 5 1 2 E 1 W M S 2 3 1 2 6 1 S E T 2 9 1 2 2 B R O W 1 1 1 2 0 4 P Z 1 1 5 3 0 1 M O G 8 1 4 0 0 1	1232 mm wide
ROG-9814-1D		
1	Mirror Glass shelf glass washbasin in black matt Washbasin base unit with LED lighting top cover	
	S E T 4 1 1 4 0 2 A B G 1 3 1 4 0 8 W G S 2 3 4 D 9 8 S E T 2 9 1 4 2 B A U W 4 0 1 4 2 8	1432 mm wide
ROK-0114-1D		
1	Mirror Glass shelf Ceramic counter top washbasin cut- out left and right washbasin plate Washbasin base unit with LED lighting Trolley Storage box Tall unit-shelf	
	S E T 4 1 1 4 0 2 A B G 1 3 1 4 0 8 W T A 4 2 5 5 1 A U S 4 2 5 5 2 8 A P A 5 0 1 4 6 3 S E T 2 9 1 4 2 B R O W 1 1 1 4 0 5 P Z 1 1 5 3 0 1 H O G 1 0 4 0 0 1	1426 mm wide

Program 070 - dimensional drawings



WMS/WGS 2306 + SET 2960

WMS/WGS 2309 + SET 2990





WMS/WGS 2312 + SET 2912

WMS/WGS 234D + SET 2914



WTA 4255 1 + APA 5060 63 + SET 2960

WTA 4255 1 + APA 5090 63 + SET 2990



Washing stands without anchoring brackets have to be fixed on the wall and on the furniture-side with silicon!

STONEPLUS:

The water temperature must not exceed 55° C / 131° F. Hair tinting lotions have to be removed in a few seconds, so that staining can be avoided.


Modifications:

Technical modifications (+/- 5mm) and flatness modifications (DIN 18202) are subject of the usual material-specific modifications for construction materials, based on DIN 18202.

Program 070 - dimensional drawings



WTA 4255 1 + APA 5012 63 + SET 2912

2x WTA 4255 1 + APA 5014 63 + SET 2914



Built-in mirrored cabinet

electrical connections for mirror cabinets



Washing stands without anchoring brackets have to be fixed on the wall and on the furniture-side with silicon!

STONEPLUS:

The water temperature must not exceed 55° C / 131° F. Hair tinting lotions have to be removed in a few seconds, so that staining can be avoided.

Modifications:

Technical modifications (+/- 5mm) and flatness modifications (DIN 18202) are subject of the usual material-specific modifications for construction materials, based on DIN 18202.