



Front colours



No. 777 cosmos grey matt



No. 793 noble white matt



No. 891 quarz grey matt



No. 893 titanium grey matt



No. 686 anthracite hgl.



No. 722 polar white hgl.



No. 755 hacienda black



No. 769 hacienda grey



no. 680 Charleston oak



no. 784 light oak



Nr. 785 natural oak



no. 786 truffle oak

F foiled front

carcass colours

* High gloss carcass for an additional price



No. 111
white matt



No. 177
cosmos grey matt



no. 191
quarz grey matt




No. 193
titanium grey
matt



*no. 121
anthracite hgl.



*no. 161
white hgl.



no. 169
hacienda grey



no. 155
hacienda black



no. 180
Charleston oak



no. 184
light oak



Nr. 185
natural oak



no. 186
truffle oak

Handle versions



No. 320 bar handle chrome

handle-borehole distance for straight
fronts: 96 mm / 384 mm

Washbasin colours

Cast mineral washba-
sins



no. 1
white

Ceramic washbasins



no. 1
white

Technique

Pull outs and drawers

No. 554

door with integrated buffered closing

Mirror cabinets

Series 1



Series 2



Series 3






Illustrations and specifications are without obligation. Technical modifications reserved.

2021/2022 - ID




Please note the instruction for warranty, mounting and care, and the quality agreements as well, at the beginning of the book.

Program 038 - model list

Depth indication corresponds to the carcass depth		Depth in mm	Width in mm	Height in mm	Article number	Hinge	Surcharge high-gloss carcass
Mirrors							
	<p>Mirror 2 vertical LED lighting elements 2 x 6 watt / converter 30 watt incl. toggle switch This product contains a light source with energy efficiency class: G</p> <p>600 mm wide</p> <p>800 mm wide</p> <p>1000 mm wide</p> <p>1200 mm wide</p>	43	600	640	F S A 4 3 6 0 1 0		
		43	800	640	F S A 4 3 8 0 1 0		
		43	1000	640	F S A 4 3 1 0 1 0		
		43	1200	640	F S A 4 3 1 2 1 0		
Mirror cabinets Series 1							
	<p>Mirror cabinet Gesims (300 mm tief) 1 LED-built-in light 4,0 watt / converter 15 watt 1 middle panel 2 mirror doors on wooden-plated 2 glass shelves 1 switch socket element Door width: 396 mm / 196 mm This product contains a light source with energy efficiency class: G</p> <p>Additional accessories LED washbasin lighting</p>	150	600	680	S 2 A 4 3 6 0 5 5		
incl. handle pins Door hinge exchangeable					P Z 1 0 6 3 6 0		
	<p>Mirror cabinet Gesims (300 mm tief) 1 LED-built-in light 4,0 watt / converter 15 watt 1 middle panel 3 mirror doors on wooden-plated 2 central partitions, 6 glass shelves 1 switch socket element Door width: 238 mm / 312 mm / 238 mm This product contains a light source with energy efficiency class: G</p> <p>Additional accessories LED washbasin lighting</p>	150	800	680	S 2 A 4 3 8 0 5 5		
incl. handle pins					P Z 1 0 6 3 6 0		





Please observe suitable accessories in the separate index.

Program 038 - model list

Depth indication corresponds to the carcass depth		Depth in mm	Width in mm	Height in mm	Article number			Hinge	Surchar- ge high- gloss carcass										
Mirror cabinets Series 1																			
	<p>Mirror cabinet Gesims (300 mm tief) 1 LED-built-in light 4,0 watt / converter 15 watt 1 middle panel 3 mirror doors on wooden-plated 2 central partitions, 6 glass shelves 1 switch socket element Door width: 288 mm / 412 mm / 288 mm This product contains a light source with energy efficiency class: G</p> <p>Additional accessories LED washbasin lighting</p>	150	1000	680	S	2	A	4	3	1	0	5	5						
incl. handle pins													P Z	1	0	6	3	9	0
	<p>Mirror cabinet Gesims (300 mm tief) 1 LED-built-in light 4,0 watt / converter 15 watt 1 middle panel 3 mirror doors on wooden-plated 2 central partitions, 6 glass shelves 1 switch socket element Door width: 388 mm / 412 mm / 388 mm This product contains a light source with energy efficiency class: G</p> <p>Additional accessories LED washbasin lighting</p>	150	1200	680	S	2	A	4	3	1	2	5	5						
incl. handle pins													P Z	1	0	6	3	1	2
Mirror cabinets Series 2																			
	<p>Mirror cabinet 1 LED panel light 8,18 watt / Converter 15 watt 2 mirror doors on wooden-plated 2 glass shelves 1 switch socket element Door width: 396 mm / 196 mm This product contains a light source with energy efficiency class: F</p> <p>Additional accessories LED washbasin lighting</p>	150	600	649	S	2	A	4	3	6	0	8	1						
incl. handle blocks Door hinge exchangeable													P Z	1	0	6	3	6	0






Please observe suitable accessories in the separate index.

Program 038 - model list

Depth indication corresponds to the carcass depth		Depth in mm	Width in mm	Height in mm	Article number	Hinge	Surcharge high-gloss carcass
Mirror cabinets Series 2							
	<p>Mirror cabinet 1 LED panel light 15,0 watt / converter 30 watt 3 mirror doors on wooden-plated 2 central partitions, 6 glass shelves 1 switch socket element Door width: 238 mm / 312 mm / 238 mm This product contains a light source with energy efficiency class: F</p> <p>Additional accessories LED washbasin lighting</p>	150	800	649	S 2 A 4 3 8 0 8 1		
incl. handle blocks					P Z 1 0 6 3 6 0		
	<p>Mirror cabinet 1 LED panel light 14,4 Watt / converter 30 Watt 3 mirror doors on wooden-plated 2 central partitions, 6 glass shelves 1 switch socket element Door width: 288 mm / 412 mm / 288 mm This product contains a light source with energy efficiency class: F</p> <p>Additional accessories LED washbasin lighting</p>	150	1000	649	S 2 A 4 3 1 0 8 1		
incl. handle blocks					P Z 1 0 6 3 9 0		
	<p>Mirror cabinet 1 LED panel light 17,2 watt / converter 30 watt 3 mirror doors on wooden-plated 2 central partitions, 6 glass shelves 1 switch socket element Door width: 388 mm / 412 mm / 388 mm This product contains a light source with energy efficiency class: F</p> <p>Additional accessories LED washbasin lighting</p>	150	1200	649	S 2 A 4 3 1 2 8 1		
incl. handle blocks					P Z 1 0 6 3 1 2		
Mirror cabinets Series 3							
	<p>mirror cabinet 2 mirror doors on wooden-plated 2 glass shelves 1 LED surface-mounted lamp 400 mm 8,4 watt / Converter 15 watt 1 switch socket element Door width: 396 mm / 196 mm This product contains a light source with energy efficiency class: G</p> <p>Additional accessories LED washbasin lighting</p>	150	600	640	S 2 A 4 3 6 0 A 1		
incl. handle blocks Door hinge exchangeable					P Z 1 0 6 3 6 0		






Please observe suitable accessories in the separate index.

Program 038 - model list

Depth indication corresponds to the carcass depth		Depth in mm	Width in mm	Height in mm	Article number	Hinge	Surcharge high-gloss carcass
Mirror cabinets Series 3							
	mirror cabinet 3 mirror doors on wooden-plated 2 central partitions, 6 glass shelves 1 LED surface-mounted lamp 600 mm 11,5 watt / Converter 15 watt 1 switch socket element Door width: 238 mm / 312 mm / 238 mm This product contains a light source with energy efficiency class: G Additional accessories LED washbasin lighting	150	800	640	S 2 A 4 3 8 0 A 1 P Z 1 0 6 3 6 0		
	mirror cabinet 3 mirror doors on wooden-plated 2 central partitions, 6 glass shelves 1 LED surface-mounted lamp 600 mm 11,5 watt / Converter 30 watt 1 switch socket element Door width: 288 mm / 412 mm / 288 mm This product contains a light source with energy efficiency class: G Additional accessories LED washbasin lighting	150	1000	640	S 2 A 4 3 1 0 A 1 P Z 1 0 6 3 9 0		
	mirror cabinet 3 mirror doors on wooden-plated 2 central partitions, 6 glass shelves 1 LED surface-mounted lamp 900 mm 15,5 watt / converter 30 watt 1 switch socket element Door width: 388 mm / 412 mm / 388 mm This product contains a light source with energy efficiency class: G Additional accessories LED washbasin lighting	150	1200	640	S 2 A 4 3 1 2 A 1 P Z 1 0 6 3 1 2		
Cast mineral washbasins							
	Cast mineral washbasin colour white	520	606	28	WMM 8 5 0 6 1		
	Cast mineral washbasin colour white	520	806	28	WMM 8 5 0 8 1		





Please observe suitable accessories in the separate index.

Program 038 - model list

Depth indication corresponds to the carcass depth		Depth in mm	Width in mm	Height in mm	Article number			Hinge	Surcharge high-gloss carcass
Cast mineral washbasins									
	Cast mineral washbasin colour white	520	1006	28	WMM 8 5 1 0	1			
	Cast mineral washbasin colour white	520	1206	28	WMM 8 5 2 0	1			
Ceramic washbasins									
	Ceramic washbasin colour white								
	without LED lighting	511	620	28	WTM 8 5 0 6	1			
	with LED lighting 1 LED converter 12 V, 15 Watt incl. toggle switch This product contains a light source with energy efficiency class: F	511	620	28	WTM 8 5 0 6 B	1			
	Additional accessories motion sensor for LED lighting				PZ	1 1 4 1			
	Ceramic washbasin colour white								
	without LED lighting	547	820	28	WTM 8 5 0 8	1			
	with LED lighting 1 LED converter 12 V, 15 Watt incl. toggle switch This product contains a light source with energy efficiency class: F	547	820	28	WTM 8 5 0 8 B	1			
	Additional accessories motion sensor for LED lighting				PZ	1 1 4 1			
	Ceramic washbasin colour white								
	without LED lighting	547	1020	28	WTM 8 5 1 0	1			
	with LED lighting 1 LED converter 12 V, 15 Watt incl. toggle switch This product contains a light source with energy efficiency class: F	547	1020	28	WTM 8 5 1 0 B	1			
	Additional accessories motion sensor for LED lighting				PZ	1 1 4 1			






Please observe suitable accessories in the separate index.

Program 038 - model list

Depth indication corresponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Article number	Hinge	Surcharge high-gloss carcass
Ceramic washbasins						
	Ceramic washbasin colour white					
	547	1220	28	WTM 8 5 2 0 1		
	547	1220	28	WTM 8 5 2 0 B 1		
	without LED lighting with LED lighting 1 LED converter 12 V, 15 Watt incl. toggle switch This product contains a light source with energy efficiency class: F					
	Additional accessories motion sensor for LED lighting					
				P Z 1 1 4 1		
Washbasin base units						
	Washbasin base unit 1 metal pull out unit with buffered closing 1 metal pull out unit with buffered closing and rail					
	469	600	480	WUA 3 5 6 0 1 4		
	sidewise carcass depth = 415 mm					
	Additional accessories Space-saving drain stretch trap DN 40 Space-saving drain stretch trap DN 32					
				P Z 1 3 6 7		
				P Z 1 4 2 3		
	Washbasin base unit 1 metal pull out unit with buffered closing 1 metal pull out unit with buffered closing and rail					
	506	800	480	WUA 3 5 8 0 1 4		
	sidewise carcass depth = 430 mm					
	Additional accessories Space-saving drain stretch trap DN 40 Space-saving drain stretch trap DN 32					
				P Z 1 3 6 7		
				P Z 1 4 2 3		
	Washbasin base unit 1 metal pull out unit with buffered closing 1 metal pull out unit with buffered closing and rail					
	506	1000	480	WUA 3 5 1 0 1 4		
	sidewise carcass depth = 400 mm					
	Additional accessories Space-saving drain stretch trap DN 40 Space-saving drain stretch trap DN 32					
				P Z 1 3 6 7		
				P Z 1 4 2 3		

Please observe suitable accessories in the separate index.







Program 038 - model list

Depth indication corresponds to the carcass depth		Depth in mm	Width in mm	Height in mm	Article number	Hinge	Surcharge high-gloss carcass
Washbasin base units							
	<p>Washbasin base unit 1 metal pull out unit with buffered closing 1 metal pull out unit with buffered closing and rail</p> <p>sidewise carcass depth = 370 mm</p> <p>Additional accessories Space-saving drain stench trap DN 40 Space-saving drain stench trap DN 32</p>	506	1200	480	W U A 3 5 1 2 1 4		
					P Z 1 3 6 7 P Z 1 4 2 3		
Tall units							
	<p>Tall unit 1 door 2 glass shelves (top) 1 drawer with buffered closing 2 metal pull-outs with buffered closing 1 top cover 325 mm deep</p>	300	300	1616	H N A 0 9 3 A	L/R	
		300	400	1616	H N A 0 9 4 A	L/R	
	<p>Tall unit 2 doors 2 glass shelves (top) 1 drawer with buffered closing 2 metal pull-outs with buffered closing 1 top cover 325 mm deep</p>	300	600	1616	H N A 0 9 6 A		
	<p>Tall unit 1 aluminium framed door with satined glass 2 glass shelves (top) 2 metal pull-outs with buffered closing 1 drawer with buffered closing 1 top cover 325 mm deep</p>	300	300	1616	H N A 0 9 3 B	L/R	
	<p>Tall unit 2 aluminium framed doors with satined glass 2 glass shelves (top) 1 drawer with buffered closing 2 metal pull-outs with buffered closing 1 top cover 325 mm deep</p>	300	600	1616	H N A 0 9 6 B		

Please observe suitable accessories in the separate index.







Program 038 - model list

Depth indication corresponds to the carcass depth

	Depth in mm	Width in mm	Height in mm	Article number	Hinge	Surcharge high-gloss carcass
	300	300	1616	HNA033A	L/R	
	300	400	1616	HNA034A	L/R	
	300	600	1616	HNA036A		
	300	300	1616	HNA033B	L/R	
	300	600	1616	HNA036B		
	300	300	1616	HNA053A	L/R	
	300	400	1616	HNA054A	L/R	
	300	600	1616	HNA056A		

Please observe suitable accessories in the separate index.








Program 038 - model list

Depth indication corresponds to the carcass depth		Depth in mm	Width in mm	Height in mm	Article number		Hinge	Surcharge high-gloss carcass
Tall units								
	<p>Tall unit</p> <ul style="list-style-type: none"> 1 aluminium framed door with satined glass 2 glass shelves (top) 1 metal drawer 1 door 1 glass shelf 1 top cover 325 mm deep 	300	300	1616	HNA053B		L/R	
	<p>Tall unit</p> <ul style="list-style-type: none"> 2 aluminium framed doors with satined glass 2 glass shelves (top) 1 metal drawer 2 doors 1 glass shelf 1 top cover 325 mm deep 	300	600	1616	HNA056B			
	<p>Tall unit with laundry basket</p> <ul style="list-style-type: none"> 1 door 2 glass shelves 1 drawer with buffered closing 1 laundry basket with wire basket 1 top cover 325 mm deep <p>Volume of laundry basket: 25 liters</p> <p>Volume of laundry basket: 35 liters</p>	300	300	1616	HNA053A	W	L/R	
		300	400	1616	HNA054A	W	L/R	
	<p>Tall unit with laundry basket</p> <ul style="list-style-type: none"> 2 doors 2 glass shelves (top) 1 drawer with buffered closing 1 laundry basket with wire basket 1 top cover 325 mm deep <p>Volume of laundry basket: 55 liters</p>	300	600	1616	HNA056A	W		
	<p>Tall unit with laundry basket</p> <ul style="list-style-type: none"> 1 aluminium framed door with satined glass 2 glass shelves (top) 1 drawer with buffered closing 1 laundry basket with wire basket 1 top cover 325 mm deep <p>Volume of laundry basket: 25 liters</p>	300	300	1616	HNA053B	W	L/R	
	<p>Tall unit with laundry basket</p> <ul style="list-style-type: none"> 2 aluminium framed doors with satined glass 2 glass shelves (top) 1 drawer with buffered closing 1 laundry basket with wire basket 1 top cover 325 mm deep <p>Volume of laundry basket: 55 liters</p>	300	600	1616	HNA056B	W		

Please observe suitable accessories in the separate index.








Program 038 - model list

Depth indication corresponds to the carcass depth

	Depth in mm	Width in mm	Height in mm	Article number	Hinge	Surcharge high-gloss carcass
 <p>800 160 320</p>	300	300	1296	M N A 8 8 3 A	L/R	
	300	400	1296	M N A 8 8 4 A	L/R	
 <p>800 160 320</p>	300	600	1296	M N A 8 8 6 A		
 <p>800 160 320</p>	300	300	1296	M N A 8 8 3 B	L/R	
 <p>800 160 320</p>	300	600	1296	M N A 8 8 6 B		
 <p>1280</p>	300	300	1296	M N A 8 1 3 A	L/R	
	300	400	1296	M N A 8 1 4 A	L/R	
 <p>1280</p>	300	600	1296	M N A 8 1 6 A		
 <p>1280</p>	300	300	1296	M N A 8 4 3 A	L/R	
	300	400	1296	M N A 8 4 4 A	L/R	








Please observe suitable accessories in the separate index.

Program 038 - model list

Depth indication corresponds to the carcass depth		Depth in mm	Width in mm	Height in mm	Article number	Hinge	Surcharge high-gloss carcass
Central units							
	medium-high unit with inside drawers 2 doors 1 continuous glass shelf 2 continuously inside metal-drawer with buffered closing 1 top cover 325 mm deep	300	600	1296	M N A 8 4 6 A		
Highboards							
	Highboard 1 door 2 glass shelves 1 top cover 325 mm deep	300	300	816	H B A 5 1 3 A	L/R	
		300	400	816	H B A 5 1 4 A	L/R	
	Highboard 2 doors 2 glass shelves 1 top cover 325 mm deep	300	600	816	H B A 5 1 6 A		
	Highboard 1 aluminium framed door 2 glass shelves 1 top cover 325 mm deep	300	300	816	H B A 5 1 3 B	L/R	
	Highboard 2 aluminium framed doors 2 glass shelves 1 top cover 325 mm deep	300	600	816	H B A 5 1 6 B		
	Highboard 1 drawer with buffered closing 2 metal pull-outs with buffered closing 1 top cover 325 mm deep	300	300	816	H B A 5 6 3 A		
		300	400	816	H B A 5 6 4 A		
	Highboard 1 drawer with buffered closing 2 metal pull-outs with buffered closing 1 top cover 325 mm deep	300	600	816	H B A 5 6 6 A		








Please observe suitable accessories in the separate index.

Program 038 - model list

Depth indication corresponds to the carcass depth		Depth in mm	Width in mm	Height in mm	Article number	Hinge	Surcharge high-gloss carcass
Highboards							
	Highboard 1 drawer with buffered closing 1 door 1 glass shelf 1 top cover 325 mm deep	300	300	816	H B A 5 5 3 A	L/R	
		300	400	816	H B A 5 5 4 A	L/R	
	Highboard 1 drawer with buffered closing 2 doors 1 glass shelf 1 top cover 325 mm deep	300	600	816	H B A 5 5 6 A		
	Highboard with laundry basket 1 drawer with buffered closing 1 laundry basket with wire basket 1 top cover 325 mm deep Volume of laundry basket: 25 liters	300	300	816	H B A 5 5 3 A	W	
	Volume of laundry basket: 35 liters	300	400	816	H B A 5 5 4 A	W	
	Highboard with laundry basket 1 drawer with buffered closing 1 laundry basket with wire basket 1 top cover 325 mm deep Volume of laundry basket: 55 liters	300	600	816	H B A 5 5 6 A	W	
Wall units							
	Wall unit 1 door 1 glass shelf 1 top cover 180 mm deep	150	300	656	O G A 4 1 3 A	L/R	
		150	400	656	O G A 4 1 4 A	L/R	
	Wall unit 2 doors 1 glass shelf 1 top cover 180 mm deep	150	600	656	O G A 4 1 6 A		
	Wall unit 1 flap door, 1 top cover 260 mm deep	230	600	336	O M A 2 1 6 A	K	




Please observe suitable accessories in the separate index.

Program 038 - model list

Depth indication corresponds to the carcass depth		Depth in mm	Width in mm	Height in mm	Article number	Hinge	Surcharge high-gloss carcass
Base units							
	Base unit 1 drawer with buffered closing 1 door 1 top cover 325 mm deep	300	300	496	U N A 3 2 3 A	L/R	
		300	400	496	U N A 3 2 4 A	L/R	
	Base unit 1 drawer with buffered closing 2 doors 1 top cover 325 mm deep	300	600	496	U N A 3 2 6 A		
	Base unit 1 drawer with buffered closing 1 metal pull-out with buffered closing, 1 top cover 325 mm deep	300	300	496	U N A 3 4 3 A		
		300	400	496	U N A 3 4 4 A		
	Base unit 1 drawer with buffered closing 1 metal pull-out with buffered closing, 1 top cover 325 mm deep	300	600	496	U N A 3 4 6 A		
	Base unit 1 flap door, 1 top cover 260 mm deep	230	600	336	U M A 2 1 6 A	K	
Laundryrolli							
	Laundryrolli 1 flap door, with buffered closing 1 take-out laundry-bag, washable 4 rolls Colour version corresponds to the carcass colour incl. height indication rolls (100 mm)	470	470	756	W R S 4 0 4 7		
Benches							
	Bench 1 shelf 1 seat cushion in imitation leather cream-white Colour version corresponds to the carcass colour	450	600	508	S E T B A N K	6	

Please observe suitable accessories in the separate index.


Program 038 - model list

Depth indication corresponds to the carcass depth		Depth in mm	Width in mm	Height in mm	Article number		Hinge	Surcharge high-gloss carcass
<h2>Benches</h2>  <p>Bench 2 shelves 1 seat cushion in imitation leather cream-white</p> <p>Colour version corresponds to the carcass colour</p>		450	900	508	S E T B A N K	9		
<h2>Glass shelves</h2>  <p>Glass shelf incl. metal holder</p> <p>400 mm wide incl. 2 metal brackets</p> <p>600 mm wide incl. 2 metal brackets</p> <p>800 mm wide incl. 2 metal brackets</p> <p>1000 mm wide incl. 3 metal brackets</p> <p>1200 mm wide incl. 3 metal brackets</p>		130	400	8	A B G 1 3 4 0 0 8			
<h2>Push-fit shelf</h2>  <p>Push-fit shelf with ABS thick edge all around incl. holders for push fit shelf</p> <p>300 mm wide incl. 2 push-fit holder</p> <p>400 mm wide incl. 2 push-fit holder</p> <p>600 mm wide incl. 2 push-fit holder</p> <p>800 mm wide incl. 3 push-fit holder</p> <p>1000 mm wide incl. 3 push-fit holder</p> <p>1200 mm wide incl. 3 push-fit holder</p>		150	300	28	S B G 6 0 3 0			
		150	400	28	S B G 6 0 4 0			
		150	600	28	S B G 6 0 6 0			
		150	800	28	S B G 6 0 8 0			
		150	1000	28	S B G 6 0 1 0			
		150	1200	28	S B G 6 0 1 2			


Please observe suitable accessories in the separate index.

Program 038 - block designation



- 1) PAB-SP06-D1
- 2) PAB-SP06-C1




- 1) PAB-SP06-A4
- 2) PAB-SP06-K4




- 1) PAB-SP06-A5
- 2) PAB-SP06-K5



600 mm wide




with S2A 4360 55
600 mm wide




with S2A 4360 55
600 mm wide



- 1) PAB-SP06-A6
- 2) PAB-SP06-K6




- 1) PAB-SP08-D1
- 2) PAB-SP08-C1




- 1) PAB-SP08-A4
- 2) PAB-SP08-K4



with S2A 4360 A1
600 mm wide




800 mm wide




with S2A 4380 55
800 mm wide



- 1) PAB-SP08-A5
- 2) PAB-SP08-K5




- 1) PAB-SP08-A6
- 2) PAB-SP08-K6




- 1) PAB-SP10-D1
- 2) PAB-SP10-C1



with S2A 4380 81
800 mm wide



with S2A 4380 A1
800 mm wide




1000 mm wide


- 1) Block with cast mineral washbasin
- 2) Block with ceramic washbasin

Program 038 - block designation



- 1) PAB-SP10-A4
- 2) PAB-SP10-K4




- 1) PAB-SP10-A5
- 2) PAB-SP10-K5




- 1) PAB-SP10-A6
- 2) PAB-SP10-K6



with S2A 4310 55
1000 mm wide




with S2A 4310 81
1000 mm wide




with S2A 4310 A1
1000 mm wide



- 1) PAB-SPEE-D1
- 2) PAB-SPEE-C1




- 1) PAB-SPEE-A4
- 2) PAB-SPEE-K4




- 1) PAB-SPEE-A5
- 2) PAB-SPEE-K5



1200 mm wide





with S2A 4312 55
1200 mm wide



with S2A 4312 81
1200 mm wide

- 1) PAB-SPEE-A6
- 2) PAB-SPEE-K6




with S2A 4312 A1
1200 mm wide


- 1) Block with cast mineral washbasin
- 2) Block with ceramic washbasin

Program 038 - dimensional drawings


WMM 8506 1




WMM 8508 1




WMM 8510 1




WMM 8520 1




WTM 8506




WTM 8508



WTM 8510



WTM 8520



For washing stands with fixing screws, the dimensions for boring must be drawn in on-site after the washing stand has been laid on the floor unit.

Washing stands without anchoring brackets have to be fixed on the wall and on the furniture-side with silicon!

Cast mineral:


The water temperature must not exceed 55° C / 131° F. Hair tinting lotions have to be removed immediately, so that staining can be avoided.

Modifications:

Technical modifications (+/- 5mm) and flatness modifications (DIN 18202) are subject of the usual material-specific modifications for construction materials, based on DIN 18202.

Program 038 - dimensional drawings

electrical connections for mirror cabinets



For washing stands with fixing screws, the dimensions for boring must be drawn in on-site after the washing stand has been laid on the floor unit.

Washing stands without anchoring brackets have to be fixed on the wall and on the furniture-side with silicon!

Cast mineral:

The water temperature must not exceed 55° C / 131° F. Hair tinting lotions have to be removed immediately, so that staining can be avoided.

Modifications:

Technical modifications (+/- 5mm) and flatness modifications (DIN 18202) are subject of the usual material-specific modifications for construction materials, based on DIN 18202.