



Star line

Program 32





Front colours



No. 764 Stonegrey matt



No. 777 cosmos grey matt



No. 793 noble white matt



No. 891 quarz grey matt



No. 893 titanium grey matt



No. 686 anthracite hgl.



No. 722 polar white hgl.



No. 755 hacienda black



No. 769 hacienda grey



no. 670 Halifax oak



no. 680 Charleston oak



No. 750 cardiff oak



no. 784 light oak



Nr. 785 natural oak




no. 786 truffle oak



no. 794 sand oak





carcass colours

* High gloss carcass for an additional price



No. 164 Stonegrey matt



No. 177 cosmos grey matt



No. 111 white matt



no. 191 quarz grey matt



No. 193 titanium grey matt



*no. 121 anthracite hgl.



*no. 161 white hgl.



no. 155 hacienda black



no. 169 hacienda grey



no. 170 Halifax oak



no. 180 Charleston oak



no. 150 cardiff oak



no. 184 light oak



Nr. 185 natural oak



no. 186 truffle oak



no. 194 sand oak

Washbasin colours

STONEPLUS washbasins



Series A STONE-PLUS

No. 61 white

evermite - washbasins



Series B

evermite

No. 21 white





no. 82 optiwhite



no. 83 quartzite gray



Handle versions



No. 294 bar handle chrome, narrow variation

handle bore 96 mm / 384 mm



No. 296 bar handle chrome, expanded variation

handle bore 96 mm / 384 mm



No. 329 Strip handle chrome

handle lenght 194 mm / 294 mm



no. 338 Strip handle aluminium matt handle lenght 194 mm / 294 mm



No. 339 Strip handle black matt

handle lenght 194 mm / 294 mm / 494 mmm

Technique

Pull outs and drawers

No. 554

door with integrated buffered closing

Mirror cabinets

Series A

Series B

Series C








Depth indication corre	esponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Arti	cle num	ber	Hinge	Surcha ge hig gloss carcas	jh- s
Mirrors										
. //	Mirror 1 LED panel light Emotion lighting 1 LED converter incl. LED washbasin lighting This product contains a light source with energy efficiency class: F									
	900 mm wide 26,4 watt	91	900	652	FSB	4 1 9	0 0 1			
	1200 mm wide 35,7 watt	91	1200	652	FSB	4 1 1	2 0 1			
	1400 mm wide 41,9 watt	91	1400	652	FSB	4 1 1	4 0 1			
	1600 mm wide 48,1 watt	91	1600	652	FSB	4 1 1	6 0 1			
Mirror cabin	ets Series A									
ENOTION incl. handle pads	Mirror cabinet 3 double mirror doors 2 central partitions, 6 glass shelves 1 switch socket element 1 mirror panel incl. LED lighting 8,1 Watt / converter 15 Watt Door width: 238 mm / 412 mm / 238 mm This product contains a light source with energy efficiency class: F	150	900	720	S 2 A	5 8 9	0 6			
	Additional accessories LED washbasin lighting LED washbasin lighting emotion Emotion lighting				PZ PZ PZ	1 0 6 1 1 5 1 0 2	90			
incl. handle pads	Mirror cabinet 3 double mirror doors 2 central partitions, 6 glass shelves 1 switch socket element 1 mirror panel incl. LED lighting 10,6 Watt / converter 30 Watt Door width: 388 mm / 412 mm / 388 mm This product contains a light source with energy efficiency class: F for single washbasin solution Additional accessories LED washbasin lighting LED washbasin lighting emotion	150	1200		P Z P Z	581 106 115	3 12 0 12			
	Emotion lighting				PΖ	1 0 2				



Depth indication corre	esponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Artic	cle i	num	be	r	Hinge	Surchar- ge high- gloss carcass
Mirror cabin	ets Series A										
incl. handle pads	Mirror cabinet 3 double mirror doors 2 central partitions, 6 glass shelves 1 switch socket element 1 mirror panel incl. LED lighting 10,6 Watt / converter 30 Watt Door width: 496 mm / 196 mm / 496 mm This product contains a light source with energy efficiency class: F for double washbasin solutions	150	1200	720	S 2 A	5 8	3 1	2	5		
	Additional accessories LED washbasin lighting LED washbasin lighting emotion Emotion lighting				PZ PZ PZ	1	0 6 1 5 0 2	0 /			
incl. handle pads	Mirror cabinet 3 double mirror doors 2 central partitions, 6 glass shelves 1 switch socket element 1 mirror panel incl. LED lighting 12,5 Watt / converter 30 Watt Door width: 446 mm / 496 mm / 446 mm This product contains a light source with energy efficiency class: F for single washbasin solution Additional accessories LED washbasin lighting LED washbasin lighting emotion Emotion lighting	150	1400		PZ PZ PZ	1 1	0 6 1 5 0 2	3 0	6 112 112		
incl. handle pads	Mirror cabinet 3 double mirror doors 2 central partitions, 6 glass shelves 1 switch socket element 1 mirror panel incl. LED lighting 12,5 Watt / converter 30 Watt Door width: 546 mm / 296 mm / 546 mm This product contains a light source with energy efficiency class: F for double washbasin solutions Additional accessories LED washbasin lighting LED washbasin lighting emotion Emotion lighting	150	1400	720	S 2 A	1 1	0 6 1 5 0 2	3 7 0			

·	esponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Arti	cle	nuı	mbi	er	Hinge	Surchar- ge high- gloss carcass
Mirror cabir	ets Series A										
incl. handle pads	Mirror cabinet 3 double mirror doors 2 central partitions, 6 glass shelves 1 switch socket element 1 mirror panel incl. LED lighting 14,4 Watt / converter 30 Watt Door width: 546 mm / 496 mm / 546 mm This product contains a light source with energy efficiency class: F Additional accessories	150	1600	720	S 2 A	. 5	8 1	6	5		
Mirror cahir	LED washbasin lighting LED washbasin lighting emotion Emotion lighting				PZ PZ PZ	1		0	12		
WIIITOI Cabii	icts scries b										
incl. handle pads	Mirror cabinet 3 double mirror doors 2 central partitions, 6 glass shelves 1 switch socket element 1 flyover shelf with LED lighting 2 X 5,1 watt / Converter 15 watt Door width: 238 mm / 412 mm / 238 mm This product contains a light source with energy efficiency class: E	150	900	668	S 2 A	. 4	3 9	0 0	1 6		
	Additional accessories LED washbasin lighting LED washbasin lighting emotion Emotion lighting				PZ PZ PZ	1		0	9 0 9 0 1		
incl. handle pads	Mirror cabinet 3 double mirror doors 2 central partitions, 6 glass shelves 1 switch socket element 1 flyover shelf with LED lighting 2 X 7,44 watt / converter 30 watt Door width: 388 mm / 412 mm / 388 mm This product contains a light source with energy efficiency class: E	150	1200	668	S 2 A	4	3 1	2	1 6		
	for single washbasin solution Additional accessories LED washbasin lighting LED washbasin lighting emotion Emotion lighting				P Z P Z P Z	1		0	12 12 1		
	hserve suitable accessories in the senarate index										





Depth indication correspond	·	Depth in mm	Width in mm	Height in mm	Artio	cle r	numb	er	Hinge	Surchar- ge high- gloss carcass
Mirror cabinets	Series B									
3 dou 2 cer 6 gla 1 sw 2 X 7 Door This efficie	or cabinet uble mirror doors ntral partitions, ass shelves itch socket element over shelf with LED lighting 7,44 watt / converter 30 watt r width: 496 mm / 196 mm / 496 mm product contains a light source with energy ency class: E	150	1200	668	S 2 A	4 3	3 1 2	1 5		
Addi LED LED	ouble washbasin solutions tional accessories washbasin lighting washbasin lighting emotion tion lighting				PZ PZ PZ	1 1	0 6 3 1 5 0 0 2 0	12		
3 dou 2 cer 6 gla 1 sw 1 flyc 2 X 9 incl. handle pads Door This effici	or cabinet uble mirror doors ntral partitions, ass shelves itch socket element over shelf with LED lighting 9,0 watt / converter 30 watt r width: 446 mm / 496 mm / 446 mm product contains a light source with energy ency class: E ingle washbasin solution tional accessories	150	1400	668	S 2 A	4 3	3 1 4	1 6		
LED LED	tional accessories washbasin lighting washbasin lighting emotion tion lighting				PZ PZ PZ	1 1	063 150 020	12		
3 dou 2 cer 6 gla 1 sw 1 flyc 2 X 9 incl. handle pads Door This efficient for double LED LED	or cabinet uble mirror doors ntral partitions, uss shelves vitch socket element over shelf with LED lighting 9,0 watt / converter 30 watt r width: 546 mm / 296 mm / 546 mm product contains a light source with energy ency class: E ouble washbasin solutions tional accessories washbasin lighting washbasin lighting washbasin lighting tion lighting	150	1400		S 2 A	1 () 6 3 1 5 0 2 0	12		

Depth indication corre	esponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Artic	cle r	num	ber		Hinge	Surchar- ge high- gloss carcass
Mirror cabin	ets Series B										
incl. handle pads	Mirror cabinet 3 double mirror doors 2 central partitions, 6 glass shelves 1 switch socket element 1 flyover shelf with LED lighting 2 X 10,5 watt / converter 30 watt Door width: 546 mm / 496 mm / 546 mm This product contains a light source with energy efficiency class: E	150	1600	668	S 2 A	4 3	3 1	6 1	5		
	Additional accessories LED washbasin lighting LED washbasin lighting emotion Emotion lighting				PZ PZ PZ	1 1	06; 15(02(0 1			
Mirror cabin	ets Series C										
incl. handle blocks	Mirror cabinet 3 double mirror doors 2 central partitions, 6 glass shelves 1 switch socket element 1 LED panel light 13,6 Watt / converter 30 Watt Door width: 238 mm / 412 mm / 238 mm This product contains a light source with energy efficiency class: F	150	900	660	S 2 A	4 3	3 9	0 7	7 8		
	Additional accessories LED washbasin lighting LED washbasin lighting emotion Emotion lighting				P Z P Z P Z	1 1	0 6 3 1 5 0 0 2 0	0 9			
incl. handle blocks	mirror cabinet 3 double mirror doors 2 central partitions, 6 glass shelves 1 switch socket element 1 LED panel light 18,2 watt / converter 30watt Door width: 388 mm / 412 mm / 388 mm This product contains a light source with energy efficiency class: F for single washbasin solution Additional accessories LED washbasin lighting LED washbasin lighting emotion	150	1200	660	S 2 A P Z P Z	1 (3 1 3 6 6 6 6 7 7 8 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	3 1	2		
	Emotion lighting				PΖ		2 (1		





•	esponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Artio	cle numb	er	Hinge	Surchar- ge high- gloss carcass
Mirror cabin	ets Series C								
EMOTION incl. handle blocks	mirror cabinet 3 double mirror doors 2 central partitions, 6 glass shelves 1 switch socket element 1 LED panel light 18,2 watt / converter 30watt Door width: 496 mm / 196 mm / 496 mm This product contains a light source with energy efficiency class: F	150	1200	660	S 2 A	4 3 1 2	7 7		
	for double washbasin solutions Additional accessories LED washbasin lighting LED washbasin lighting emotion Emotion lighting				PZ PZ PZ	1 0 6 3 1 1 5 0 1 0 2 0	12		
incl. handle blocks	mirror cabinet 3 double mirror doors 2 central partitions, 6 glass shelves 1 switch socket element 1 LED panel light 21,3 watt / converter 30 watt Door width: 446 mm / 496 mm / 446 mm This product contains a light source with energy efficiency class: F for single washbasin solution	150	1400	660	S 2 A	4 3 1 4	7 8		
	Additional accessories LED washbasin lighting LED washbasin lighting emotion Emotion lighting				PZ PZ PZ	1 0 6 3 1 1 5 0 1 0 2 0	12		
incl. handle blocks	mirror cabinet 3 double mirror doors 2 central partitions, 6 glass shelves 1 switch socket element 1 LED panel light 21,3 watt / converter 30 watt Door width: 546 mm / 296 mm / 546 mm This product contains a light source with energy efficiency class: F for double washbasin solutions Additional accessories LED washbasin lighting LED washbasin lighting Emotion lighting	150	1400		S 2 A	1 0 6 3 1 1 5 0 1 0 2 0	12		


Depth indication corre	esponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Arti	cle nu	mbe	er	Hinge	Surchar- ge high- gloss carcass
Mirror cabin	ets Series C									
incl. handle blocks	mirror cabinet 3 double mirror doors 2 central partitions, 6 glass shelves 1 switch socket element 1 LED panel light 24,4 watt / converter 30 watt Door width: 546 mm / 496 mm / 546 mm This product contains a light source with energy efficiency class: F	150	1600	660	S 2 A	4 3	1 6	7 7		
	Additional accessories LED washbasin lighting LED washbasin lighting emotion Emotion lighting				PZ PZ PZ	1 0 0	5 0			
STONEPLUS Series A	S washbasins									
	STONEPLUS washbasin, 900 mm colour white 1 tap hole 1 drain cover incl. permanent drain can be combined with WUA 3390 07	495	906	18	WME	9 1 9	9 E	6 1		
	Additional accessories CLOU drain and overflow system LED lighting frame motion sensor for LED lighting Surcharge for washbasins without tap-hole or with 3 hole	es (accord	ling to ske	tch)	PZ PZ PZ	1 1 0	6 1	1 90		
	STONEPLUS washbasin, 1.200 mm colour white 1 tap hole 1 drain cover incl. permanent drain can be combined with WUA 3312 07	495	1206	18	WME	9 1 :	2 E	6 1		
	Additional accessories CLOU drain and overflow system LED lighting frame motion sensor for LED lighting Surcharge for washbasins without tap-hole or with 3 hole	s (accord	ling to ske	tch)	PZ PZ PZ	1 1 0	6 1	1 12		



Depth indication corre	sponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Artio	cle n	umb	er	Hinge	Surchar- ge high- gloss carcass
STONEPLUS Series A	Swashbasins									
	STONEPLUS double washbasin, 1200 mm, colour white 2 tap holes 1 drain cover incl. permanent drain can be combined with WUA 3312 7, WUA 3312 07	495	1206	18	WME	9 1	2 D	6 1		
	Additional accessories LED lighting frame motion sensor for LED lighting Surcharge for washbasins without tap-hole or with 3 hole	s (accord	ing to ske	tch)	P Z P Z	1 0 1 1	6 1 4 1	12		
	STONEPLUS washbasin, 1400 mm colour white 1 tap hole 1 drain cover incl. permanent drain can be combined with WUA 3314 07	495	1406	18	WME	9 1	4 E	6 1		
	Additional accessories CLOU drain and overflow system LED lighting frame motion sensor for LED lighting Surcharge for washbasins without tap-hole or with 3 hole	s (accord	ing to ske		PZ PZ PZ		0 9 6 1 4 1	1 1 4		
	STONEPLUS double washbasin, 1400 mm colour white 2 tap holes 1 drain cover incl. permanent drain can be combined with WUA 3314 7, WUA 3314 07	495	1406	18	WME	9 1	4 D	6 1		
	Additional accessories CLOU drain and overflow system (order 2 pieces) LED lighting frame motion sensor for LED lighting Additional price for Washbasin without tap hole / with 3 holes (acc. to sketch).				PZ PZ PZ	1 (1 4 1	14		
	STONEPLUS double washbasin, 1600 mm colour white 2 tap holes 1 drain cover incl. permanent drain can be combined with WUA 3316 7	495	1606	18	WME	91	6 D	6 1		
	Additional accessories CLOU drain and overflow system (order 2 pieces) LED lighting frame motion sensor for LED lighting Additional price for Washbasin without tap hole / with 3 holes (acc. to sketch).				PZ PZ PZ	1 (1 0 9 0 6 1 1 4 1	16		
	eks. Price ner washhasin. Washhasin without tan hole	•-								

^{*}Delivery time: 8 weeks. Price per washbasin. Washbasin without tap hole is incompatible with CLOU System. Please check your order confirmation for correctness.


Depth indication corre	esponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Artio	cle n	umb	er	Hinge	g	urchar- e high- gloss arcass
evermite - w Series B	ashbasins										
•	evermite washbasin, 900 mm colour white 1 tap hole inkl. concealed overflow system chrome finish can be combined with WUA 3390 07	495	906	18	SWM	9 2	9 E	2 1			
	Additional accessories LED lighting frame motion sensor for LED lighting Surcharge for washbasins without tap-hole or with 3 hole	es (accord	ing to ske		P Z P Z	1 0 1 1	6 1 4 1	90			
	evermite washbasin, 1200 mm colour white 1 tap hole inkl. concealed overflow system chrome finish can be combined with WUA 3312 07	495	1206	18	SWM	9 2	2 E	2 1			
	Additional accessories LED lighting frame motion sensor for LED lighting Surcharge for washbasins without tap-hole or with 3 hole	s (accord	ing to ske	tch)	P Z P Z	1 0 1 1	6 1 4 1	12			
	evermite double washbasin, 1200 mm colour white 2 tap holes incl. permanent drain	495	1206	18	SWM	9 2	2 D	2 1			
	can be combined with WUA 3312 7, WUA 3312 07 Additional accessories LED lighting frame motion sensor for LED lighting Surcharge for washbasins without tap-hole or with 3 hole	es (accord	ing to ske	tch)	P Z P Z	1 0	6 1 4 1	12			
	evermite washbasin, 1400 mm colour white 1 tap hole inkl. concealed overflow system chrome finish	495	1406	18	SWM	9 2	4 E	2 1			
	can be combined with WUA 3314 07 Additional accessories LED lighting frame motion sensor for LED lighting Surcharge for washbasins without tap-hole or with 3 hole	es (accord	ing to ske	tch)	P Z P Z	1 0	6 1 4 1	14			
	evermite double washbasin, 1400 mm colour white 2 tap holes inkl. concealed overflow system chrome finish can be combined with WUA 3314 7, WUA 3314 07	495	1406	18	SWM	9 2	4 D	2 1			
	Additional accessories LED lighting frame motion sensor for LED lighting Surcharge for washbasins without tap-hole or with 3 hole	s (accord	ing to ske		P Z P Z	1 0 1 1	6 1 4 1	14			



Depth indication corre	esponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Artio	cle numbe	er	Hinge	Surchar- ge high- gloss carcass
evermite - w Series B	rashbasins								
	evermite double washbasin, 1600 mm colour white 2 tap holes inkl. concealed overflow system chrome finish	495	1606	18	SWM	9 2 6 D	2 1		
	can be combined with WUA 3316 7 Additional accessories LED lighting frame motion sensor for LED lighting Surcharge for washbasins without tap-hole or with 3 hole	es (accord	ing to ske	tch)	P Z P Z	1 0 6 1 1 1 4 1	16		
Washbasin k	pase units								
	Washbasin base unit 1 metal pull out unit with buffered closing and rail 1 metal pull-out with buffered closing	470	900	480	WUA	3 3 9 0	0 7		
	for evermite and STONEPLUS washbasins Additional accessories Space-saving drain stench trap DN 40 Space-saving drain stench trap DN 32				P Z P Z	1 3 6 7 1 4 2 3			
	Washbasin base unit consisting of 2 elements 2 metal pull-out units with buffered closing incl. drawer rail 2 metal pull-outs with buffered closing,	470	1200	480	WUA	3 3 1 2	7		
	for evermite and STONEPLUS washbasins Additional accessories Space-saving drain stench trap DN 40 Space-saving drain stench trap DN 32				P Z P Z	1 3 6 7 1 4 2 3			
	Washbasin base unit 1 metal pull out unit with buffered closing and rail 1 metal pull-out with buffered closing for evermite and STONEPLUS washbasins	470	1200	480	WUA	3 3 1 2	0 7		
	Additional accessories Space-saving drain stench trap DN 40 Space-saving drain stench trap DN 32				P Z P Z	1 3 6 7 1 4 2 3			
	Washbasin base unit consisting of 2 elements 2 metal pull-out units with buffered closing incl. drawer rail 2 metal pull-outs with buffered closing,	470	1400	480	WUA	3 3 1 4	7		
*Delivery time: 8 we	for evermite and STONEPLUS washbasins Additional accessories Space-saving drain stench trap DN 40 (order 2 pieces) Space-saving drain stench trap DN 32 (order 2 pieces) eks. Price per washbasin. Washbasin without tap hole	is			P Z P Z	1 3 6 7			

^{*}Delivery time: 8 weeks. Price per washbasin. Washbasin without tap hole is incompatible with CLOU System. Please check your order confirmation for correctness.

Depth indication corr	esponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Artio	cle numb	er	Hinge	Surchar- ge high- gloss carcass
Washbasin	base units								
	Washbasin base unit 1 metal pull out unit with buffered closing and rail 1 metal pull-out with buffered closing	470	1400	480	WUA	3 3 1 4	0 7		
	for evermite and STONEPLUS washbasins Additional accessories								
	Space-saving drain stench trap DN 40 Space-saving drain stench trap DN 32				P Z P Z	1 3 6			
	Washbasin base unit consisting of 2 elements 2 metal pull-out units with buffered closing incl. drawer rail 2 metal pull-outs with buffered closing,	470	1600	480	WUA	3 3 1 6	5 7		
	for evermite and STONEPLUS washbasins				PZ	1 3 6	7		
	Additional accessories Space-saving drain stench trap DN 40 (order 2 pieces) Space-saving drain stench trap DN 32 (order 2 pieces)				PZ	1 4 2			
Glass wash	basin								
	Glass washbasin, 900 mm								
•	Colour Optiwhite	495	906	12	WGS	9 2 9 E	8 2		
•	Colour quartzite gray	495	906	12	WGS	9 2 9 E	8 3		
	1 tap hole inkl. concealed overflow system chrome finish								
	can be combined with WUA 3390 09								
	Additional accessories Neutrally bonding silicone for glass washbasins Surcharge for washbasins without tap-hole or with 3 hole	s (accord	ing to ske	tch)	PΖ	1 2 3 5	;		
	Glass washbasin, 1200 mm	405	4000	40	w o o				
•	Colour Optiwhite	495	1206	12		9 2 2 1			
	Colour quartzite gray	495	1206	12	WGS	9221	= 8 3		
	1 tap hole inkl. concealed overflow system chrome finish								
	can be combined with WUA 3312 09								
	Additional accessories Neutrally bonding silicone for glass washbasins Surcharge for washbasins without tap-hole or with 3 hole	es (accord	ing to ske		PΖ	1 2 3 5	j		
*D - II:	awy time. S weeks Drice nor weekhooin Weekhooin wit	 	 ! - ! -						





Depth indication corre	sponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Arti	cle numb	er	Hinge	Surchar- ge high- gloss carcass
Glass washk	oasin								
	Glass double washbasin, 1200 mm								
• • • · · · · · · · · · · · · · · · · ·	Colour Optiwhite	495	1206	12	w G S	9 2 2 D	8 2		
	Colour quartzite gray	495	1206	12	wgs	9 2 2 D	8 3		
	2 tap holes incl. not lockable flow-off valve								
	can be combined with WUA 3312 09								
	Additional accessories Neutrally bonding silicone for glass washbasins Surcharge for washbasins without tap-hole or with 3 hole	s (accord	ing to ske	tch)	PΖ	1 2 3 5			
	Glass washbasin, 1400 mm								
•	Colour Optiwhite	495	1406	12	WGS	9 2 4 E	8 2		
	Colour quartzite gray	495	1406	12	wgs	9 2 4 E	8 3		
	1 tap hole inkl. concealed overflow system chrome finish								
	can be combined with WUA 3314 09								
	Additional accessories								
	Neutrally bonding silicone for glass washbasins Surcharge for washbasins without tap-hole or with 3 hole	s (accord	ing to ske	tch)	PΖ	1 235			
	Glass double washbasin, 1400 mm								
• •	Colour Optiwhite	495	1406	12	WGS	9 2 4 D	8 2		
	Colour quartzite gray	495	1406	12	WGS	9 2 4 D	8 3		
	2 tap holes inkl. 2 concealed overflow systems chrome finish								
	can be combined with WUA 3314 9								
	Additional accessories Neutrally bonding silicone for glass washbasins Surcharge for washbasins without tap-hole or with 3 hole	s (accord	ina to ske	tch)	ΡZ	1 2 3 5			
		(3	,					
	Glass double washbasin, 1600 mm Colour Optiwhite	495	1606	12	we e	9 2 6 D	8 2		
	Colour quartzite gray	495	1606			9 2 6 D			
		490	1000	12	WGS	9200	0 3		
	2 tap holes inkl. 2 concealed overflow systems chrome finish								
	can be combined with WUA 3316 9								
	Additional accessories Neutrally bonding silicone for glass washbasins Surcharge for washbasins without tap-hole or with 3 hole	es (accord	ing to ske		PΖ	1 2 3 5			

^{*}Delivery time: 8 weeks. Price per washbasin. Washbasin without tap hole is incompatible with CLOU System. Please check your order confirmation for correctness.

Depth indication corre	esponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Arti	cle number	Hinge	Surchar- ge high- gloss carcass
Washbasin I	oase units							
	Washbasin base unit 1 metal pull out unit with buffered closing and rail 1 metal pull out unit with buffered closing	470	900	480	WUA	3 3 9 0 0 9		
	for glass washbasins Additional accessories Space-saving drain stench trap DN 40 Space-saving drain stench trap DN 32				P Z P Z	1 3 6 7 1 4 2 3		
	Washbasin base unit 1 metal pull out unit with buffered closing and rail 1 metal pull out unit with buffered closing for glass washbasins	470	1200	480	WUA	3 3 1 2 0 9		
	Additional accessories Space-saving drain stench trap DN 40 Space-saving drain stench trap DN 32				P Z P Z	1 3 6 7 1 4 2 3		
	Washbasin base unit 1 metal pull out unit with buffered closing and rail 1 metal pull out unit with buffered closing	470	1400	480	WUA	3 3 1 4 0 9		
	for glass washbasins Additional accessories Space-saving drain stench trap DN 40 Space-saving drain stench trap DN 32				P Z P Z	1 3 6 7 1 4 2 3		
	Washbasin base unit consisting of 2 elements 2 metal pull-out units with buffered closing incl. drawer rail 2 metal pull out units with buffered closing and syphon cut- out	470	1400	480	WUA	3 3 1 4 9		
	for glass washbasins Additional accessories Space-saving drain stench trap DN 40 (order 2 pieces) Space-saving drain stench trap DN 32 (order 2 pieces)				P Z P Z	1 3 6 7 1 4 2 3		
	Washbasin base unit consisting of 2 elements 2 metal pull-out units with buffered closing incl. drawer rail 2 metal pull out units with buffered closing and syphon cut- out	470	1600	480	WUA	3 3 1 6 9		
	for glass washbasins Additional accessories Space-saving drain stench trap DN 40 (order 2 pieces) Space-saving drain stench trap DN 32 (order 2 pieces)				P Z P Z	1 3 6 7 1 4 2 3		
Diagon								



Depth indication corre	esponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Article number	Hinge	Surchar- ge high- gloss carcass
Tall units							
1120 240 240	Tall unit 1 door 4 glass shelves 2 metal pull-outs with buffered closing 1 top cover 330 mm deep	300	300 400		H N A 0 8 3 A 7 1 H N A 0 8 4 A 7 1		
240 240	Tall unit 2 doors 4 glass shelves 2 metal pull-outs with buffered closing 1 top cover 330 mm deep	300	600	1628	H N A 0 8 6 A 7 1		
800	Tall unit 1 door 2 glass shelves (top) 2 metal pull-outs with buffered closing	300 300	300 400		H N A 0 9 3 A 7 M H N A 0 9 4 A 7 M		
160 320 320	1 drawer with buffered closing 1 top cover 330 mm deep						
800 160 320 320 320	Tall unit 2 doors 2 glass shelves (top) 2 metal pull-outs with buffered closing 1 drawer with buffered closing 1 top cover 330 mm deep	300	600	1628	H N A 0 9 6 A 7 M		
160 320 320	Tall unit 1 aluminium framed door with satined glass 2 glass shelves (top) 2 metal pull-outs with buffered closing 1 drawer with buffered closing 1 top cover 330 mm deep	300	300	1628	H N A 0 9 3 B 7 M	L/R	
800 160 320 320	Tall unit 2 aluminium framed doors with satined glass 2 glass shelves (top) 2 metal pull-outs with buffered closing 1 drawer with buffered closing 1 top cover 330 mm deep	300	600	1628	H N A 0 9 6 B 7 M		

Depth indication cor	responds to the carcass depth	Depth in mm	Width in mm	Height in mm	Article number	Hinge	Surchar- ge high- gloss carcass
Tall units							
800	Tall unit 2 doors 2 glass shelves (top) 2 adjustable shelves (bottom) 1 top cover 330 mm deep	300 300	300 400	1628 1628		L/R L/R	
800	Variable in width: please quote the exact dimension of carcass depth. Top cover will be adapted to the cupboard width.	150-299 150-299	300 400		H V A 0 3 3 0 H V A 0 3 4 0	L/R L/R	
800	Tall unit 4 doors 2 glass shelves (top) 2 adjustable shelves (bottom) 1 top cover 330 mm deep Variable in width: please quote the exact dimension of carcass depth. Top cover will be adapted to the cupboard width.	150-299	600		H N A 0 3 6 A 7		
800	Tall unit 1 aluminium framed door with satined glass 1 door 2 glass shelves (top) 2 adjustable shelves (bottom) 1 top cover 330 mm deep	300	300	1628	H N A 0 3 3 B 7	L/R	
800	Variable in width: please quote the exact dimension of carcass depth. Top cover will be adapted to the cupboard width.	150-299	300	1628	H V A 0 3 3 1	L/R	
800	Tall unit 2 aluminium framed doors with satined glass 2 doors 2 glass shelves (top) 2 adjustable shelves (bottom) 1 top cover 330 mm deep	300	600	1628	HNA 0 3 6 B 7	,	
800	Variable in width: please quote the exact dimension of carcass depth. Top cover will be adapted to the cupboard width.	150-299	600	1628	H V A 0 3 6 1		
800	Tall unit for brooms 2 strapped doors 5 glass shelves 1 top cover 330 mm deep	300	300 400		H N A 0 3 3 A 7 1		

Depth indication corre	esponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Article number	Hinge	Surchar- ge high- gloss carcass
Tall units							
800	Tall unit for brooms 2 strapped doors left 2 strapped doors right 5 continuously glass shelves 1 top cover 330 mm deep	300	600	1628	H N A 0 3 6 A 7	1	
	Tall unit	300	300	1628	H N A 0 2 3 A 7	1 L/R	
320 160 480	1 door 1 glass shelf (top) 1 open compartment 1 drawer with buffered closing 1 door 1 glass shelf 1 top cover 330 mm deep	300	400	1628	H N A 0 2 4 A 7	1 L/R	
320 160 480	Tall unit 2 doors 1 glass shelf (top) 1 open compartment 1 drawer with buffered closing 2 doors 1 glass shelf 1 top cover 330 mm deep	300	600	1628	H N A 0 2 6 A 7	1	
320 640	Tall unit 1 door 1 glass shelf (top) 1 open compartment 1 door 1 glass shelf 1 top cover 330 mm deep	300 300	300 400		H N A 0 2 3 A 7 H N A 0 2 4 A 7		
320	Tall unit 2 doors 1 glass shelf (top) 1 open compartment 2 doors 1 glass shelf 1 top cover 330 mm deep	300	600	1628	H N A 0 2 6 A 7	2	

Depth indication corre	esponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Article number	Hinge	Surchar- ge high- gloss carcass
Tall units						_	
640 160 160 640	Tall unit 1 door 1 glass shelf (top) 2 metal pull-outs with buffered closing, 1 door 1 glass shelf 1 top cover 330 mm deep	300 300	300 400		H N A 0 4 3 A 7 1 L		
640 160 160 640	Tall unit 2 doors 1 glass shelf (top) 2 metal pull-outs with buffered closing, 2 doors 1 glass shelf 1 top cover 330 mm deep	300	600	1628	H N A 0 4 6 A 7 1		
	Tall unit	300	300	1628	H N A 0 5 3 A 7 M L	/R	
160 —	2 glass shelves (top) 1 drawer with buffered closing 1 door 1 glass shelf 1 top cover 330 mm deep	300	400	1628	H N A 0 5 4 A 7 M L	/R	
800	Tall unit 2 doors 2 glass shelves (top) 1 drawer with buffered closing 2 doors 1 glass shelf 1 top cover 330 mm deep	300	600	1628	H N A 0 5 6 A 7 M		
800 160 640	Tall unit 1 aluminium framed door with satined glass 2 glass shelves (top) 1 drawer with buffered closing 1 door 1 glass shelf 1 top cover 330 mm deep	300	300	1628	H N A 0 5 3 B 7 M L	/R	
800 160 640	Tall unit 2 aluminium framed doors with satined glass 2 glass shelves (top) 1 drawer with buffered closing 2 doors 1 glass shelf 1 top cover 330 mm deep	300	600	1628	H N A 0 5 6 B 7 M		



Depth indication corr	esponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Article numl	oer	Hinge	!	Surchar- ge high- gloss carcass
Tall units									
800 160 640	Tall unit with laundry basket 1 door 2 glass shelves 1 drawer with buffered closing 1 laundry basket with wire basket 1 top cover 330 mm deep Volume of laundry basket: 25 liters Volume of laundry basket: 35 liters	300 300	300 400	1628 1628	H N A 0 5 3 A				
800	Tall unit with laundry basket 2 doors 2 glass shelves 1 drawer with buffered closing 1 laundry basket with wire basket 1 top cover 330 mm deep Volume of laundry basket: 55 liters	300	600	1628	H N A 0 5 6 A	A 7 W			
800	Tall unit with laundry basket 1 aluminium framed door with satined glass 2 glass shelves 1 drawer with buffered closing 1 laundry basket with wire basket 1 top cover 330 mm deep Volume of laundry basket: 25 liters	300	300	1628	H N A 0 5 3 I	3 7 W	L/R		
800	Tall unit with laundry basket 2 aluminium framed doors with satined glass 2 glass shelves 1 drawer with buffered closing 1 laundry basket with wire basket 1 top cover 330 mm deep Volume of laundry basket: 55 liters	300	600	1628	H N A 0 5 6 I	3 7 W			
800 160 160 160 160 160 160 160 1	Tall unit with laundry pull out 2 doors 2 glass shelves (top) 1 drawer with buffered closing 2 doors 1 laundry pull out with wire basket 1 top cover 330 mm deep Volume of laundry pull out: 40 liters	300	600	1628	H N A 0 5 6 A	A 1 W			

Depth indication corresponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Article number	Hinge	Surchar- ge high- gloss carcass
Tall unit-shelf						
Tall unit-shelf with open shelf space in carcass colour	150	300	1600	RG 103001		
Tall unit-shelf with mirror surface 4 shelves compartments in carcass colour	150	300	1600	RG 103002	:	
Tall unit-shelf 4 functional hooks 4 shelves compartments in carcass colour	150	300	1600	RG 103003		
Central units						
medium-high unit 1 door 2 glass shelves (top) 2 metal pull-outs with buffered closing 1 top cover 330 mm deep	300 300	300 400			L/R	
medium-high unit 2 doors 2 glass shelves (top) 2 metal pull-outs with buffered closing 1 top cover 330 mm deep	300	600	1308	MNA876A 7	,	
medium-high unit 1 door 2 glass shelves (top) 1 metal pull-out with buffered closing, 1 drawer with buffered closing 1 top cover 330 mm deep Please observe suitable accessories in the separate index.	300 300	300 400		M N A 8 8 3 A 7 N		



·	esponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Article number	Surcharge high- gloss gloss carcass
Central units	S					
160	medium-high unit 2 doors 2 glass shelves (top) 1 metal pull-out with buffered closing, 1 drawer with buffered closing 1 top cover 330 mm deep	300	600	1308	M N A 8 8 6 A 7 M	
160	medium-high unit 1 aluminium framed door with satined glass 2 glass shelves (top) 1 metal pull-out with buffered closing, 1 drawer with buffered closing 1 top cover 330 mm deep	300	300	1308	M N A 8 8 3 B 7 M	L/R
160	medium-high unit 2 aluminium framed doors with satined glass 2 glass shelves (top) 1 metal pull-out with buffered closing, 1 drawer with buffered closing 1 top cover 330 mm deep	300	600	1308	M N A 8 8 6 B 7 M	
· 🗐	medium-high unit	300	300	1308	MNA813A 7	L/R
1280	1 door 4 glass shelves 1 top cover 330 mm deep	300	400	1308	M N A 8 1 4 A 7	L/R
1	Variable in width:	150-299	300	1308	M V A 8 1 3 0	L/R
÷	please quote the exact dimension of carcass depth. Top cover will be adapted to the cupboard width.	150-299	400	1308	M V A 8 1 4 0	L/R
1280	medium-high unit 2 doors 4 glass shelves 1 top cover 330 mm deep	300	600	1308	M N A 8 1 6 A 7	
	Variable in width: please quote the exact dimension of carcass depth. Top cover will be adapted to the cupboard width.	150-299	600	1308	M V A 8 1 6 0	
1280	medium-high unit with inside drawers 1 door 2 inside metal-drawer with buffered closing 1 glass shelf 1 top cover 330 mm deep	300 300	300 400	1308 1308		L/R L/R
1280	medium-high unit with inside drawers 2 doors 2 continuously inside metal-drawer with buffered closing 1 continuous glass shelf 1 top cover 330 mm deep	300	600	1308	M N A 8 4 6 A 7	
Discourse	hle accessories in the senarate index					

Depth indication corr	esponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Artic	cle numbe	r	Hinge	Surchar- ge high- gloss carcass
Central unit	S								
640	medium-high unit with laundry pull out 2 doors 1 glass shelf (top) 2 doors 1 laundry pull out with wire basket Volume of laundry pull out: 40 liters 1 top cover 330 mm deep	300	600	1308	MNA	8 3 6 A	1 W		
Highboards									
	Highboard	300	300	828	HBA	5 1 3 A	7	L/R	
800	1 door 2 glass shelves 1 top cover 330 mm deep	300	400	828		5 1 4 A		L/R	
	Variable in width:	150-299	300	828	HBV	A 5 1 3		L/R	
	please quote the exact dimension of carcass depth. Top cover will be adapted to the cupboard width.	150-299	400	828		A 5 1 4		L/R	
800	Highboard 2 doors 2 glass shelves 1 top cover 330 mm deep	300	600	828	НВА	5 1 6 A	7		
+	Variable in width: please quote the exact dimension of carcass depth. Top cover will be adapted to the cupboard width.	150-299	600	828	нву	A 5 1 6			
800	Highboard 1 aluminium framed door with satined glass 2 glass shelves 1 top cover 330 mm deep	300	300	828	НВА	5 1 3 B	7	L/R	
; <u> </u>	Variable in width: please quote the exact dimension of carcass depth. Top cover will be adapted to the cupboard width.	150-299	300	828	нву	A 5 1 3	1	L/R	
800	Highboard 2 aluminium framed doors with satined glass 2 glass shelves 1 top cover 330 mm deep	300	600	828	НВА	5 1 6 B	7		
÷	Variable in width: please quote the exact dimension of carcass depth. Top cover will be adapted to the cupboard width.	150-299	600	828	нву	A 5 1 6	1		
800 0.00000 0.00000 0.00000 0.00000 0.00000	Highboard with laundry pull out 2 doors 1 laundry pull out with wire basket 1 top cover 330 mm deep								
	Volume of laundry pull out: 40 liters	300	600	828	НВА	5 1 6 A	1 W		
Diagona	hserve suitable accessories in the senarate index								



Depth indication corr	esponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Article number	Surcha ge high
Highboards						
320	Highboard 1 drawer with buffered closing 2 metal pull-outs with buffered closing 1 top cover 330 mm deep	300 300	300 400	828 828	HBA563A7M HBA564A7M	
320	Highboard 1 drawer with buffered closing 2 metal pull-outs with buffered closing 1 top cover 330 mm deep	300	600	828	HBA 5 6 6 A 7 M	
160	Highboard 1 drawer with buffered closing 1 door 1 glass shelf 1 top cover 330 mm deep	300 300	300 400	828 828	HBA553A7M HBA554A7M	·
640	Highboard 1 drawer with buffered closing 2 doors 1 glass shelf 1 top cover 330 mm deep	300	600	828	HBA 5 5 6 A 7 M	
160	Highboard with laundry basket 1 drawer with buffered closing 1 laundry basket with wire basket 1 top cover 330 mm deep					
· LV	Volume of laundry basket: 25 liters Volume of laundry basket: 35 liters	300 300	300 400	828 828	H B A 5 5 3 A 7 W H B A 5 5 4 A 7 W	
160	Highboard with laundry basket 1 drawer with buffered closing 1 laundry basket with wire basket 1 top cover 330 mm deep					
*	Volume of laundry basket: 55 liters	300	600	828	H B A 5 5 6 A 7 W	
640	Highboard with laundry pull out 1 drawer with buffered closing 2 doors 1 laundry pull out with wire basket 1 top cover 325 mm deep Volume of laundry pull out: 40 liters	300	600	828	HBA556A1W	

Depth indication corr	esponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Arti	cle	e n	um	ıbe	er	Hinge	Surci ge hi glos carca
Wall units												
	Wall unit	150	300	668	OGA	4	1	3	Α	7	L/R	
[]	1 door	150	400	668	OGA	4	1	4	Α	7	L/R	
640	1 glass shelf 1 top cover 180 mm deep											
	Variable in width:											
	please quote the exact dimension of carcass depth.	151-300	300	668	O V A						L/R	
	Top cover will be adapted to the cupboard width.	151-300	400	668	O V A	4	1	4	0		L/R	
	Wall unit	150	600	668	O G A	1	1	6	Λ	7		
	2 doors	150	600	000	OGA	4		0	A	,		
640	1 glass shelf											
	1 top cover 180 mm deep											
+	Variable in width:	151-300	600	668	O V A	4	1	6	_			
	please quote the exact dimension of carcass depth. Top cover will be adapted to the cupboard width.	151-300	000	000	OVA	4	•	O	٥			
	Top cover will be adapted to the capboard width.											
	Wall unit	230	600	348	O M A	2	1	6	Α	7 K		
320	1 flap door,											
+	1 top cover 260 mm deep											
Base units												
Dase units												
	Page unit	200	200	500	UNA	2	2	2		7 B4	L/D	
160	Base unit 1 drawer with buffered closing	300 300	300 400	508 508	UNA							
320	1 door	000	400	000			_	•				
‡	1 top cover 330 mm deep											
	Base unit	300	600	508	UNA	3	2	6	Α	7 M		
160	1 drawer with buffered closing											
320	2 doors 1 top cover 330 mm deep											
÷	1 top cover 330 mm deep											
	Base unit	300	300	508	UNA	3	6	3	Α	7		
240	2 pull-outs with buffered closing	300	400	508	UNA	3	6	4	Α	7		
240	1 top cover 330 mm deep											
+												
	Base unit	300	600	508	U N A	3	6	6	Α	7		
240	2 pull-outs with buffered closing 1 top cover 330 mm deep											
240	1 top cover 550 mm deep											
+												
. =	Base unit	300	300	508	U N A							
160	drawer with buffered closing metal pull-out with buffered closing,	300	400	508	UNA	3	4	4	Α	7 M		
320	1 top cover 330 mm deep											
*/	•											
Places	hoomic criticals accessing in the consents index								\perp			



Depth indication corre	esponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Article number	Surcharge high-
Base units						
320	Base unit 1 drawer with buffered closing 1 metal pull-out with buffered closing, 1 top cover 330 mm deep	300	600	508	U N A 3 4 6 A 7 M	
320	Base unit 1 flap door, 1 top cover 260 mm deep	230	600	348	U M A 2 1 6 A 7 K	
Shelves						
	functional shelf Edges are cut with a mitre veritcal and horizontal mounting possible please indicate colour version: no. 501 white matt lacquered no. 547 black matt lacquered	150	300	160	RGL 113001	
	functional shelf Edges are cut with a mitre veritcal and horizontal mounting possible please indicate colour version: no. 501 white matt lacquered no. 547 black matt lacquered	150	600	160	RGL 1 1 6 0 0 2	
	functional shelf Edges are cut with a mitre veritcal and horizontal mounting possible please indicate colour version: no. 501 white matt lacquered no. 547 black matt lacquered	150	900	160	RGL 119003	
Laundryrolli						
640	Laundryrolli 1 flap door, with buffered closing 1 take-out laundry-bag, washable 4 roles Colour version corresponds to the carcass colour incl. height indication rolls (100 mm)	470	470	756	WRS 4047	

Depth indication corresponds to the carcass depth		Depth in mm	Width in mm	Height in mm	Artio	cle numbe	er	Hinge	Surchar- ge high- gloss carcass
Benches									Garouss
160	Bench 1 shelf 1 seat cushion in imitation leather cream-white	450	600	508	SET	BANK	6		
	Colour version corresponds to the carcass colour								
160	Bench 2 shelves 1 seat cushion in imitation leather cream-white	450	900	508	SET	BANK	9		
	Colour version corresponds to the carcass colour								
Push- fit she	elf								
	Push-fit shelf with ABS thick edge all around incl. holders for push fit shelf								
	300 mm widh incl. 2 push-fit holder	150	300	28	SBG	6030			
	400 mm wide incl. 2 push-fit holder	150	400	28	SBG	6 0 4 0			
	600 mm wide incl. 2 push-fit holder	150	600	28	SBG	6060			
	900 mm wide incl. 3 push-fit holder	150	900	28	SBG	6090			
	1200 mm wide incl. 3 push-fit holder	150	1200	28	SBG	6012			
	1400 mm wide incl. 3 push-fit holder	150	1400	28	SBG	6014			
	1600 mm wide incl. 4 push-fit holder	150	1600	28	SBG	6016			


Depth indication corr	Depth indication corresponds to the carcass depth		Width in mm	Height in mm	Article number			Hinge	Surchar- ge high- gloss carcass
Glass shelfs	8								
•	Glass shelf incl. metal holder								
	400 mm wide incl. 2 metal brackets	130	400	8	A B G	1340	0 8		
	600 mm wide incl. 2 metal brackets	130	600	8	A B G	1360	0 8		
	900 mm wide incl. 3 metal brackets	130	900	8	ABG	1390	0 8		
	1200 mm wide incl. 3 metal brackets	130	1200	8	ABG	1312	0 8		
	1400 mm wide incl. 4 metal brackets	130	1400	8	A B G	1314	0 8		
Accessories	5								
N.	Foot, chrome for washbasin base untis Units have to be extra wall-fixed, to avoid fall-overs Price per item	460	40	342	PΖ	1 1 2 2	1		
	Foot, chrome for additional cabinets Units have to be extra wall-fixed, to avoid fall-overs Price per item	290	40	342	PΖ	1 1 2 3	1		
	LED lighting frame incl. sensor switcher at the side for units, width: This product contains a light source with energy efficiency class: F								
	900 mm 8,16 watt / converter 15 watt	485	890	16	PΖ	1061	9 0		
	1200 mm 9,6 watt / converter 30 watt	485	1190	16	PΖ	1061	1 2		
	1400 mm 10,6 Watt / converter 15 Watt	485	1390	16	PΖ	1061	1 4		
	1600 mm 11,52 watt / Converter 15 watt	485	1590	16	PΖ	1061	1 6		
	to be used between washbasin and base unit not suitable for glass-washbasins								
	not suitable with Emotion lighting								





glass washbasins without LED-lighting frame 900 mm wide

	STM-0190-3											
1 1 1 1	Mirror cabinet Washbasin base LED lighting fran STONEPLUS wa	******	S 2 W U P Z W M	Α	3	3	9	0	0 9	7		
ST	M E 1 9 0 7	SWM 929E 21 evermite										
ST	G82903	WGS 929E 82 glass optwhite	inst. ca	ast r	min	era	al					
ST	G83903	WGS 929E 83 glass quartzite	grey ir	ıst.	cas	st m	nin	era	ıl			





glass washbasins without LED-lighting frame 900 mm wide

	STW-019	J-9	
Mirror cabinet Washbasin base LED lighting frat STONEPLUS w		S 2 A 4 3 9 0 7 8 WU A 3 3 9 0 0 7 P Z 1 0 6 1 9 0 WM E 9 1 9 E 6 1	
STME19010	SWM 929E 21 evermite		
STG82909	WGS 929E 82 glass optwh	ite inst. cast mineral	
STG83909	WGS 929E 83 glass quarta	ite grey inst. cast mineral	

STM_0100_0






glass washbasins without LED-lighting frame 900 mm wide

STM-0112	2-2	
 Mirror cabinet Washbasin base unit LED lighting frame STONEPLUS double washbasin, 1200 mm 	S 2 A 5 8 1 2 5 WU A 3 3 1 2 7 P Z 1 0 6 1 1 2 n, WM E 9 1 2 D 6 1	
S T M E 1 1 2 6 SWM 922D 21 evermite		1200 mm wide
STM-0112	-2E	
 Mirror cabinet Washbasin base unit LED lighting frame STONEPLUS washbasin, 1.200 mm 	S 2 A 5 8 1 2 6 W U A 3 3 1 2 0 7 P Z 1 0 6 1 1 2 W M E 9 1 2 E 6 1	
S T M E 1 1 2 6 E SWM 922E 21 evermite		
S T G 8 2 1 2 2 E WGS 922E 82 glass optwhi	ite inst. cast mineral	glass washbasins without LED-lighting frame
S T G 8 3 1 2 2 E WGS 922E 83 glass quartz	ite grey inst. cast mineral	1200 mm wide
STM-0112	2-3	
 Mirror cabinet Washbasin base unit LED lighting frame STONEPLUS double washbasin, 1200 mm 	S 2 A 4 3 1 2 1 5 WU A 3 3 1 2 7 P Z 1 0 6 1 1 2 n, WM E 9 1 2 D 6 1	
S T M E 1 1 2 7 SWM 922D 21 evermite		1200 mm wide
S T M E 1 1 2 7 SWM 922D 21 evermite STM-0112	-3E	1200 mm wide
	S 2 A 4 3 1 2 1 6 WU A 3 3 1 2 0 7 P Z 1 0 6 1 1 2 WM E 9 1 2 E 6 1	1200 mm wide
STM-0112 Mirror cabinet Washbasin base unit LED lighting frame	S 2 A 4 3 1 2 1 6 W U A 3 3 1 2 0 7 P Z 1 0 6 1 1 2	
STM-0112 Mirror cabinet Washbasin base unit LED lighting frame	S 2 A 4 3 1 2 1 6 W U A 3 3 1 2 0 7 P Z 1 0 6 1 1 2	
STM-0112 1 Mirror cabinet 1 Washbasin base unit 1 LED lighting frame 1 STONEPLUS washbasin, 1.200 mm	S 2 A 4 3 1 2 1 6 W U A 3 3 1 2 0 7 P Z 1 0 6 1 1 2 W M E 9 1 2 E 6 1	

	STM-011	2-9E	
1 Mirror cabinet 1 Washbasin bas 1 LED lighting fra 1 STONEPLUS v		S 2 A 4 3 1 2 7 8 W U A 3 3 1 2 0 7 P Z 1 0 6 1 1 2 W M E 9 1 2 E 6 1	
STME112E1	SWM 922E 21 evermite		
STG82129E	WGS 922E 82 glass optw	hite inst. cast mineral	glace weekbasing without LED lighting from
STG83129E	WGS 922E 83 glass quar	zite grey inst. cast mineral	glass washbasins without LED-lighting frame 1200 mm wide

	STM-0114	4-2	
1 Mirror cabine 1 Washbasin b 1 LED lighting 1 STONEPLUS	ase unit	S 2 A 5 8 1 4 5 WU A 3 3 1 4 7 PZ 1 0 6 1 1 4 m WM E 9 1 4 D 6 1	
STME1146	SWM 924D 21 evermite		
STME1146 STG82142	SWM 924D 21 evermite WGS 924D 82 glass optwh	iite inst. cast mineral	glass washbasins without LED-lighting frame






glass washbasins without LED-lighting frame

1400 mm wide

STM-0114-9											
Mirror cabinet, 1 Washbasin base LED lighting frai STONEPLUS de	e unit	S 2 W U P Z W M	A 3	3	1	4	1	7			
STME11410	SWM 924D 21 evermite										
STG82149	WGS 924D 82 glass optwhite	inst. ca	ast m	iner	al						
STG83149	WGS 924D 83 glass quartzite	grey ir	st. c	ast	min	era	al				





glass washbasins without LED-lighting frame

1400 mm wide


	31W-0116-2								
Mirror cabinet, 1 Washbasin base LED lighting frai STONEPLUS de	e unit	S 2 W U P Z W M	Α	3	3 1 0 6	6	1		
STME1166	SWM 926D 21 evermite								
STG82162	WGS 926D 82 glass optwhite	inst. ca	ast n	nin	eral				
STG83162	WGS 926D 83 glass quartzite	grey ir	nst. (cas	t mir	nera	al		


STM-0116-2






glass washbasins without LED-lighting frame 1600 mm wide





glass washbasins without LED-lighting frame 1600 mm wide


STM-0116-9										
Mirror cabinet, 1 Washbasin base LED lighting frai STONEPLUS de	e unit	S 2 W U P Z W M	A 3	3	1	6	1 6	3		
STME11610	SWM 926D 21 evermite									
STG82169	WGS 926D 82 glass optwhite	inst. ca	ıst miı	nera	ıl					
STG83169	WGS 926D 83 glass quartzite	grey in	st. ca	st m	nine	eral				







glass washbasins without LED-lighting frame 1600 mm wide

Program 032 - dimensional drawings







For washing stands with fixing screws, the dimensions for boring must be drawn in on-site after the washing stand has been laid on the floor unit

Washing stands without anchoring brackets have to be fixed on the wall and on the furniture-side with silicon! evermite / STONEPLUS:

The water temperature must not exceed 55° C / 131° F. Hair tinting lotions have to be removed in a few seconds, so that staining can be avoided.

Modifications:


Technical modifications (+/- 5mm) and flatness modifications (DIN 18202) are subject of the usual material-specific modifications for construction materials, based on DIN 18202.



Program 032 - dimensional drawings

SWM 929E SWM 922E SWM 922D 1 1206 Ф ⊕ **((** 495 495 495 822 822 260 8 900 8 260 260 600 170-300 1200 900

SWM 922D 1 **SWM 924E** 1406 **(** 495 **(** 80-150 82 82 909 260 ca. 530 700



1400

Washing stands without anchoring brackets have to be fixed on the wall and on the furniture-side with silicon! evermite / STONEPLUS:

The water temperature must not exceed 55° C / 131° F. Hair tinting lotions have to be removed in a few seconds, so that staining can be avoided.

Modifications:


1200

Technical modifications (+/- 5mm) and flatness modifications (DIN 18202) are subject of the usual material-specific modifications for construction materials, based on DIN 18202.




Program 032 - dimensional drawings

WGS 929E WGS 922E WGS 922D 1206 906 1206 Ф Φ \oplus ⊕ 495 **(** 495 115 115 8 822 822 80-150 80-150 260 260 යු 900 1200 1200



electrical connections for mirror cabinets



OKFFB=Oberkante Fertigfußboden

For washing stands with fixing screws, the dimensions for boring must be drawn in on-site after the washing stand has been laid on the floor unit

Washing stands without anchoring brackets have to be fixed on the wall and on the furniture-side with silicon! evermite / STONEPLUS:

The water temperature must not exceed 55° C / 131° F. Hair tinting lotions have to be removed in a few seconds, so that staining can be avoided.

Modifications:

WGS 926D

Technical modifications (+/- 5mm) and flatness modifications (DIN 18202) are subject of the usual material-specific modifications for construction materials, based on DIN 18202.