

Swing

Program 26







Front colours



No. 764 Stonegrey matt



No. 777 cosmos grey matt



No. 793 noble white matt



No. 891 quarz grey matt



No. 893 titanium grey matt



No. 686 anthracite hgl.



No. 722 polar white hgl.



No. 755 hacienda black



No. 769 hacienda grey



no. 680 Charleston oak



no. 784 light oak



Nr. 785 natural oak



no. 786 truffle oak



no. 794 sand oak





carcass colours

* High gloss carcass for an additional price



No. 164 Stonegrey matt



No. 177 cosmos grey matt



No. 111 white matt



no. 191 quarz grey matt



No. 193 titanium grey matt



*no. 121 anthracite hgl.



*no. 161 white hgl.



no. 155 hacienda black



no. 169 hacienda grey



no. 180 Charleston



no. 184 light oak



Nr. 185 natural oak



no. 186 truffle oak



no. 194 sand oak

Washbasin colours

evermite - washbasins



No. 21 white



New, harder, easy-care surface.

Glass washbasin



no. 82 optiwhite

No. 554

Technique

Pull outs and drawers

door with integrated buffered closing



no. 83 quartzite gray

Handle version



No. 290 bar handle chrome

handle-borehole distance for straight fronts: 96 mm / 384 mm

Mirror cabinets

Series A





Series C





Illustrations and specifications are without obligation. Technical modifications reserved.

Please note the instruction for warranty, mounting and care, and the quality agreements as well, at the beginning of the book.

Depth indication corre	esponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Artio	cle numbe	er	Hinge	Surchar- ge high- gloss carcass
incl. handle blocks	Mirror cabinet- Set consisting of mirror cabinet (S2A 4390 1D) 3 double mirror doors 2 central partitions, 6 glass shelves 1 switch socket element consisting of flyover shelf (GS1 4190 B2) 11,4 watt / converter 30 watt 1 middle panel Door width: 238 mm / 412 mm / 238 mm This product contains a light source with energy efficiency class: G Additional accessories LED washbasin lighting	150	900	680	SET	4 3 9 0	90		
incl. handle blocks	Mirror cabinet- Set consisting of mirror cabinet (S2A 4390 1D) 3 double mirror doors 2 central partitions, 6 glass shelves 1 switch socket element consisting of mirror cabinet (S2A 433B 1D L) 1 double mirror door 2 sand blasted lightning cut-outs LED 2 enlighted glass shelves 2 X 1 watt / converter 30 watt consisting of flyover shelf (GS1 4112 BL) LED lighting 11,4 W 1 middle panel Door width: 296 mm / 238 mm / 412 mm / 238 mm This product contains a light source with energy efficiency class: G Additional accessories LED washbasin lighting	150	1200	680	SET	4012 1063			
incl. handle blocks	Mirror cabinet- Set consisting of mirror cabinet (S2A 4390 1D) 3 double mirror doors 2 central partitions, 6 glass shelves 1 switch socket element consisting of mirror cabinet (S2A 433B 1D R) 1 double mirror door 2 sand blasted lightning cut-outs LED 2 enlighted glass shelves 2 X 1 watt / converter 30 watt consisting of flyover shelf (GS1 4112 BR) LED lighting 11,4 W 1 middle panel Door width: 238 mm / 412 mm / 238 mm / 296 mm This product contains a light source with energy efficiency class: G Additional accessories LED washbasin lighting	150	1200	680	PZ	4012			

Depth indication corre	esponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Arti	cle r	iumb	er	Hinge	Surchar- ge high- gloss carcass
Mirror cabin	ets Series A									
incl. handle blocks	Mirror cabinet- Set consisting of mirror cabinet (S2A 4390 1D) 3 double mirror doors 2 central partitions, 6 glass shelves 1 switch socket element consisting of shelf (RG 433B) 2 enlighted glass shelves 2 X 1 watt / converter 30 watt consisting of flyover shelf (GS1 4112 BL) LED lighting 11,4 W 1 middle panel Door width: 238 mm / 412 mm / 238 mm This product contains a light source with energy efficiency class: G Additional accessories LED washbasin lighting	150	1200	680	SET			90	-	
	Mirror cabinet- Set	150	1200	680	SET					
incl. handle blocks	consisting of mirror cabinet (S2A 4390 1D) 3 double mirror doors incl. handle blocks 2 central partitions, 6 glass shelves 1 switch socket element consisting of shelf (RG 433B) 2 enlighted glass shelves 2 X 1 watt / converter 30 watt consisting of flyover shelf (GS1 4112 BR) LED lighting 11,4 W 1 middle panel Door width: 238 mm / 412 mm / 238 mm This product contains a light source with energy efficiency class: G	130	1200	680	3 2 1	4	1.2			
	Additional accessories LED washbasin lighting				PΖ	1 (63	90		
incl. handle blocks	Mirror cabinet- Set consisting of mirror cabinet (S2A 4390 1D) 3 double mirror doors 2 central partitions, 6 glass shelves 1 switch socket element consised of mirror cabinet (S2A 435B 1D L) 1 double mirror door 2 sand blasted lightning cut-outs LED 2 enlighted glass shelves 2 X 2 watt / converter 30 watt consisting of flyover shelf (GS1 4114 BL) LED lighting 11,4 W 1 middle panel Door width: 496 mm / 238 mm / 412 mm / 238 mm This product contains a light source with energy efficiency class: G Additional accessories LED washbasin lighting	150	1400	680	SET			90	•	

Depth indication corre	esponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Article n	umber	Hinge	Surchar- ge high- gloss carcass
Mirror cabin	ets Series A							
incl. handle blocks	Mirror cabinet- Set consisting of mirror cabinet (S2A 4390 1D) 3 double mirror doors 2 central partitions, 6 glass shelves 1 switch socket element consised of mirror cabinet (S2A 435B 1D R) 1 double mirror door 2 sand blasted lightning cut-outs LED 2 enlighted glass shelves 2 X 2 watt / converter 30 watt consisting of flyover shelf (GS1 4114 BR) LED lighting 11,4 W 1 middle panel Door width: 238 mm / 412 mm / 238 mm / 496 mm This product contains a light source with energy efficiency class: G Additional accessories LED washbasin lighting	150	1400	680	SET 4 0	1 4 2 R		
incl. handle blocks	Mirror cabinet- Set consisting of mirror cabinet (S2A 4390 1D) 3 double mirror doors 2 central partitions, 6 glass shelves 1 switch socket element consisting of shelf (RG 435B) 2 enlighted glass shelves 2 X 2 watt / converter 30 watt consisting of flyover shelf (GS1 4114 BL) LED lighting 11,4 W 1 middle panel Door width: 238 mm / 412 mm / 238 mm This product contains a light source with energy efficiency class: G Additional accessories LED washbasin lighting	150	1400	680	SET 4 1	1 4 2 L		
incl. handle blocks	Mirror cabinet- Set consisting of mirror cabinet (S2A 4390 1D) 3 double mirror doors 2 central partitions, 6 glass shelves 1 switch socket element consisting of shelf (RG 435B) 2 enlighted glass shelves 2 X 2 watt / converter 30 watt consisting of flyover shelf (GS1 4114 BR) LED lighting 11,4 W 1 middle panel Door width: 238 mm / 412 mm / 238 mm This product contains a light source with energy efficiency class: G Additional accessories LED washbasin lighting	150	1400	680	SET 4 1			

Depth indication corresponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Artio	cle numbe	er	Hinge	Surchar- ge high- gloss carcass
Mirror cabinets Series A								
Mirror cabinet- Set consisting of 2 mirror cabinets (S2A 4375 1D)à 2 double mirror doors 2 glass shelves 1 switch socket element consisting of mirror cabinet (S2A 433B 1D L/R) 1 double mirror door incl. handle blocks 2 sand blasted lightning cut-outs LED 2 enlighted glass shelves 2 X 1 watt / converter 30 watt consisting of flyover shelf (GS1 4118 B2) LED lighting 2 X 9,12 Watt 1 middle panel Door width: 346 mm / 396 mm / 296 mm / 396 mm / 346 mm This product contains a light source with energy efficiency class: G Additional accessories LED washbasin lighting (please order 2 pieces)	150	1800	680	SET	1 0 6 3		L/R	
Mirror cabinet- Set consisting of 2 mirror cabinets (S2A 4375 1D)à 2 double mirror doors 2 glass shelves 1 switch socket element consisting of shelf (RG 433B) 2 enlighted glass shelves 2 X 1 watt / converter 30 watt consisting of flyover shelf (GS1 4118 B2) LED lighting 2 X 9,12 Watt 1 middle panel Door width: 346 mm / 396 mm - 396 mm / 346 mm This product contains a light source with energy efficiency class: G Additional accessories LED washbasin lighting (please order 2 pieces)	150	1800	680	PZ	1 0 6 3	60		

Depth indication corre	esponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Artio	cle numb	er	Hinge	Surchar- ge high- gloss carcass
Mirror cabin	ets Series B								
III. = left incl. handle blocks	Mirror cabinet- Set consisting of mirror cabinet ((S2A 4390 13) 3 mirror doors on wooden-plated 2 central partitions, 6 glass shelves 1 switch socket element consisting of flyover shelf (GS1 4290 B1) profil milled 3 LED - built-in spotlights 3 X 3,3 / converter 15 watt 1 middle panel with chrome edge Door width: 238 mm / 412 mm / 238 mm This product contains a light source with energy efficiency class: G	150	900	680	SET	4 3 9 0	3	L/R	
	Additional accessories LED washbasin lighting LED washbasin lighting emotion Emotion lighting				PZ PZ PZ	1 0 6 3 1 1 5 0 1 0 2 0			
incl. handle blocks	Mirror cabinet- Set consisting of mirror cabinet ((S2A 4390 13) 3 mirror doors on wooden-plated 2 central partitions, 6 glass shelves 1 switch socket element inkl. converter 30 Watt consisting of mirror cabinet (S2A 4330 13) 1 mirror door on wooden-plated outer edges in chrom 2 glass shelves consisting of flyover shelf (GS1 4212 B1) profil milled 4 LED - built-in spotlights 4 x 3,2 watt 1 middle panel with chrome edge Door width: 296 mm / 238 mm / 412 mm / 238 mm This product contains a light source with energy efficiency class: G Additional accessories LED washbasin lighting LED washbasin lighting LED mashbasin lighting LED mashbasin lighting Emotion lighting	150	1200		PZ PZ PZ	1 0 6 3 1 1 5 0 1 0 2 0	90		

•	esponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Artio	cle numb	er	Hinge	Surcharge high- gloss carcass
Mirror cabin William Mirror cabin Mirror cabin Mirror cabin	Mirror cabinet- Set consisting of mirror cabinet ((S2A 4390 13) 3 mirror doors on wooden-plated 2 central partitions, 6 glass shelves 1 switch socket element inkl. converter 30 Watt consisting of mirror cabinet (S2A 4330 13) 1 mirror door on wooden-plated outer edges in chrom 2 glass shelves consisting of flyover shelf (GS1 4212 B1) profil milled 4 LED - built-in spotlights 4 x 3,2 watt 1 middle panel with chrome edge Door width: 238 mm / 412 mm / 238 mm / 296 mm This product contains a light source with energy efficiency class: G Additional accessories LED washbasin lighting LED washbasin lighting emotion Emotion lighting	150	1200		SET PZ PZ PZ	1 0 6 3 1 1 5 0 1 0 2 0	90		
incl. handle blocks	Mirror cabinet- Set consisting of mirror cabinet ((S2A 4390 13) 3 mirror doors on wooden-plated 2 central partitions, 6 glass shelves 1 switch socket element inkl. converter 30 Watt consisting of shelf (RG 433B) 2 enlighted glass shelves 2 X 1 Watt consisting of flyover shelf (GS1 4212 B1) profil milled 4 LED - built-in spotlights 4 x 3,2 watt 1 middle panel with chrome edge Door width: 238 mm / 412 mm / 238 mm This product contains a light source with energy efficiency class: G Additional accessories LED washbasin lighting LED washbasin lighting Emotion lighting	150	1200	680	P Z P Z P Z	1 0 6 3 1 1 5 0 1 0 2 0	90		

Depth indication corre	esponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Artic	cle numb	er	Hinge	Surchar- ge high- gloss carcass
Mirror cabin	ets Series B								
incl. handle blocks	Mirror cabinet- Set 3 mirror doors on wooden-plated consisting of mirror cabinet ((S2A 4390 13) 2 central partitions, 6 glass shelves 1 switch socket element inkl. converter 30 Watt consisting of shelf (RG 433B) 2 enlighted glass shelves 2 X 1 Watt consisting of flyover shelf (GS1 4212 B1) profil milled 4 LED - built-in spotlights 4 x 3,2 watt 1 middle panel with chrome edge Door width: 238 mm / 412 mm / 238 mm This product contains a light source with energy efficiency class: G	150	1200	680	SET	4 1 1 2	3 R		
	Additional accessories LED washbasin lighting LED washbasin lighting emotion Emotion lighting				P Z P Z P Z	1 0 6 3 1 1 5 0 1 0 2 0			
incl. handle blocks	Mirror cabinet- Set consisting of mirror cabinet ((S2A 4390 13) 3 mirror doors on wooden-plated outer edges in chrom 2 central partitions, 6 glass shelves 1 switch socket element inkl. converter 30 Watt consised of mirror cabinet (S2A 4350 13) 1 mirror door on wooden-plated 2 glass shelves consisting of flyover shelf (GS1 4214 B1) profil milled 4 LED - built-in spotlights 4 x 3,2 watt 1 middle panel with chrome edge Door width: 496 mm / 238 mm / 412 mm / 238 mm This product contains a light source with energy efficiency class: G Additional accessories LED washbasin lighting LED washbasin lighting Emotion lighting	150	1400	680	PZ PZ PZ	1 0 6 3 1 1 5 0 1 0 2 0	90		

•	sponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Artio	cle numb	er	Hinge	Surchar- ge high- gloss carcass
Mirror cabin W W W W W W W W W W W W W W W W W W	Mirror cabinet- Set consisting of mirror cabinet ((S2A 4390 13) 3 mirror doors on wooden-plated 2 central partitions, 6 glass shelves 1 switch socket element inkl. converter 30 Watt consised of mirror cabinet (S2A 4350 13) 1 mirror door on wooden-plated 2 glass shelves consisting of flyover shelf (GS1 4214 B1) profil milled 4 LED - built-in spotlights 4 x 3,2 watt 1 middle panel with chrome edge Door width: 238 mm / 412 mm / 238 mm / 496 mm This product contains a light source with energy efficiency class: G Additional accessories LED washbasin lighting LED washbasin lighting emotion Emotion lighting	150	1400		P Z P Z P Z	1 0 6 3 1 1 5 0 1 0 2 0	90		
incl. handle blocks	Mirror cabinet- Set consisting of mirror cabinet ((S2A 4390 13) 3 mirror doors on wooden-plated 2 central partitions, 6 glass shelves 1 switch socket element inkl. converter 30 Watt consisting of shelf (RG 435B) 2 enlighted glass shelves 2 X 2 Watt consisting of flyover shelf (GS1 4214 B1) profil milled 4 LED - built-in spotlights 4 x 3,2 watt 1 middle panel with chrome edge Door width: 238 mm / 412 mm / 238 mm This product contains a light source with energy efficiency class: G Additional accessories LED washbasin lighting LED washbasin lighting LED mashbasin lighting LED mashbasin lighting LED washbasin lighting	150	1400	680	P Z P Z P Z	1 0 6 3 1 1 5 0 1 0 2 0	90		

Depth indication corre	esponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Arti	cle numbe	er	Hinge	Surchar- ge high- gloss carcass
Mirror cabin	ets Series B								
EMOTION incl. handle blocks	Mirror cabinet- Set consisting of mirror cabinet ((S2A 4390 13) 3 mirror doors on wooden-plated 2 central partitions, 6 glass shelves 1 switch socket element inkl. converter 30 Watt consisting of shelf (RG 435B) 2 enlighted glass shelves 2 X 2 Watt consisting of flyover shelf (GS1 4214 B1) profil milled 4 LED - built-in spotlights 4 x 3,2 watt 1 middle panel with chrome edge Door width: 238 mm / 412 mm / 238 mm This product contains a light source with energy efficiency class: G	150	1400	680	SET	4114	3 R		
	Additional accessories LED washbasin lighting LED washbasin lighting emotion Emotion lighting				PZ PZ PZ	1 0 6 3 1 1 5 0 1 0 2 0			
choose the hinge of the middle-door incl. handle blocks	Mirror cabinet- Set consisting of 2 mirror cabinets (S2A 4375 L/R2)à 2 mirror doors on wooden-plated 2 glass shelves 1 switch socket element LED - converter 30 Watt consisting of mirror cabinet (S2A 4330 13) 1 mirror door on wooden-plated 2 glass shelves consisting of flyover shelf (GS1 4218 B1) profil milled 5 LED - built-in spotlights 5 X 3,2 1 middle panel with chrome edge Door width: 346 mm / 396 mm / 296 mm / 396 mm / 346 mm This product contains a light source with energy efficiency class: G Additional accessories LED washbasin lighting (please order 2 pieces) LED washbasin lighting emotion (please order 2 pieces) Emotion lighting	150	1800	680	P Z P Z P Z	1 0 6 3 1 1 5 0 1 0 2 0	60	L/R	

•	esponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Article n	umber	Hinge	Surchar- ge high- gloss carcass
incl. handle blocks	Mirror cabinet- Set consisting of 2 mirror cabinets (S2A 4375 L/R2)à 2 mirror doors on wooden-plated	150	1800	680	PZ 1 1	18 3 063 60 050 60 020 1		
incl. handle blocks	Mirror cabinet- Set consisting of mirror cabinet (S2A 4390 1D) 3 double mirror doors 2 central partitions, 6 glass shelves 1 switch socket element consisting of flyover shelf (PZ 1097 90) LED panel light 13,2 watt / converter 30watt Door width: 238 mm / 412 mm / 238 mm This product contains a light source with energy efficiency class: F Additional accessories LED washbasin lighting LED washbasin lighting Emotion lighting	150	900	660	PZ 11	63 90 550 90 1		


Depth indication corre	esponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Artic	cle numb	er	Hinge	Surchar- ge high- gloss carcass
Mirror cabin	ets Series C								
incl. handle blocks	Mirror cabinet- Set consisting of mirror cabinet (S2A 4390 1D) 3 double mirror doors 2 central partitions, 6 glass shelves 1 switch socket element consisting of mirror cabinet (S2A 433B 1D L) 1 double mirror door 2 sand blasted lightning cut-outs LED 2 enlighted glass shelves 2 X 1 watt / converter 30 watt consisting of flyover shelf (PZ 1097 12) LED panel light 17,8 watt Door width: 296 mm / 238 mm / 412 mm / 238 mm This product contains a light source with energy efficiency class: F	150	1200	660	SET	4 0 1 2	2 6 L		
	Additional accessories LED washbasin lighting LED washbasin lighting emotion Emotion lighting				P Z P Z P Z	1 0 6 3 1 1 5 0 1 0 2 0	90		
incl. handle blocks	Mirror cabinet- Set consisting of mirror cabinet (S2A 4390 1D) 3 double mirror doors 2 central partitions, 6 glass shelves 1 switch socket element consisting of mirror cabinet (S2A 433B 1D R) 1 double mirror door 2 sand blasted lightning cut-outs LED 2 X 1 watt / converter 30 watt 2 enlighted glass shelves consisting of flyover shelf (PZ 1097 12) LED panel light 17,8 watt Door width: 238 mm / 412 mm / 238 mm / 296 mm This product contains a light source with energy efficiency class: F	150	1200	660	SET	4 0 1 2	2 6 R		
	Additional accessories LED washbasin lighting LED washbasin lighting emotion Emotion lighting				PZ PZ PZ	1 0 6 3 1 1 5 0 1 0 2 0	90		
incl. handle blocks	Mirror cabinet- Set consisting of mirror cabinet (S2A 4390 1D) 3 double mirror doors 2 central partitions, 6 glass shelves 1 switch socket element consisting of shelf (RG 433B) 2 enlighted glass shelves 2 X 1 Watt consisting of flyover shelf (PZ 1097 12) LED panel light 17,8 watt / converter 30 watt Door width: 238 mm / 412 mm / 238 mm This product contains a light source with energy efficiency class: F Additional accessories LED washbasin lighting	150	1200		P Z P Z	1 0 6 3	90		
	LED washbasin lighting emotion Emotion lighting				P Z P Z	1 150			

·	sponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Artio	cle numbe	er	Hinge	Surchar- ge high- gloss carcass
Mirror cabin	ets Series C								
incl. handle blocks	Mirror cabinet- Set consisting of mirror cabinet (S2A 4390 1D) 3 double mirror doors 2 central partitions, 6 glass shelves 1 switch socket element consisting of shelf (RG 433B) 2 enlighted glass shelves 2 X 1 Watt consisting of flyover shelf (PZ 1097 12) LED panel light 17,8 watt / converter 30 watt Door width: 238 mm / 412 mm / 238 mm This product contains a light source with energy efficiency class: F	150	1200	660	SET	4 1 1 2	6 R		
	Additional accessories LED washbasin lighting LED washbasin lighting emotion Emotion lighting				PZ PZ PZ	1 0 6 3 1 1 5 0 1 0 2 0			
incl. handle blocks	Mirror cabinet- Set consisting of mirror cabinet (S2A 4390 1D) 3 double mirror doors 2 central partitions, 6 glass shelves 1 switch socket element consised of mirror cabinet (S2A 435B 1D L) 1 double mirror door 2 sand blasted lightning cut-outs LED 2 X 1 watt / converter 30 watt 2 enlighted glass shelves consisting of flyover shelf (PZ 1097 14) LED panel light 20,9 watt Door width: 496 mm / 238 mm / 412 mm / 238 mm This product contains a light source with energy efficiency class: F	150	1400	660	SET	4014	6 L		
	Additional accessories LED washbasin lighting LED washbasin lighting emotion Emotion lighting				PZ PZ PZ	1 0 6 3 1 1 5 0 1 0 2 0			
incl. handle blocks	Mirror cabinet- Set consisting of mirror cabinet (S2A 4390 1D) 3 double mirror doors 2 central partitions, 6 glass shelves 1 switch socket element consised of mirror cabinet (S2A 435B 1D R) 1 double mirror door 2 sand blasted lightning cut-outs LED 2 X 1 watt / converter 30 watt 2 enlighted glass shelves consisting of flyover shelf (PZ 1097 14) LED panel light 20,9 watt Door width: 238 mm / 412 mm / 238 mm / 496 mm This product contains a light source with energy efficiency class: F Additional accessories LED washbasin lighting LED washbasin lighting emotion	150	1400	660	S E T	1 0 6 3 1 1 5 0	90		
	Emotion lighting				PΖ	1 0 2 0	1		

Depth indication corre	esponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Artio	cle numb	er	Hinge	Surchar- ge high- gloss carcass
Mirror cabin	ets Series C								
incl. handle blocks	Mirror cabinet- Set consisting of mirror cabinet (S2A 4390 1D) 3 double mirror doors 2 central partitions, 6 glass shelves 1 switch socket element consisting of shelf (RG 435B) 2 enlighted glass shelves 2 X 2 Watt consisting of flyover shelf (PZ 1097 14) LED panel light 20,9 watt / converter 30 watt Door width: 238 mm / 412 mm / 238 mm This product contains a light source with energy efficiency class: F	150	1400	660	SET	4114	6 L		
	Additional accessories LED washbasin lighting LED washbasin lighting emotion Emotion lighting				PZ PZ PZ	1 0 6 3 1 1 5 0 1 0 2 0			
incl. handle blocks	Mirror cabinet- Set consisting of mirror cabinet (S2A 4390 1D) 3 double mirror doors 2 central partitions, 6 glass shelves 1 switch socket element consisting of shelf (RG 435B) 2 enlighted glass shelves 2 X 2 Watt consisting of flyover shelf (PZ 1097 14) LED panel light 20,9 watt / converter 30 watt Door width: 238 mm / 412 mm / 238 mm This product contains a light source with energy efficiency class: F Additional accessories LED washbasin lighting LED washbasin lighting Emotion lighting	150	1400	660	PZ PZ PZ	1 0 6 3 1 1 5 0 1 0 2 0	90		
evermite - w	ashbasins								
evermite	evermite washbasin, 900 mm white inkl. concealed overflow system chrome finish can be combined with WUA 3690 1M L Additional accessories Additional price for Washbasin without tap hole / with 3 holes (acc. to sketch).	515	906	15	WMM	5 2 9 L	2 1		

^{*}Delivery time: 8 weeks. Price per washbasin. Washbasin without tap hole is incompatible with CLOU System. Please check your order confirmation for correctness.

·	esponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Arti	cle r	numl	oer 		Hinge	Surchar ge high gloss carcass
evermite - w	ashbasins										
	evermite washbasin, 900 mm white	515	906	15	WMM	5 2	9 [₹ 2	1		
•	inkl. concealed overflow system chrome finish										
•	can be combined with WUA 3690 1M R										
evermite	Additional accessories Additional price for Washbasin without tap hole / with 3 holes (acc. to sketch).										
	evermite washbasin, 1200 mm white	515	1206	15	WMM	5 2	2	_ 2	1		
evermite°	inkl. concealed overflow system chrome finish extention left										
	can be combined with WUA 3690 1M L, UTA 3630 1M										
	Additional accessories Additional price for Washbasin without tap hole / with 3 holes (acc. to sketch).										
	evermite washbasin, 1200 mm white	515	1206	15	WMM	5 2	2 I	₹ 2	1		
evermite°	inkl. concealed overflow system chrome finish extension right										
	can be combined with WUA 3690 1M R, UTA 3630 1M										
	Additional accessories Additional price for Washbasin without tap hole / with 3 holes (acc. to sketch).										
	evermite washbasin, 1400 mm white	515	1406	15	WMM	5 2	4	_ 2	1		
evermite°	inkl. concealed overflow system chrome finish extention left										
	can be combined with WUA 3690 1M L, UTA 3650 1M										
	Additional accessories Additional price for Washbasin without tap hole / with 3 holes (acc. to sketch).										
	evermite washbasin, 1400 mm white	515	1406	15	WMM	5 2	4 F	2	1		
evermite°	inkl. concealed overflow system chrome finish extension right										
	can be combined with WUA 3690 1M R, UTA 3650 1M										
	Additional accessories Additional price for Washbasin without tap hole / with 3 holes (acc. to sketch).										
	evermite double washbasin, 1800 mm	515	1806	15	WMM	5 2	8 [2	1		
evermite*	white inkl. concealed overflow system chrome finish										
	can be combined with WUA 3690 1M L, WUA 3690 1M R										
	Additional accessories Additional price for Washbasin without tap hole / with 3 holes (acc. to sketch).										
	r time: 8 weeks Price ner washhasin Washhasin with										






Depth indication corre	sponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Arti	cle ı	num	nbe	er	Hinge	Surchar- ge high- gloss carcass
	Olasa washin asin 000 www										
	Glass washbasin, 900 mm	500	040	40	NAV C NA	_ ,					
0	Colour Optiwhite	520 520	912 912	13 13	WGM						
	Colour quartzite gray	520	912	13	VV G IVI	5 (J	_	0 3		
	extention left inkl. concealed overflow system chrome finish can be combined with WUA 3690 1M L										
	Additional accessories										
	Neutrally bonding silicone for glass washbasins				PΖ	1 :	2 3	5			
	Surcharge for washbasins without tap-hole or with 3 hole	s (accord	ing to ske	tch)							
	Glass washbasin, 900 mm										
	Colour Optiwhite	520	912	13	WGM						
	Colour quartzite gray	520	912	13	WGM	5 (9	R	8 3		
	extension right inkl. concealed overflow system chrome finish can be combined with WUA 3690 1M R										
	Additional accessories							_			
	Neutrally bonding silicone for glass washbasins Surcharge for washbasins without tap-hole or with 3 hole	c (accord	ing to ako	toh)	PΖ	1 2	2 3	5			
	Suicharge for washbasins without tap-note or with 3 hote	s (accord	ing to ske	icii)							
	Glass washbasin, 1200 mm										
	Colour Optiwhite	520	1212	13	WGM	5 1	1 2	L	8 2		
	Colour quartzite gray	520	1212	13	WGM						
_ •)	ocioui, qualitatio gray	020					_				
	extention left inkl. concealed overflow system chrome finish can be combined with WUA 3690 1M L, UTA 3630 1M										
	Additional accessories Neutrally bonding silicone for glass washbasins Surcharge for washbasins without tap-hole or with 3 hole	es (accord	ing to ske		PΖ	1 :	2 3	5			
		(4.2.2.2.	,	,							
	Glass washbasin, 1200 mm										
	Colour Optiwhite	520	1212	13	WGM	5 1	1 2	R	8 2		
	Colour quartzite gray	520	1212	13	WGM	5 1	1 2	R	8 3		
	extension right inkl. concealed overflow system chrome finish can be combined with WUA 3690 1M R, UTA 3630 1M										
	Additional accessories										
	Neutrally bonding silicone for glass washbasins Surcharge for washbasins without tap-hole or with 3 hole	s (accord	ing to ske	tch)	PΖ	1 :	2 3	5			
	·										
	Glass washbasin, 1400 mm										
9	Colour Optiwhite	520	1412	13	WGM						
•)	Colour quartzite gray	520	1412	13	WGM	5 1	1 4	L	8 3		
	extention left inkl. concealed overflow system chrome finish can be combined with WUA 3690 1M L, UTA 3650 1M										
	Additional accessories										
	Neutrally bonding silicone for glass washbasins Surcharge for washbasins without tap-hole or with 3 hole	s (accord	ing to ske	tch)	PΖ	1 :	2 3	5			

^{*}Delivery time: 8 weeks. Price per washbasin. Washbasin without tap hole is incompatible with CLOU System. Please check your order confirmation for correctness.

	esponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Artic	cle n	umb	er	Hinge	 Surchar- ge high- gloss carcass
Glass wash	Dasin									
	Glass washbasin, 1400 mm									
C C	Colour Optiwhite	520	1412	13	WGM					
0	Colour quartzite gray	520	1412	13	WGM	5 1	4 F	8	3	
	extension right inkl. concealed overflow system chrome finish can be combined with WUA 3690 1M R, UTA 3650 1M									
	Additional accessories Neutrally bonding silicone for glass washbasins Surcharge for washbasins without tap-hole or with 3 hole	s (accord	ling to ske	tch)	PΖ	1 2	3 5	;		
	Glass double washbasin, 1800 mm									
	Colour Optiwhite	520	1812	13	WGM	5 1	8 [8	2	
	Colour quartzite gray	520	1812	13	WGM	5 1	8 [8	3	
	inkl. concealed overflow system chrome finish can be combined with WUA 3690 1M L, WUA 3690 1M R									
	Additional accessories Neutrally bonding silicone for glass washbasins Surcharge for washbasins without tap-hole or with 3 hole	es (accord	ling to ske	tch)	PΖ	1 2	3 5			
Washbasin III. = right	Washbasin base unit 1 drawer with buffered closing 1 metal pull-out with buffered closing incl. drawer rail Additional accessories Space-saving drain stench trap DN 40 Space-saving drain stench trap DN 32	500	900	480	WUA PZ PZ	1;	9 0	7	// L/R	
	washbasin base unit (additional element) 2 metal pull-out units with buffered closing incl. drawer rail	400	300	480	UTA	3 6	3 0	0 1 1	1	
	washbasin base unit (additional element) 2 metal pull-out units with buffered closing incl. drawer rail	400	500	480	UTA	3 6	5 0	0 1 1	M.	
*D - I'	y time 8 weeks. Price ner washhasin. Washhasin with		<u> </u>							





Depth indication corre	esponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Article number	Hinge	Surchar- ge high- gloss carcass
Tall units							
1120	Tall unit 1 door 4 glass shelves 2 metal pull-outs with buffered closing 1 top cover 330 mm deep	300	300 400		H N A 0 8 3 A 7 1 H N A 0 8 4 A 7 1		
240							
240	Tall unit 2 doors 4 glass shelves 2 metal pull-outs with buffered closing 1 top cover 330 mm deep	300	600	1628	H N A 0 8 6 A 7 1		
	Tall unit	300	300	1628	H N A O 9 3 A 7 M	I/R	
800	1 door 2 glass shelves (top) 2 metal pull-outs with buffered closing 1 drawer with buffered closing 1 top cover 330 mm deep	300	400		H N A 0 9 4 A 7 M		
800 160 320 320 320 320	Tall unit 2 doors 2 glass shelves (top) 2 metal pull-outs with buffered closing 1 drawer with buffered closing 1 top cover 330 mm deep	300	600	1628	H N A 0 9 6 A 7 M		
800 160 320 320	Tall unit 1 aluminium framed door with satined glass 2 glass shelves (top) 2 metal pull-outs with buffered closing 1 drawer with buffered closing 1 top cover 330 mm deep	300	300	1628	H N A 0 9 3 B 7 M	L/R	
800 160 320 320	Tall unit 2 aluminium framed doors with satined glass 2 glass shelves (top) 2 metal pull-outs with buffered closing 1 drawer with buffered closing 1 top cover 330 mm deep	300	600	1628	H N A 0 9 6 B 7 M		

Depth indication cor	responds to the carcass depth	Depth in mm	Width in mm	Height in mm	Article number	Hinge	Surchar- ge high- gloss carcass
Tall units							
800	Tall unit 2 doors 2 glass shelves (top) 2 adjustable shelves (bottom) 1 top cover 330 mm deep	300 300	300 400	1628 1628		L/R L/R	
800	Variable in width: please quote the exact dimension of carcass depth. Top cover will be adapted to the cupboard width.	150-299 150-299	300 400		H V A 0 3 3 0 H V A 0 3 4 0	L/R L/R	
800	Tall unit 4 doors 2 glass shelves (top) 2 adjustable shelves (bottom) 1 top cover 330 mm deep Variable in width: please quote the exact dimension of carcass depth.	150-299	600		H V A 0 3 6 0	,	
800	Tall unit 1 aluminium framed door with satined glass 1 door 2 glass shelves (top) 2 adjustable shelves (bottom) 1 top cover 330 mm deep	300	300	1628	H N A 0 3 3 B 7	/ L/R	
800	Variable in width: please quote the exact dimension of carcass depth. Top cover will be adapted to the cupboard width.	150-299	300	1628	H V A 0 3 3 1	L/R	
800	Tall unit 2 aluminium framed doors with satined glass 2 doors 2 glass shelves (top) 2 adjustable shelves (bottom) 1 top cover 330 mm deep	300	600	1628	H N A 0 3 6 B 7	7	
800	Variable in width: please quote the exact dimension of carcass depth. Top cover will be adapted to the cupboard width.	150-299	600	1628	H V A 0 3 6 1		
800	Tall unit for brooms 2 strapped doors 5 glass shelves 1 top cover 330 mm deep	300	300 400		H N A 0 3 3 A 7 1		

Depth indication corre	esponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Article number	Hinge	Surchar- ge high- gloss carcass
Tall units							
800	Tall unit for brooms 2 strapped doors left 2 strapped doors right 5 continuously glass shelves 1 top cover 330 mm deep	300	600	1628	H N A 0 3 6 A 7 1		
	Tall unit 1 door	300	300	1628	H N A 0 2 3 A 7 1	L/R	
320 160 480	1 glass shelf (top) 1 open compartment 1 drawer with buffered closing 1 door 1 glass shelf 1 top cover 330 mm deep	300	400	1628	H N A 0 2 4 A 7 1	L/R	
320 160 480	Tall unit 2 doors 1 glass shelf (top) 1 open compartment 1 drawer with buffered closing 2 doors 1 glass shelf 1 top cover 330 mm deep	300	600	1628	H N A 0 2 6 A 7 1		
640 320 640	Tall unit 1 door 1 glass shelf (top) 1 open compartment 1 door 1 glass shelf 1 top cover 330 mm deep	300 300	300 400		H N A 0 2 3 A 7 2 H N A 0 2 4 A 7 2	- 1	
320	Tall unit 2 doors 1 glass shelf (top) 1 open compartment 2 doors 1 glass shelf 1 top cover 330 mm deep	300	600	1628	H N A 0 2 6 A 7 2		
640	Tall unit 1 door 1 glass shelf (top) 2 metal pull-outs with buffered closing, 1 door 1 glass shelf 1 top cover 330 mm deep	300 300	300 400		H N A 0 4 3 A 7 1 H N A 0 4 4 A 7 1		

Depth indication corr	esponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Article number	Hinge	Surchar- ge high- gloss carcass
Tall units							
640 160 160 640	Tall unit 2 doors 1 glass shelf (top) 2 metal pull-outs with buffered closing, 2 doors 1 glass shelf 1 top cover 330 mm deep	300	600	1628	H N A 0 4 6 A 7 1		
÷	Tall unit	300	300	1628	H N A 0 5 3 A 7 M	L/R	
160	1 door 2 glass shelves (top) 1 drawer with buffered closing 1 door 1 glass shelf 1 top cover 330 mm deep	300	400	1628	H N A 0 5 4 A 7 M	L/R	
160	Tall unit 2 doors 2 glass shelves (top) 1 drawer with buffered closing 2 doors 1 glass shelf 1 top cover 330 mm deep	300	600	1628	H N A 0 5 6 A 7 M		
800 160	Tall unit 1 aluminium framed door with satined glass 2 glass shelves (top) 1 drawer with buffered closing 1 door 1 glass shelf 1 top cover 330 mm deep	300	300	1628	H N A 0 5 3 B 7 M	L/R	
160	Tall unit 2 aluminium framed doors with satined glass 2 glass shelves (top) 1 drawer with buffered closing 2 doors 1 glass shelf 1 top cover 330 mm deep	300	600	1628	H N A 0 5 6 B 7 M		
160	Tall unit with laundry basket 1 door 2 glass shelves 1 drawer with buffered closing 1 laundry basket with wire basket 1 top cover 330 mm deep Volume of laundry basket: 25 liters Volume of laundry basket: 35 liters	300	300 400		H N A 0 5 3 A 7 W H N A 0 5 4 A 7 W	.	
Places	beauty suitable accessories in the congrets index						



Depth indication corr	esponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Article number	Hinge	Surchar- ge high- gloss carcass
Tall units						_	
800 160 640	Tall unit with laundry basket 2 doors 2 glass shelves 1 drawer with buffered closing 1 laundry basket with wire basket 1 top cover 330 mm deep Volume of laundry basket: 55 liters	300	600	1628	H N A 0 5 6 A 7 W		
800	Tall unit with laundry basket 1 aluminium framed door with satined glass 2 glass shelves 1 drawer with buffered closing 1 laundry basket with wire basket 1 top cover 330 mm deep Volume of laundry basket: 25 liters	300	300	1628	H N A 0 5 3 B 7 W	L/R	
160	Tall unit with laundry basket 2 aluminium framed doors with satined glass 2 glass shelves 1 drawer with buffered closing 1 laundry basket with wire basket 1 top cover 330 mm deep Volume of laundry basket: 55 liters	300	600	1628	H N A 0 5 6 B 7 W		
800 160 	Tall unit with laundry pull out 2 doors 2 glass shelves (top) 1 drawer with buffered closing 2 doors 1 laundry pull out with wire basket 1 top cover 330 mm deep Volume of laundry pull out: 40 liters	300	600	1628	H N A 0 5 6 A 1 W		
Central unit	S						
240	medium-high unit 1 door 2 glass shelves (top) 2 metal pull-outs with buffered closing 1 top cover 330 mm deep	300	300 400			L/R L/R	
DI 1 '	this assessment in the assertation index						

Depth indication corre	esponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Article number Article number By Gle
Central unit	S				
240	medium-high unit 2 doors 2 glass shelves (top) 2 metal pull-outs with buffered closing 1 top cover 330 mm deep	300	600	1308	M N A 8 7 6 A 7
	medium-high unit	300	300	1308	M N A 8 8 3 A 7 M L/R
800 160 320	1 door 2 glass shelves (top) 1 metal pull-out with buffered closing, 1 drawer with buffered closing 1 top cover 330 mm deep	300	400	1308	M N A 8 8 4 A 7 M L/R
160	medium-high unit 2 doors 2 glass shelves (top) 1 metal pull-out with buffered closing, 1 drawer with buffered closing 1 top cover 330 mm deep	300	600	1308	M N A 8 8 6 A 7 M
800	medium-high unit 1 aluminium framed door with satined glass 2 glass shelves (top) 1 metal pull-out with buffered closing, 1 drawer with buffered closing 1 top cover 330 mm deep	300	300	1308	M N A 8 8 3 B 7 M L/R
160	medium-high unit 2 aluminium framed doors with satined glass 2 glass shelves (top) 1 metal pull-out with buffered closing, 1 drawer with buffered closing 1 top cover 330 mm deep	300	600	1308	M N A 8 8 6 B 7 M
	medium-high unit	300	300	1308	M N A 8 1 3 A 7 L/R
1280	1 door 4 glass shelves 1 top cover 330 mm deep	300	400	1308	M N A 8 1 4 A 7 L/R
	Variable in width: please quote the exact dimension of carcass depth.	150-299	300	1308	M V A 8 1 3 0 L/R
↓	Top cover will be adapted to the cupboard width.	150-299	400	1308	M V A 8 1 4 0 L/R
1280	medium-high unit 2 doors 4 glass shelves 1 top cover 330 mm deep Variable in width: please quote the exact dimension of carcass depth. Top cover will be adapted to the cupboard width.	300	600	1308	M N A 8 1 6 A 7
	beauty quitable accessories in the congrete index				

Depth indication corre	esponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Article n	umber	Hinge	Surchar- ge high- gloss carcass
Central units	S							
	medium-high unit with inside drawers 1 door	300	300	1308	M N A 8 4	3 A 7	L/R	
1280	2 inside metal-drawer with buffered closing 1 glass shelf 1 top cover 330 mm deep	300	400	1308	M N A 8 4	4 A 7	L/R	
1280	medium-high unit with inside drawers 2 doors 2 continuously inside metal-drawer with buffered closing 1 continuous glass shelf 1 top cover 330 mm deep	300	600	1308	M N A 8 4	6 A 7		
640	medium-high unit with laundry pull out 2 doors 1 glass shelf (top) 2 doors 1 laundry pull out with wire basket Volume of laundry pull out: 40 liters 1 top cover 330 mm deep	300	600	1308	M N A 8 3	6 A 1 W		
Highboards								
↑	Highboard	300	300	828	HBA51	3 A 7	L/R	
800	1 door 2 glass shelves 1 top cover 330 mm deep	300	400	828	HBA51	4 A 7	L/R	
÷	Variable in width: please quote the exact dimension of carcass depth.	150-299	300	828	H B V A 5	1 3	L/R	
	Top cover will be adapted to the cupboard width.	150-299	400	828	HBVA5	1 4	L/R	
800	Highboard 2 doors 2 glass shelves 1 top cover 330 mm deep Variable in width: please quote the exact dimension of carcass depth. Top cover will be adapted to the cupboard width.	300	600		H B A 5 1			

Depth indication corr	esponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Article number			er	Hinge	Surchar- ge high- gloss carcass
Highboards										
800	Highboard 1 aluminium framed door with satined glass 2 glass shelves 1 top cover 330 mm deep	300	300	828	НВА	5 1	3 B	7	L/R	
; <u> </u>	Variable in width: please quote the exact dimension of carcass depth. Top cover will be adapted to the cupboard width.	150-299	300	828	нву	A 5	1 3	1	L/R	
800	Highboard 2 aluminium framed doors with satined glass 2 glass shelves 1 top cover 330 mm deep	300	600	828	НВА	5 1	6 B	7		
	Variable in width: please quote the exact dimension of carcass depth. Top cover will be adapted to the cupboard width.	150-299	600	828	нву	A 5	1 6	1		
800 0.000 0.0	Highboard with laundry pull out 2 doors 1 laundry pull out with wire basket 1 top cover 330 mm deep									
	Volume of laundry pull out: 40 liters	300	600	828	НВА	5 1	6 A	1 W	<i>'</i>	
	Highboard	300	300	828	НВА	5 6	3 A	7 M		
320	drawer with buffered closing metal pull-outs with buffered closing top cover 330 mm deep	300	400	828	НВА	5 6	4 A	7 M		
160 320	Highboard 1 drawer with buffered closing 2 metal pull-outs with buffered closing 1 top cover 330 mm deep	300	600	828	НВА	5 6	6 A	7 M		
	Highboard	300	300	828	HBA	5 5	3 A	7 M	I L/R	
640	drawer with buffered closing door glass shelf top cover 330 mm deep	300	400	828	НВА	5 5	4 A	7 M	L/R	
640	Highboard 1 drawer with buffered closing 2 doors 1 glass shelf 1 top cover 330 mm deep	300	600	828	НВА	5 5	6 A	7 M		
160 *	Highboard with laundry basket									
640	1 drawer with buffered closing 1 laundry basket with wire basket 1 top cover 330 mm deep									
*	Volume of laundry basket: 25 liters	300	300	828	НВА	5 5	3 A	7 W		
	Volume of laundry basket: 35 liters	300	400	828	НВА	5 5	4 A	7 W		
Discourse	hserve suitable accessories in the senarate index									



Depth indication corresponds to the carcass depth		Depth in mm	Width in mm	Height in mm	Article number	Hinge	Surchar- ge high- gloss carcass
Highboards							
640	Highboard with laundry basket 1 drawer with buffered closing 1 laundry basket with wire basket 1 top cover 330 mm deep Volume of laundry basket: 55 liters	300	600	828	HBA556A7W		
640 000000 000000 000000 000000 000000 0000	Highboard with laundry pull out 1 drawer with buffered closing 2 doors 1 laundry pull out with wire basket 1 top cover 325 mm deep Volume of laundry pull out: 40 liters	300	600	828	HBA556A1W		
Wall units							
640	Wall unit 1 door 1 glass shelf 1 top cover 180 mm deep	150 150	300 400	668 668		L/R L/R	
*V	Variable in width: please quote the exact dimension of carcass depth. Top cover will be adapted to the cupboard width.	151-300 151-300	300 400	668 668	O V A 4 1 3 0 O V A 4 1 4 0	L/R L/R	
640	Wall unit 2 doors 1 glass shelf 1 top cover 180 mm deep Variable in width: please quote the exact dimension of carcass depth. Top cover will be adapted to the cupboard width.	150	600	668	O G A 4 1 6 A 7		
320	Wall unit 1 flap door, 1 top cover 260 mm deep	230	600	348	OMA 2 1 6 A 7 K		
Base units							
320	Base unit 1 drawer with buffered closing 1 door 1 top cover 330 mm deep	300 300	300 400	508 508	U N A 3 2 3 A 7 M U N A 3 2 4 A 7 M		
Please observe suita	ble accessories in the separate index.						

Depth indication corresponds to the carcass depth			Width in mm	Height in mm	Article nun	nber	Hinge	Surchar- ge high- gloss carcass
Base units								
320	Base unit 1 drawer with buffered closing 2 doors 1 top cover 330 mm deep	300	600	508	U N A 3 2 6	A 7 M		
240	Base unit 2 pull-outs with buffered closing 1 top cover 330 mm deep	300 300	300 400	508 508	U N A 3 6 3 U N A 3 6 4			
240	Base unit 2 pull-outs with buffered closing 1 top cover 330 mm deep	300	600	508	U N A 3 6 6	A 7		
. =	Base unit	300	300	508	U N A 3 4 3	A 7 M		
320	drawer with buffered closing metal pull-out with buffered closing, top cover 330 mm deep	300	400	508	U N A 3 4 4	A 7 M		
320	Base unit 1 drawer with buffered closing 1 metal pull-out with buffered closing, 1 top cover 330 mm deep	300	600	508	U N A 3 4 6	A 7 M		
320	Base unit 1 flap door, 1 top cover 260 mm deep	230	600	348	U M A 2 1 6	A 7 K		
Benches								
160	Bench 1 shelf 1 seat cushion in imitation leather cream-white Colour version corresponds to the carcass colour	450	600	508	SETBAN	K 6		
160	Bench 2 shelves 1 seat cushion in imitation leather cream-white Colour version corresponds to the carcass colour	450	900	508	SETBAN	К 9		



Depth indication corresponds to the carcass depth		Depth in mm	Width in mm	Height in mm	Artic	cle numbe	er Hinge	Surchar- ge high- gloss carcass
Laundryrolli	İ							
640	Laundryrolli 1 flap door, with buffered closing 1 take-out laundry-bag, washable 4 roles Colour version corresponds to the carcass colour incl. height indication rolls (100 mm)	470	470	756	WRS	4047		
Glass shelfs								
•	Glass shelf							
	incl. metal holder							
	400 mm wide incl. 2 metal brackets	130	400	8	ABG	1 3 4 0	8 0	
	600 mm wide incl. 2 metal brackets	130	600	8	ABG	1 3 6 0	0 8	
	900 mm wide incl. 3 metal brackets	130	900	8	ABG	1 3 9 0	0 8	
	1200 mm wide incl. 3 metal brackets	130	1200	8	ABG	1 3 1 2	0 8	
	1400 mm wide incl. 4 metal brackets	130	1400	8	ABG	1 3 1 4	0 8	
Push- fit she	elf							
	Push-fit shelf with ABS thick edge all around incl. holders for push fit shelf							
	300 mm widh incl. 2 push-fit holder	150	300	28	SBG	6 0 3 0		
	400 mm wide incl. 2 push-fit holder	150	400	28	SBG	6 0 4 0		
	600 mm wide incl. 2 push-fit holder	150	600	28	SBG	6060		
	900 mm wide incl. 3 push-fit holder	150	900	28	SBG	6 0 9 0		
	1200 mm wide incl. 3 push-fit holder	150	1200	28	SBG	6012		
	1400 mm wide incl. 3 push-fit holder	150	1400	28	SBG	6014		

SWM-I	E190-2R	
 Mirror cabinet, series A Washbasin base unit evermite washbasin, 900 mm 	S E T 4 3 9 0 2 W U A 3 6 9 0 1 M W M M 5 2 9 R 2 1	
S W G 8 2 9 0 2 R WGM 509R 82 glass o	ptiwhite inst. cast mineral	
S W G 8 3 9 0 2 R WGM 509R 83 glass o	uartzite grey inst. cast mineral	900 mm wide
	E190-3R	
 Mirror cabinet, series B Washbasin base unit evermite washbasin, 900 mm 	S E T 4 3 9 0 3 W U A 3 6 9 0 1 M W M M 5 2 9 R 2 1	
S W G 8 2 9 0 3 R WGM 509R 82 glass o	ptiwhte inst. cast mineral	
S W G 8 3 9 0 3 R WGM 509R 83 glass o	uartzite grey inst. cast mineral	900 mm wide
SWM-I	E112-2R	
 Mirror cabinet, series A washbasin base unit 900 mm washbasin base unit 300 mm evermite washbasin, 1200 mm 	S E T 4 0 1 2 2 R W U A 3 6 9 0 1 M U T A 3 6 3 0 1 M W M M 5 2 2 R 2 1	
S W G 8 2 1 2 2 R WGM 512R 82 glass of	ptiwhte inst. cast mineral	
S W G 8 3 1 2 2 R WGM 512R 83 glass o	uartzite grey inst. cast mineral	1200 mm wide
	E112-3R	
1 Mirror cabinet, series A 1 washbasin base unit 900 mm 1 washbasin base unit 300 mm 1 evermite washbasin, 1200 mm	S E T 4 1 1 2 2 R W U A 3 6 9 0 1 M U T A 3 6 3 0 1 M W M M 5 2 2 R 2 1	
S W G 8 2 1 2 3 R WGM 512R 82 glass of	ptiwhite inst. cast mineral	
S W G 8 3 1 2 3 R WGM 512R 83 glass o	uartzite grey inst. cast mineral	1200 mm wide



SWM-E112-	-4R	
Mirror cabinet, series B washbasin base unit 900 mm washbasin base unit 300 mm evermite washbasin, 1200 mm	S E T 4 0 1 2 3 R W U A 3 6 9 0 1 M U T A 3 6 3 0 1 M W M M 5 2 2 R 2 1	
S W G 8 2 1 2 4 R WGM 512R 82 glass optiwhi	ite inct. cast mineral	
S W G 8 3 1 2 4 R WGM 512R 83 glass quartzi	ne grey inst. cast mineral	1200 mm wide
SWM-E112-		
Mirror cabinet, series B washbasin base unit 900 mm washbasin base unit 300 mm evermite washbasin, 1200 mm	S E T 4 1 1 2 3 R W U A 3 6 9 0 1 M U T A 3 6 3 0 1 M W M M 5 2 2 R 2 1	
S W G 8 2 1 2 5 R WGM 512R 82 glass optiwhi	ite inst. cast mineral	
S W G 8 3 1 2 5 R WGM 512R 83 glass quartzi		1200 mm wide
SWM-E114- Mirror cabinet, series A washbasin base unit 900 mm washbasin base unit 500 mm evermite washbasin, 1400 mm	SET40142R WUA36901M UTA36501M WMM524R21	
S W G 8 2 1 4 2 R WGM 514 82 glass optiwhite	e inst. cast mineral	
S W G 8 3 1 4 2 R WGM 514R 83 glass quartzi	ite grey inst. cast mineral	1400 mm wide
SWM-E114-	-3R	
1 Mirror cabinet, series A 1 washbasin base unit 900 mm 1 washbasin base unit 500 mm 1 evermite washbasin, 1400 mm	S E T 4 1 1 4 2 R W U A 3 6 9 0 1 M U T A 3 6 5 0 1 M W M M 5 2 4 R 2 1	
S W G 8 2 1 4 3 R WGM 514R 82 glass optwhi	te inst. cast mineral	

SWM-E11	14-4R	
Mirror cabinet, series B washbasin base unit 900 mm washbasin base unit 500 mm evermite washbasin, 1400 mm	S E T 4 0 1 4 3 R W U A 3 6 9 0 1 M U T A 3 6 5 0 1 M W M M 5 2 4 R 2 1	
S W G 8 2 1 4 4 R WGM 514R 82 glass optv S W G 8 3 1 4 4 R WGM 514R 83 glass qua	white inst. cast mineral rtzite grey inst. cast mineral	1400 mm wide
SWM-E1	14-5R	
Mirror cabinet, series B washbasin base unit 900 mm washbasin base unit 500 mm evermite washbasin, 1400 mm	S E T 4 1 1 4 3 R WU A 3 6 9 0 1 M U T A 3 6 5 0 1 M WM M 5 2 4 R 2 1	
S W G 8 2 1 4 5 R WGM 514R 82 glass optw S W G 8 3 1 4 5 R WGM 514R 83 glass gua		
5 W G O S 1 4 5 K WGW 514K OS glass qua	rtzite grey inst. cast mineral	1400 mm wide
SWM-E1	118-2	
Mirror cabinet, series A washbasin base unit 900 mm washbasin base unit 900 mm evermite washbasin, 1800 mm Double washbasin	S E T 4 0 1 8 2 W U A 3 6 9 0 1 M W U A 3 6 9 0 1 M W M M 5 2 8 D 2 1	
S W G 8 2 1 8 2 WGM 518D 82 glass opti	white inst. cast mineral	
S W G 8 3 1 8 2 WGM 518D 83 glass qua	rtzite grey inst. cast mineral	1800 mm wide
SWM-E1	118-3	
Mirror cabinet, series A washbasin base unit 900 mm	S E T 4 1 1 8 2 W U A 3 6 9 0 1 M W U A 3 6 9 0 1 M W M M 5 2 8 D 2 1	
1 washbasin base unit 900 mm 1 evermite washbasin, 1800 mm Double washbasin		
evermite washbasin, 1800 mm		
evermite washbasin, 1800 mm	white inst. cast mineral	




	SWM-	E118-4	
	se unit 900 mm se unit 900 mm basin, 1800 mm	S E T 4 0 1 8 3 W U A 3 6 9 0 1 M W U A 3 6 9 0 1 M W M M 5 2 8 D 2 1	
SWG82184		ptiwhite inst. cast mineral	
SWG83184	WGM 518D 83 glass o	uartzite grey inst. cast mineral	1800 mm wide
 Mirror cabinet, washbasin bas washbasin bas evermite wash Double washbas 	series B se unit 900 mm se unit 900 mm basin, 1800 mm	S E T 4 1 1 8 3 W U A 3 6 9 0 1 M W U A 3 6 9 0 1 M W M M 5 2 8 D 2 1	
SWG82185	WGM 518D 82 glass o	optiwhite inst. cast mineral	
SWG83185	WGM 518D 83 glass of	uartzite grey inst. cast mineral	1800 mm wide


Program 026 - dimensional drawings


WGM 509R






WGM 509L







WGM 512R



WGM 512L









WGM 514L

WGM 518





For washing stands with fixing screws, the dimensions for boring must be drawn in on-site after the washing stand has been laid on the floor unit.


Washing stands without anchoring brackets have to be fixed on the wall and on the furniture-side with silicon! Cast mineral: The water temperature must not exceed 55° C / 131° F. Hair tinting lotions have to be removed immediately, so that staining can be avoided.

Modifications:


Technical modifications (+/- 5mm) and flatness modifications (DIN 18202) are subject of the usual material-specific modifications for construction materials, based on DIN 18202.



Program 026 - dimensional drawings



WMM 522R WMM 524L ⊕ **(**



For washing stands with fixing screws, the dimensions for boring must be drawn in on-site after the washing stand has been laid on the floor unit

Washing stands without anchoring brackets have to be fixed on the wall and on the furniture-side with silicon! Cast mineral: The water temperature must not exceed 55° C / 131° F. Hair tinting lotions have to be removed immediately, so that staining can be avoided.


Modifications:

Technical modifications (+/- 5mm) and flatness modifications (DIN 18202) are subject of the usual material-specific modifications for construction materials, based on DIN 18202.



Program 026 - dimensional drawings

electrical connections for mirror cabinets



For washing stands with fixing screws, the dimensions for boring must be drawn in on-site after the washing stand has been laid on the floor unit.

Washing stands without anchoring brackets have to be fixed on the wall and on the furniture-side with silicon! Cast mineral: The water temperature must not exceed 55° C / 131° F. Hair tinting lotions have to be removed immediately, so that staining can be avoided.

Technical modifications (+/- 5mm) and flatness modifications (DIN 18202) are subject of the usual material-specific modifications for construction materials, based on DIN 18202.