next generation

VUELTA

Program 054







Front colours



No. 777 cosmos grey matt



No. 793 noble white matt




No. 891 quarz grey matt



No. 893 titanium grey matt



No. 686 anthracite hgl.



No. 722 polar white hgl.



no. 680 Charleston oak



no. 794 sand oak



Nr. 785 natural oak



no. 786 truffle oak

foiled front

carcass colours

* High gloss carcass for an additional price



No. 177 cosmos grey matt



white matt



no. 191 quarz grey matt



No. 193 titanium grey matt



*no. 121 anthracite hgl.



*no. 161 white hgl.



no. 180 Charleston oak



no. 194 sand oak



Nr. 185 natural oak



no. 186 truffle oak

Washbasin colours

Cast mineral washbasins



No. 1 white

Technique

door with integrated buffered closing

Pull outs and drawers

No. 556 Pull outs and drawers with soft close



Handle version



No. 320 bar handle chrome

handle-borehole distance for straight fronts: 96 mm / 384 mm

No. 559 Pull outs and drawers with soft close



Mirror cabinets

Series A



Series B



Series C





		ı	I	ı					Surchar- ge high-	Surchar- ge
Depth indication corre	esponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Artio	cle numbe	er	Hinge		Premium equiq- ment
Mirror cabin	ets Series A							_		
	mirror cabinet 1 LED surface-mounted lamp 11,5 watt / Converter 15 watt 3 mirror doors on wooden-plated 2 central partitions, 3 glass shelves 1 switch socket element Door width: 196 mm / 296 mm / 196 mm This product contains a light source with energy efficiency class: G without bevelled edges with bevelled edges Additional accessories LED washbasin lighting	150 150	700 700	640 640		437S 437S	F 1			
	mirror cabinet 1 LED surface-mounted lamp 11,5 watt / Converter 30 watt 3 mirror doors on wooden-plated 2 central partitions, 3 glass shelves 1 switch socket element Door width: 238 mm / 412 mm / 238 mm This product contains a light source with energy efficiency class: G without bevelled edges with bevelled edges Additional accessories LED washbasin lighting	150 150	900	640 640		439S 439S 1 063	F 1			
	mirror cabinet 1 LED surface-mounted lamp 15,5 watt / converter 30 watt 3 mirror doors on wooden-plated 2 central partitions, 3 glass shelves 1 switch socket element Door width: 388 mm / 412 mm / 388 mm This product contains a light source with energy efficiency class: G without bevelled edges with bevelled edges Additional accessories LED washbasin lighting	150 150	1200 1200	640 640		4 3 2 S 4 3 2 S 1 0 6 3	F 1			

		ı	I	ı				Surchar- ge high-	Surchar- ge
Depth indication corre	esponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Artio	cle number	Hinge	gloss	Premium equiq- ment
Mirror cabin	ets Series A						_		
	mirror cabinet 1 LED surface-mounted lamp 15,5 watt / converter 30 watt 3 mirror doors on wooden-plated 2 central partitions, 3 glass shelves 1 switch socket element Door width: 438 mm / 512 mm / 438 mm This product contains a light source with energy efficiency class: G without bevelled edges with bevelled edges	150 150	1400 1400	640 640		434S 1 434S F 1			
	Additional accessories LED washbasin lighting				PΖ	1 0 6 3 1 2			
Mirror cabin	ets Series B								
	mirror cabinet 1 flyover shelf with LED lighting 4,6 Watt / converter 15 Watt 3 mirror doors on wooden-plated 2 central partitions, 3 glass shelves 1 switch socket element Door width: 196 mm / 296 mm / 196 mm This product contains a light source with energy efficiency class: G								
	without bevelled edges with bevelled edges Additional accessories	150 150	700 700	656 656	1	4 3 7 S 2 4 3 7 S F 2			
	LED washbasin lighting mirror cabinet				PΖ	1 0 6 3 6 0			
	1 flyover shelf with LED lighting 6,5 Watt / converter 15 Watt 3 mirror doors on wooden-plated 2 central partitions, 3 glass shelves 1 switch socket element Door width: 238 mm / 412 mm / 238 mm This product contains a light source with energy efficiency class: G								
	without bevelled edges with bevelled edges	150 150	900 900	656 656		4 3 9 S 2 4 3 9 S F 2			
	Additional accessories LED washbasin lighting				PΖ	1 063 90			

Depth indication corre	esponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Artic	cle numbe	r	Hinge Hinge	Surchar ge high gloss carcass	Premium
	mirror cabinet 1 flyover shelf with LED lighting 9,4 watt / converter 15 watt 3 mirror doors on wooden-plated 2 central partitions, 3 glass shelves 1 switch socket element Door width: 388 mm / 412 mm / 388 mm This product contains a light source with energy efficiency class: G without bevelled edges with bevelled edges Additional accessories LED washbasin lighting	150 150	1200 1200	656 656	1	4 3 2 S 4 3 2 S 1 0 6 3				
Mirror cabin	mirror cabinet 1 flyover shelf with LED lighting 9,4 watt / converter 15 watt 3 mirror doors on wooden-plated 2 central partitions, 3 glass shelves 1 switch socket element Door width: 438 mm / 512 mm / 438 mm This product contains a light source with energy efficiency class: G without bevelled edges with bevelled edges Additional accessories LED washbasin lighting	150 150	1400 1400	656 656		4 3 4 S 4 3 4 S 1 0 6 3				
	mirror cabinet 1 LED panel light 9,9 watt / converter 15 watt 3 mirror doors on wooden-plated 2 central partitions, 3 glass shelves 1 switch socket element Door width: 196 mm / 296 mm / 196 mm This product contains a light source with energy efficiency class: F without bevelled edges with bevelled edges Additional accessories LED washbasin lighting	150 150	700 700	650 650		437S 437S				

		I	I	I	ı		I			Surchar- ge high-	Surchar- ge
Depth indication corre	esponds to the carcass depth	Depth in mm	Width in mm	Height in mm						gloss carcass	Premium equiq- ment
Mirror cabin	ets Series C										
	mirror cabinet 1 LED panel light 12,9 watt / converter 30 watt 3 mirror doors on wooden-plated 2 central partitions, 3 glass shelves 1 switch socket element Door width: 238 mm / 412 mm / 238 mm This product contains a light source with energy efficiency class: F without bevelled edges with bevelled edges Additional accessories LED washbasin lighting	150 150	900	650 650		439S 439S					
	mirror cabinet 1 LED panel light 17,28 watt / converter 30 watt 3 mirror doors on wooden-plated 2 central partitions, 3 glass shelves 1 switch socket element Door width: 388 mm / 412 mm / 388 mm This product contains a light source with energy efficiency class: F without bevelled edges with bevelled edges Additional accessories LED washbasin lighting	150 150	1200 1200	650 650	-	4 3 2 S 4 3 2 S					
	mirror cabinet 1 LED panel light 20,5 watt / converter 30 watt 3 mirror doors on wooden-plated 2 central partitions, 3 glass shelves 1 switch socket element Door width: 438 mm / 512 mm / 438 mm This product contains a light source with energy efficiency class: F without bevelled edges with bevelled edges Additional accessories LED washbasin lighting	150 150	1400 1400	650 650		434S 434S	F 3				

Depth indication corr	esponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Artio	cle numbe	er	Hinge	Surchar- ge high- gloss carcass	Surchar- ge Premium equiq- ment
	Consisting of: washbasin, cast mineral, white, 712 mm Washbasin base unit 700 mm 1 metal pull out unit with buffered closing 1 metal pull-out with buffered closing incl. drawer rail sidewise carcass depth = 400 mm without LED lighting with LED lighting 1 LED converter 12 V, 15 Watt incl. toggle switch This product contains a light source with energy efficiency class: F only premium- equipment possible Additional accessories Space-saving drain stench trap DN 40 Space-saving drain stench trap DN 32 motion sensor for LED lighting	510 510	712 712	520 520		VU70 VU70	1 B 1			
	Consisting of: washbasin, cast mineral, white, 912 mm Washbasin base unit 900 1 metal pull out unit with buffered closing 1 metal pull-out with buffered closing incl. drawer rail sidewise carcass depth = 400 mm without LED lighting with LED lighting 1 LED converter 12 V, 15 Watt incl. toggle switch This product contains a light source with energy efficiency class: F only premium- equipment possible Additional accessories Space-saving drain stench trap DN 40 Space-saving drain stench trap DN 32 motion sensor for LED lighting	521 521	912 912	520 520		VU90 VU90	B 1			

Depth indication corresponds to the carcass depth Sets		Depth in mm	Width in mm	Height in mm	Artic	cle number	Hinge	Surchar- ge high- gloss carcass	Surchar- ge Premium equiq- ment
	Consisting of: Washbasin, cast mineral, white, 1212 mm washbasin base unit 1200 mm 1 metal pull out unit with buffered closing 1 metal pull-out with buffered closing incl. drawer rail 2 doors per 1 glass shelf sidewise carcass depth = 280 mm without LED lighting with LED lighting 1 LED converter 12 V, 15 Watt incl. toggle switch This product contains a light source with energy efficiency class: F only premium- equipment possible Additional accessories Space-saving drain stench trap DN 40 Space-saving drain stench trap DN 32 motion sensor for LED lighting	497 497	1212 1212		1	VU12 VU12B			
	washbasin mineral, white, 1412 mm washbasin base unit 1400 mm 1 metal pull out unit with buffered closing 1 metal pull-out with buffered closing incl. drawer rail 2 doors per 1 glass shelf sidewise carcass depth = 230 mm without LED lighting with LED lighting 1 LED converter 12 V, 15 Watt incl. toggle switch This product contains a light source with energy efficiency class: F only premium- equipment possible Additional accessories Space-saving drain stench trap DN 40 Space-saving drain stench trap DN 32 motion sensor for LED lighting	510 510	1412		l .	VU14 VU14B			

					I				ge high-	Surchar- ge
Depth indication cor	responds to the carcass depth	Depth in mm	Width in mm	Height in mm	Artio	cle numb	er	Hinge	gloss carcass	Premium equiq- ment
Sets										
	Consisting of: Double washbasin white cast mineral, 1412 mm washbasin base unit 1400 mm 2 metal pull out units with buffered closing and syphon cut- out 2 metal pull outs with buffered closing and rail sidewise carcass depth = 400 mm									
	without LED lighting with LED lighting 1 LED converter 12 V, 15 Watt incl. toggle switch This product contains a light source with energy efficiency class: F only premium- equipment possible	560 560	1412 1412	520 520		V U 4 D				
	Additional accessories Space-saving drain stench trap DN 40 (order 2 pi Space-saving drain stench trap DN 32 (order 2 pi motion sensor for LED lighting				PZ PZ PZ	1 3 6 7 1 4 2 3 1 1 4 1				
Universal -	washbasin base unit									
	Washbasin base unit 2 doors 1 top cover 330 mm deep with syphon cut- out (depth: 240 mm, width: 80 mm) for free hanging washbasin	300	600	496	WUA	3 1 6 0	A			
Tall units										
1120	Tall unit 1 door 4 glass shelves 1 drawer with buffered closing 1 pull-out with buffered closing	300	300 400	1600 1600		0830		L/R L/R		

Surchar- Surchar-

Depth indication correct Tall units	esponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Artic	cle nun	nbe	r	Hinge	Surchar- ge high- gloss carcass	Surcharge Premium equiq- ment
1120 160 320	Tall unit 2 doors 4 glass shelves 1 drawer with buffered closing 1 pull-out with buffered closing	300	600	1600	HNA	0 8 6	0	5			
	Tall unit	300	300	1600	H N A	0 2 3	0	0 1	L/R		
320 160 480	1 door 1 glass shelf (top) 1 open compartment 1 drawer with buffered closing 1 door 1 glass shelf	300	400		HNA				L/R		
Tall unit-she	Tall unit 2 doors 1 glass shelf (top) 1 open compartment 1 drawer with buffered closing 2 doors 1 glass shelf	300	600	1600	HNA	0 2 6	5 0	0 1			
ran ann ono											
238 238 238	Tall unit-shelf with open shelf space in carcass colour	150	300	1600	RG	103	0	0 1			

Depth indication correct Tall unit-she	esponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Artio	cle n	umb	er	Hinge	Surchar- ge high- gloss carcass	Surcharge Premium equiq- ment
374 774 774 774 774 774 774 774 774 774	Tall unit-shelf with mirror surface 4 shelves compartments in carcass colour	150	300	1600	R G	1 0	3 0	0 2			
374 1 366 374 37	Tall unit-shelf 4 functional hooks 4 shelves compartments in carcass colour	150	300	1600	R G	1 0	3 0	0 3			
Central units	S										
800 1600 320 1600	medium-high unit 1 door 2 glass shelves (top) 1 drawer with buffered closing 1 pull-out with buffered closing 1 top cover 325 mm deep	300	300 400	1296 1296	M N A						
160	medium-high unit 2 doors 2 glass shelves (top) 1 drawer with buffered closing 1 pull-out with buffered closing 1 top cover 325 mm deep	300	600	1296	MNA	8 8	6 A	0 1			
1280	medium-high unit 1 door 4 glass shelves 1 top cover 325 mm deep	300 300	300 400	1296 1296	M N A						

Depth indication corr	esponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Article number	Hinge	Surchar- Surchar- ge high- gloss Premium carcass equiq- ment
		200	000	4000	M N A O 4 C A O 4		
1280	medium-high unit 2 doors 4 glass shelves 1 top cover 325 mm deep	300	600	1296	M N A 8 1 6 A 0 1		
Highboards							
÷	Highboard	300	300	656	HBA413A01	L/R	
640	1 door 1 glass shelf 1 top cover 325 mm deep	300	400	656	H B A 4 1 4 A 0 1	L/R	
640	Highboard 2 doors 1 glass shelf 1 top cover 325 mm deep	300	600	656	HBA416A01		
640	Highboard with laundry basket 1 laundry basket with wire basket 1 top cover 325 mm deep						
; 🔟	Volume of laundry basket: 25 liters	300	300	656	HBA413W01		
	Volume of laundry basket: 35 liters	300	400	656	HBA414W01		
640	Highboard with laundry basket 1 laundry basket with wire basket 1 top cover 325 mm deep						
·	Volume of laundry basket: 55 liters	300	600	656	HBA416W01		
640	Highboard 1 drawer with buffered closing 1 door 1 glass shelf 1 top cover 325 mm deep	300 300	300 400	816 816	HBA553A01 HBA554A01		

		Donth	\\\\\!: \\	Llaight	\ A4:	cle numb			Surchar- ge high- gloss	Surchar- ge Premium
Depth indication corr	esponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Artic	cie numi	er	Hinge	carcass	equiq- ment
Highboards										
640	Highboard 1 drawer with buffered closing 2 doors 1 glass shelf 1 top cover 325 mm deep	300	600	816	НВА	5 5 6	A 0 1			
160	Highboard with laundry basket 1 drawer with buffered closing 1 laundry basket with wire basket 1 top cover 325 mm deep									
‡ \ !	Volume of laundry basket: 25 liters	300	300	816	НВА	5 5 3 \	V 0 1			
	Volume of laundry basket: 35 liters	300	400	816	НВА	5 5 4 \	V 0 1			
640	Highboard with laundry basket 1 drawer with buffered closing 1 laundry basket with wire basket 1 top cover 325 mm deep Volume of laundry basket: 55 liters	300	600	816	НВА	5 5 6 \	V 0 1			
Wall units										
640	Wall unit 1 door 1 glass shelf	150 150	300 400	640 640		413		L/R L/R		
640	Wall unit 2 doors 1 glass shelf	150	600	640	OGA	4 1 6	D			

Depth indication corr Base units	esponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Arti	cle r	numb	per	Hinge		Surchar- ge high- gloss carcass	Surcharge Premium equiq- ment
	Base unit	300	300	496	UNA	3 4	13	Α 0	1	-		
320	1 drawer with buffered closing 1 pull-out with buffered closing incl. drawer rail 1 top cover 325 mm deep	300	400	496	UNA							
320	Base unit 1 drawer with buffered closing 1 pull-out with buffered closing incl. drawer rail 1 top cover 325 mm deep	300	600	496	UNA	3 4	16	Α 0	1			
Shelves												
	functional shelf Edges are cut with a mitre veritcal and horizontal mounting possible please indicate colour version: no. 501 white matt lacquered no. 547 black matt lacquered	150	300	160	RGL	1 1	3	0 0	1			
	functional shelf Edges are cut with a mitre veritcal and horizontal mounting possible please indicate colour version: no. 501 white matt lacquered no. 547 black matt lacquered	150	600	160	RGL	1 1	16	0 0	2			
	functional shelf Edges are cut with a mitre veritcal and horizontal mounting possible please indicate colour version: no. 501 white matt lacquered no. 547 black matt lacquered	150	900	160	RGL	1 1	9	0 0	3			

Depth indication corresponds to the carcass depth Glass shelfs		Depth in mm	Width in mm	Height in mm	Article number		Hinge	ge high gloss carcass	Premium	
Old 33 Shells	Glass shelf									
	incl. metal holder 400 mm wide	130	400	8	A B G	1340	0 8			
	incl. 2 metal brackets 600 mm wide	130	600	8	ABG	1360	0 8			
	incl. 2 metal brackets 700 mm wide incl. 2 metal brackets	130	700	8	A B G	1370	0 8			
	900 mm wide incl. 3 metal brackets	130	900	8	ABG	1 3 9 (0 8			
	1200 mm wide incl. 3 metal brackets	130	1200	8	A B G	1 3 1 2	2 0 8			
	1400 mm wide incl. 4 metal brackets	130	1400	8	ABG	131	4 0 8			
Accessories	S									
1	Towel holder chrome gloss front opened to fit on carcass at side Please observe carcass depth and furniture height	380	50	10	PΖ	1 1 2	7 4 5			
	Towel holder one-armed extendable Chrome hgl. wall-mounted	330-567	44	44	PΖ	1 1 3	7 1			
	Towel holder two-armed extendable Chrome hgl. wall-mounted	322-562	87	47	PΖ	1 1 3	7 2			
	Motion sensor for LED lighting of washbasins or washbasin base units Term and sensitivity of lighting are adjustable				PZ	114	1			


Depth indication corresponds to the carcass depth Accessories		Depth in mm			Article number			Surchar- ge high- gloss carcass	Premium
	LED washbasin lighting 2,4 Watt 1 switch element to fit underneath mirror cabinet This product contains a light source with energy efficiency class: G not suitable with Emotion lighting	10	560	10	PΖ	10636	5 O		
	LED washbasin lighting 3,9 Watt 1 switch element to fit underneath mirror cabinet This product contains a light source with energy efficiency class: G not suitable with Emotion lighting	10	860	10	PΖ	1 0 6 3 9	0		
	LED washbasin lighting 5,3 Watt 1 switch element to fit underneath mirror cabinet This product contains a light source with energy efficiency class: G not suitable with Emotion lighting	10	1160	10	PΖ	1 0 6 3 1	2		
	Cosmetic mirror 2-times magnified vacuum cup and fixation metal fixing bracket chrome	30	150	150	PΖ	1 2 3 3			
2	Touch LED Dimmer for LED mirror cabinets and lightings				PΖ	1 0 5 7			
	Space-saving drain stench trap from GEBE- RIT made of plastic, in white nominal diameter: 40				PΖ	1 3 6 7			
	Space-saving drain stench trap from GEBE- RIT made of plastic, in white nominal diameter: 32				PΖ	1 4 2 3			

Program 054 - dimensional drawings


SET VU70 SET VU90 SET VU12

SET VU14

SET VU4D



electrical connections for mirror cabinets



Modifications:

Technical modifications (+/- 5mm) and flatness modifications (DIN 18202) are subject of the usual material-specific modifications for construction materials, based on DIN 18202.